

K. Kinoshita

Publications

- [1] **Belle-II** Collaboration, I. Adachi *et al.*, “Determination of $|V_{cb}|$ using $\bar{B}^0 \rightarrow D^{*+}\ell^-\bar{\nu}_\ell$ decays with Belle II,” *Phys. Rev. D* **108** no. 9, (2023) 092013, [arXiv:2310.01170 \[hep-ex\]](#).
- [2] **Belle-II** Collaboration, I. Adachi *et al.*, “Tests of Light-Lepton Universality in Angular Asymmetries of $B^0 \rightarrow D^{*-}\ell\nu$ Decays,” *Phys. Rev. Lett.* **131** no. 18, (2023) 181801, [arXiv:2308.02023 \[hep-ex\]](#).
- [3] **Belle-II** Collaboration, I. Adachi *et al.*, “Measurement of CP asymmetries in $B^0 \rightarrow \phi K_S^0$ decays with Belle II,” *Phys. Rev. D* **108** no. 7, (2023) 072012, [arXiv:2307.02802 \[hep-ex\]](#).
- [4] **Belle, Belle-II** Collaboration, I. Adachi *et al.*, “Measurement of CP asymmetries and branching-fraction ratios for $B^\pm \rightarrow DK^\pm$ and $D\pi^\pm$ with $D \rightarrow K_S^0 K\pi^\mp$ using Belle and Belle II data,” *JHEP* **09** (2023) 146, [arXiv:2306.02940 \[hep-ex\]](#).
- [5] **Belle-II** Collaboration, I. Adachi *et al.*, “Precise Measurement of the D_s^+ Lifetime at Belle II,” *Phys. Rev. Lett.* **131** no. 17, (2023) 171803, [arXiv:2306.00365 \[hep-ex\]](#).
- [6] **Belle-II** Collaboration, I. Adachi *et al.*, “Measurement of the τ -lepton mass with the Belle II experiment,” *Phys. Rev. D* **108** no. 3, (2023) 032006, [arXiv:2305.19116 \[hep-ex\]](#).
- [7] **Belle** Collaboration, C. Y. Chang *et al.*, “Evidence for $B^0 \rightarrow p\bar{\Sigma}^0\pi^-$ at Belle,” *Phys. Rev. D* **108** no. 5, (2023) 052011, [arXiv:2305.18821 \[hep-ex\]](#).
- [8] **Belle** Collaboration, J. H. Yin *et al.*, “Search for the double-charmonium state with $\eta_c J/\psi$ at Belle,” *JHEP* **08** (2023) 121, [arXiv:2305.17947 \[hep-ex\]](#).
- [9] **Belle** Collaboration, V. Zhukova *et al.*, “Measurement of the $e^+e^- \rightarrow B_s^0\bar{B}_s^0 X$ cross section in the energy range from 10.63 to 11.02 GeV using inclusive D_s^+ and D^0 production,” *JHEP* **08** (2023) 131, [arXiv:2305.10098 \[hep-ex\]](#).
- [10] **Belle-II** Collaboration, I. Adachi *et al.*, “Novel method for the identification of the production flavor of neutral charmed mesons,” *Phys. Rev. D* **107** no. 11, (2023) 112010, [arXiv:2304.02042 \[hep-ex\]](#).
- [11] **Belle** Collaboration, L. Cao *et al.*, “First Simultaneous Determination of Inclusive and Exclusive $|V_{ub}|$,” *Phys. Rev. Lett.* **131** no. 21, (2023) 211801, [arXiv:2303.17309 \[hep-ex\]](#).
- [12] **Belle** Collaboration, D. Bodrov *et al.*, “First Measurement of the Michel Parameter ξ' in the $\tau^- \rightarrow \mu^- \bar{\nu}_\mu \nu_\tau$ Decay at Belle,” *Phys. Rev. Lett.* **131** no. 2, (2023) 021801, [arXiv:2303.10570 \[hep-ex\]](#).
- [13] **Belle** Collaboration, D. Bodrov *et al.*, “Study of the muon decay-in-flight in the $\tau^- \rightarrow \mu^- \bar{\nu}_\mu \nu_\tau$ decay to measure the Michel parameter ξ' ,” *Phys. Rev. D* **108** no. 1, (2023) 012003, [arXiv:2303.10574 \[hep-ex\]](#).
- [14] **Belle-II** Collaboration, F. Abudinén *et al.*, “Measurement of the branching fraction and CP asymmetry of $B^0 \rightarrow \pi^0\pi^0$ decays using $198 \times 10^6 B\bar{B}$ pairs in Belle II data,” *Phys. Rev. D* **107** no. 11, (2023) 112009, [arXiv:2303.08354 \[hep-ex\]](#).
- [15] **Belle** Collaboration, A. Sangal *et al.*, “Measurement of the branching fraction and search for CP violation in $D^0 \rightarrow K_S^0 K_S^0 \pi^+ \pi^-$ decays at Belle,” *Phys. Rev. D* **107** no. 5, (2023) 052001.
- [16] **Belle** Collaboration, H. Hirata *et al.*, “Study of the lineshape of $X(3872)$ using B decays to $D^0 \bar{D}^{*0} K$,” *Phys. Rev. D* **107** no. 11, (2023) 112011, [arXiv:2302.02127 \[hep-ex\]](#).
- [17] **Belle** Collaboration, J. Borah *et al.*, “Search for the decay $B_s^0 \rightarrow \pi^0\pi^0$ at Belle,” *Phys. Rev. D* **107** no. 5, (2023) L051101, [arXiv:2301.08587 \[hep-ex\]](#).
- [18] **Belle** Collaboration, N. Tsuzuki *et al.*, “Search for lepton-flavor-violating τ decays into a lepton and a vector meson using the full Belle data sample,” *JHEP* **06** (2023) 118, [arXiv:2301.03768 \[hep-ex\]](#).
- [19] **Belle** Collaboration, S. Watanuki *et al.*, “Search for the Lepton Flavor Violating Decays $B^+ \rightarrow K^+ \tau^\pm \ell^\mp$ ($\ell = e, \mu$) at Belle,” *Phys. Rev. Lett.* **130** no. 26, (2023) 261802, [arXiv:2212.04128 \[hep-ex\]](#).

- [20] **Belle-II** Collaboration, I. Adachi *et al.*, “Search for Lepton-Flavor-Violating τ Decays to a Lepton and an Invisible Boson at Belle II,” *Phys. Rev. Lett.* **130** no. 18, (2023) 181803, [arXiv:2212.03634 \[hep-ex\]](#).
- [21] **Belle** Collaboration, D. Wang *et al.*, “Measurement of the mass and width of the $\Lambda_c(2625)^+$ charmed baryon and the branching ratios of $\Lambda_c(2625)^+ \rightarrow \Sigma_c^0 \pi^+$ and $\Lambda_c(2625)^+ \rightarrow \Sigma_c^{++} \pi^-$,” *Phys. Rev. D* **107** no. 3, (2023) 032008, [arXiv:2212.04062 \[hep-ex\]](#).
- [22] **Belle-II** Collaboration, I. Adachi *et al.*, “Search for an Invisible Z' in a Final State with Two Muons and Missing Energy at Belle II,” *Phys. Rev. Lett.* **130** no. 23, (2023) 231801, [arXiv:2212.03066 \[hep-ex\]](#).
- [23] **Belle** Collaboration, Y. Ma *et al.*, “First Observation of $\Lambda \pi^+$ and $\Lambda \pi^-$ Signals near the $\bar{K}N$ ($I = 1$) Mass Threshold in $\Lambda_c^+ \rightarrow \Lambda \pi^+ \pi^+ \pi^-$ Decay,” *Phys. Rev. Lett.* **130** no. 15, (2023) 151903, [arXiv:2211.11151 \[hep-ex\]](#).
- [24] **Belle** Collaboration, F. Meier *et al.*, “First observation of $B \rightarrow \bar{D}_1(\rightarrow \bar{D} \pi^+ \pi^-) \ell^+ \nu_\ell$ and measurement of the $B \rightarrow \bar{D}^{(*)} \pi \ell^+ \nu_\ell$ and $B \rightarrow \bar{D}^{(*)} \pi^+ \pi^- \ell^+ \nu_\ell$ branching fractions with hadronic tagging at Belle,” *Phys. Rev. D* **107** no. 9, (2023) 092003, [arXiv:2211.09833 \[hep-ex\]](#).
- [25] **Belle** Collaboration, G. Gong *et al.*, “Study of $e^+e^- \rightarrow \Sigma^0 \bar{\Sigma}^0$ and $\Sigma^+ \bar{\Sigma}^-$ by initial state radiation method at Belle,” *Phys. Rev. D* **107** no. 7, (2023) 072008, [arXiv:2210.16761 \[hep-ex\]](#).
- [26] **Belle** Collaboration, L. K. Li *et al.*, “Measurement of branching fractions of $\Lambda_c^+ \rightarrow p K_S^0 K_S^0$ and $\Lambda_c^+ \rightarrow p K_S^0 \eta$ at Belle,” *Phys. Rev. D* **107** no. 3, (2023) 032004, [arXiv:2210.01995 \[hep-ex\]](#).
- [27] **Belle** Collaboration, X. Han *et al.*, “Evidence for the singly Cabibbo-suppressed decay $\Omega_c^0 \rightarrow \Xi^- \pi^+$ and search for $\Omega_c^0 \rightarrow \Xi^- K^+$ and ΩK^+ decays at Belle,” *JHEP* **01** (2023) 055, [arXiv:2209.08583 \[hep-ex\]](#).
- [28] **Belle** Collaboration, M. Kumar *et al.*, “Search for rare decays $B^+ \rightarrow D_s^{(*)+} \eta$, $D_s^{(*)+} K^0$, $D^+ \eta$, and $D^+ K^0$,” *Phys. Rev. D* **107** no. 3, (2023) L031101, [arXiv:2208.14218 \[hep-ex\]](#).
- [29] **Belle** Collaboration, L. K. Li *et al.*, “Search for CP violation and measurement of branching fractions and decay asymmetry parameters for $\Lambda_c^+ \rightarrow \Lambda h^+$ and $\Lambda_c^+ \rightarrow \Sigma^0 h^+$ ($h = K, \pi$),” *Sci. Bull.* **68** (2023) 583–592, [arXiv:2208.08695 \[hep-ex\]](#).
- [30] **Belle-II** Collaboration, F. J. Abudinén *et al.*, “Measurement of the Ω_c^0 lifetime at Belle II,” *Phys. Rev. D* **107** no. 3, (2023) L031103, [arXiv:2208.08573 \[hep-ex\]](#).
- [31] **Belle** Collaboration, Y. T. Lai *et al.*, “First Measurement of the $B^+ \rightarrow \pi^+ \pi^0 \pi^0$ Branching Fraction and CP Asymmetry,” *Phys. Rev. Lett.* **130** no. 18, (2023) 181804, [arXiv:2208.01855 \[hep-ex\]](#).
- [32] **Belle** Collaboration, S. Choudhury *et al.*, “Measurement of the B^+/B^0 production ratio in e^+e^- collisions at the $\Upsilon(4S)$ resonance using $B \rightarrow J/\psi(\ell\ell)K$ decays at Belle,” *Phys. Rev. D* **107** no. 3, (2023) L031102, [arXiv:2207.01194 \[hep-ex\]](#).
- [33] **Belle-II** Collaboration, F. Abudinén *et al.*, “Search for a Dark Photon and an Invisible Dark Higgs Boson in $\mu^+ \mu^-$ and Missing Energy Final States with the Belle II Experiment,” *Phys. Rev. Lett.* **130** no. 7, (2023) 071804, [arXiv:2207.00509 \[hep-ex\]](#).
- [34] **Belle-II** Collaboration, F. Abudinén *et al.*, “Measurement of the Λ_c^+ Lifetime,” *Phys. Rev. Lett.* **130** no. 7, (2023) 071802, [arXiv:2206.15227 \[hep-ex\]](#).
- [35] **Belle** Collaboration, J. F. Krohn *et al.*, “Measurements of the Branching Fractions $B(\bar{B}^0 \rightarrow D^{*+} \pi^-)$ and $B(\bar{B}^0 \rightarrow D^{*+} K^-)$ and tests of QCD factorization,” *Phys. Rev. D* **107** no. 1, (2023) 012003, [arXiv:2207.00134 \[hep-ex\]](#).
- [36] **Belle** Collaboration, Y. Li *et al.*, “First search for the weak radiative decays $\Lambda_c^+ \rightarrow \Sigma^+ \gamma$ and $\Xi_c^0 \rightarrow \Xi^0 \gamma$,” *Phys. Rev. D* **107** no. 3, (2023) 032001, [arXiv:2206.12517 \[hep-ex\]](#).
- [37] **Belle** Collaboration, J. H. Yin *et al.*, “Search for $X(3872) \rightarrow \pi^+ \pi^- \pi^0$ at Belle,” *Phys. Rev. D* **107** no. 5, (2023) 052004, [arXiv:2206.08592 \[hep-ex\]](#).
- [38] **Belle** Collaboration, Y. B. Li *et al.*, “Evidence of a New Excited Charmed Baryon Decaying to $\Sigma_c(2455)^{0,++} \pi^\pm$,” *Phys. Rev. Lett.* **130** no. 3, (2023) 031901, [arXiv:2206.08822 \[hep-ex\]](#).

- [39] **Belle** Collaboration, S. S. Tang *et al.*, “Measurement of the Branching Fraction of $\Xi_c^0 \rightarrow \Lambda_c^+ \pi^-$ at Belle,” *Phys. Rev. D* **107** no. 3, (2023) 032005, [arXiv:2206.08527 \[hep-ex\]](#).
- [40] **Belle** Collaboration, L. Li *et al.*, “Measurement of the branching fractions for Cabibbo-suppressed decays $D^+ \rightarrow K^+ K^- \pi^+ \pi^0$ and $D_s^+ \rightarrow K^+ \pi^- \pi^+ \pi^0$ at Belle,” *Phys. Rev. D* **107** no. 3, (2023) 033003, [arXiv:2205.02018 \[hep-ex\]](#).
- [41] **Belle** Collaboration, H. B. Jeon *et al.*, “Search for the radiative penguin decays $B^0 \rightarrow K_S^0 K_S^0 \gamma$ in the Belle experiment,” *Phys. Rev. D* **106** no. 1, (2022) 012006.
- [42] **Belle** Collaboration, S. Patra *et al.*, “Search for charged lepton flavor violating decays of $\Upsilon(1S)$,” *JHEP* **05** (2022) 095, [arXiv:2201.09620 \[hep-ex\]](#).
- [43] **Belle** Collaboration, T. Pang *et al.*, “Search for the decay $B_s^0 \rightarrow \eta K_S^0$,” *Phys. Rev. D* **106** no. 5, (2022) L051103, [arXiv:2201.01851 \[hep-ex\]](#).
- [44] **Belle** Collaboration, S. X. Li *et al.*, “First Measurement of the $\Lambda_c^+ \rightarrow p \eta'$ decay,” *JHEP* **03** (2022) 090, [arXiv:2112.14276 \[hep-ex\]](#).
- [45] **Belle** Collaboration, S. Jia *et al.*, “Search for a light Higgs boson in single-photon decays of $\Upsilon(1S)$ using $\Upsilon(2S) \rightarrow \pi^+ \pi^- \Upsilon(1S)$ tagging method,” *Phys. Rev. Lett.* **128** no. 8, (2022) 081804, [arXiv:2112.11852 \[hep-ex\]](#).
- [46] **Belle** Collaboration, Y. B. Li *et al.*, “First test of lepton flavor universality in the charmed baryon decays $\Omega_c^0 \rightarrow \Omega \ell^+ \nu_\ell$ using data of the Belle experiment,” *Phys. Rev. D* **105** no. 9, (2022) L091101, [arXiv:2112.10367 \[hep-ex\]](#).
- [47] **Belle** Collaboration, B. Bhuyan *et al.*, “Search for the decay $B_s^0 \rightarrow \eta \eta$,” *Phys. Rev. D* **105** no. 1, (2022) 012007, [arXiv:2111.14437 \[hep-ex\]](#).
- [48] **Belle** Collaboration, Y. Li *et al.*, “Measurements of the branching fractions of $\Xi_c^0 \rightarrow \Lambda K_S^0$, $\Xi_c^0 \rightarrow \Sigma^0 K_S^0$, and $\Xi_c^0 \rightarrow \Sigma^+ K^-$ decays at Belle,” *Phys. Rev. D* **105** no. 1, (2022) L011102, [arXiv:2111.08981 \[hep-ex\]](#).
- [49] **Belle** Collaboration, E. Waheed *et al.*, “Study of $\bar{B}^0 \rightarrow D^+ h^-$ ($h = K/\pi$) decays at Belle,” *Phys. Rev. D* **105** no. 1, (2022) 012003, [arXiv:2111.04978 \[hep-ex\]](#).
- [50] **Belle, Belle-II** Collaboration, F. Abudinén *et al.*, “Combined analysis of Belle and Belle II data to determine the CKM angle ϕ_3 using $B^+ \rightarrow D(K_S^0 h^- h^+) h^+$ decays,” *JHEP* **02** (2022) 063, [arXiv:2110.12125 \[hep-ex\]](#).
- [51] **Belle** Collaboration, R. van Tonder *et al.*, “Measurements of q^2 Moments of Inclusive $B \rightarrow X_c \ell^+ \nu_\ell$ Decays with Hadronic Tagging,” *Phys. Rev. D* **104** no. 11, (2021) 112011, [arXiv:2109.01685 \[hep-ex\]](#).
- [52] **Belle** Collaboration, H. Atmacan *et al.*, “Search for $B^0 \rightarrow \tau^\pm \ell^\mp$ ($\ell = e, \mu$) with a hadronic tagging method at Belle,” *Phys. Rev. D* **104** no. 9, (2021) L091105, [arXiv:2108.11649 \[hep-ex\]](#).
- [53] **Belle** Collaboration, K. Inami *et al.*, “An improved search for the electric dipole moment of the τ lepton,” [arXiv:2108.11543 \[hep-ex\]](#).
- [54] **Belle** Collaboration, S. X. Li *et al.*, “Measurement of the branching fraction of $\Lambda_c^+ \rightarrow p \omega$ decay at Belle,” *Phys. Rev. D* **104** no. 7, (2021) 072008, [arXiv:2108.11301 \[hep-ex\]](#).
- [55] **Belle** Collaboration, E. Kovalenko *et al.*, “Study of $e^+ e^- \rightarrow \Upsilon(1S, 2S) \eta$ and $e^+ e^- \rightarrow \Upsilon(1S) \eta'$ at $\sqrt{s} = 10.866$ GeV with the Belle detector,” [arXiv:2108.04426 \[hep-ex\]](#).
- [56] **Belle** Collaboration, A. Abdesselam *et al.*, “Study of $\chi_{bJ}(nP) \rightarrow \omega \Upsilon(1S)$ at Belle,” [arXiv:2108.03497 \[hep-ex\]](#).
- [57] **Belle-II** Collaboration, F. Abudinén *et al.*, “Precise measurement of the D^0 and D^+ lifetimes at Belle II,” *Phys. Rev. Lett.* **127** no. 21, (2021) 211801, [arXiv:2108.03216 \[hep-ex\]](#).

- [58] **Belle** Collaboration, L. Cao *et al.*, “Measurement of Differential Branching Fractions of Inclusive $B \rightarrow X_u \ell^+ \nu_\ell$ Decays,” [arXiv:2107.13855 \[hep-ex\]](#).
- [59] **Belle** Collaboration, J. Yelton *et al.*, “Measurement of the masses and widths of the $\Sigma_c(2455)^+$ and $\Sigma_c(2520)^+$ baryons,” *Phys. Rev. D* **104** no. 5, (2021) 052003, [arXiv:2107.05615 \[hep-ex\]](#).
- [60] **Belle** Collaboration, B. Wang *et al.*, “Measurement of $\mathcal{B}(B_s \rightarrow D_s X)$ with B_s semileptonic tagging,” *Phys. Rev. D* **105** no. 1, (2022) 012004, [arXiv:2106.11265 \[hep-ex\]](#).
- [61] **Belle** Collaboration, N. K. Nisar *et al.*, “Search for the decay $B_s^0 \rightarrow \eta' \eta$,” *Phys. Rev. D* **104** no. 3, (2021) L031101, [arXiv:2106.09695 \[hep-ex\]](#).
- [62] **Belle** Collaboration, S. Jia *et al.*, “Search for the $\eta_{c2}(1D)$ in $e^+e^- \rightarrow \gamma \eta_{c2}(1D)$ at \sqrt{s} near 10.6 GeV at Belle,” *Phys. Rev. D* **104** (2021) 012012, [arXiv:2106.09224 \[hep-ex\]](#).
- [63] **Belle** Collaboration, L. K. Li *et al.*, “Measurement of branching fractions and search for CP violation in $D^0 \rightarrow \pi^+ \pi^- \eta$, $D^0 \rightarrow K^+ K^- \eta$, and $D^0 \rightarrow \phi \eta$ at Belle,” *JHEP* **09** (2021) 075, [arXiv:2106.04286 \[hep-ex\]](#).
- [64] **Belle** Collaboration, Y. Li *et al.*, “Evidence for the decay $\Omega_{c0} \rightarrow \pi^+ \Omega(2012)^- \rightarrow \pi + (K \Xi)^-$,” *Phys. Rev. D* **104** no. 5, (2021) 052005, [arXiv:2106.00892 \[hep-ex\]](#).
- [65] **Belle** Collaboration, S. Jia *et al.*, “Measurements of branching fractions and asymmetry parameters of $\Xi_c^0 \rightarrow \Lambda \bar{K}^{*0}$, $\Xi_c^0 \rightarrow \Sigma^0 \bar{K}^{*0}$, and $\Xi_c^0 \rightarrow \Sigma^+ K^{*-}$ decays at Belle,” *JHEP* **06** (2021) 160, [arXiv:2104.10361 \[hep-ex\]](#).
- [66] **Belle** Collaboration, R. Mizuk *et al.*, “Measurement of the energy dependence of the $e^+e^- \rightarrow B\bar{B}, B\bar{B}^*$ and $B^* \bar{B}^*$ exclusive cross sections,” *JHEP* **06** (2021) 137, [arXiv:2104.08371 \[hep-ex\]](#).
- [67] **Belle** Collaboration, Y. Guan *et al.*, “Measurement of branching fractions and CP asymmetries for $D_s^+ \rightarrow K^+(\eta, \pi^0)$ and $D_s^+ \rightarrow \pi^+(\eta, \pi^0)$ decays at Belle,” *Phys. Rev. D* **103** (2021) 112005, [arXiv:2103.09969 \[hep-ex\]](#).
- [68] **Belle** Collaboration, Y. B. Li *et al.*, “Measurements of the Branching Fractions of the Semileptonic Decays $\Xi_{c0} \rightarrow \Xi^- \ell^+ \nu_\ell$ and the Asymmetry Parameter of $\Xi_{c0} \rightarrow \Xi^- \pi^+$,” *Phys. Rev. Lett.* **127** no. 12, (2021) 121803, [arXiv:2103.06496 \[hep-ex\]](#).
- [69] **Belle** Collaboration, S. X. Li *et al.*, “Measurements of the branching fractions of $\Lambda_c^+ \rightarrow p \eta$ and $\Lambda_c^+ \rightarrow p \pi^0$ decays at Belle,” *Phys. Rev. D* **103** no. 7, (2021) 072004, [arXiv:2102.12226 \[hep-ex\]](#).
- [70] **Belle** Collaboration, S. Dubey *et al.*, “Search for $B_s^0 \rightarrow \eta' X_{ss}$ at Belle using a semi-inclusive method,” *Phys. Rev. D* **104** no. 1, (2021) 012007, [arXiv:2102.10266 \[hep-ex\]](#).
- [71] **Belle** Collaboration, L. Cao *et al.*, “Measurements of partial branching fractions of inclusive $B \rightarrow X u \ell^+ \nu_\ell$ decays with hadronic tagging,” *Phys. Rev. D* **104** no. 1, (2021) 012008, [arXiv:2102.00020 \[hep-ex\]](#).
- [72] **Belle** Collaboration, S. Mohanty *et al.*, “Measurement of branching fraction and search for CP violation in $B \rightarrow \phi \phi K$,” *Phys. Rev. D* **103** no. 5, (2021) 052013, [arXiv:2101.07753 \[hep-ex\]](#).
- [73] **Belle II** Collaboration, S. D. L. Motte, H. Wakeling, M. Barrett, and K. Kinoshita, “Diversity + Inclusion at Belle II: Where We Are, What We’ve Done and Where We Want To Be,” *PoS ICHEP2020* (2021) 977, [arXiv:2102.04606 \[physics.ed-ph\]](#).
- [74] **BELLE II** Collaboration, H. M. Wakeling, S. A. De La Motte, M. Barrett, and K. Kinoshita, “Diversity and inclusion activities in Belle II,” *PoS ICHEP2020* (2021) 976, [arXiv:2102.04195 \[physics.ed-ph\]](#).
- [75] **Belle** Collaboration, S. Mohanty *et al.*, “Measurement of branching fraction and search for CP violation in $B \rightarrow \phi \phi K$,” *Phys. Rev. D* **103** no. 5, (2021) 052013, [arXiv:2101.07753 \[hep-ex\]](#).
- [76] **Belle** Collaboration, J. T. McNeil *et al.*, “Measurement of the resonant and nonresonant branching ratios in $\Xi_c^0 \rightarrow \Xi^0 K^+ K^-$,” *Phys. Rev. D* **103** no. 11, (2021) 112002, [arXiv:2012.05607 \[hep-ex\]](#).

- [77] **Belle** Collaboration, S. H. Park *et al.*, “Search for the dark photon in $B^0 \rightarrow A'A'$, $A' \rightarrow e^+e^-$, $\mu^+\mu^-$, and $\pi^+\pi^-$ decays at Belle,” *JHEP* **04** (2021) 191, [arXiv:2012.02538 \[hep-ex\]](#).
- [78] **Belle** Collaboration, K. H. Kang *et al.*, “Measurement of time-dependent CP violation parameters in $B^0 \rightarrow K_S^0 K_S^0 K_S^0$ decays at Belle,” *Phys. Rev. D* **103** no. 3, (2021) 032003, [arXiv:2011.00793 \[hep-ex\]](#).
- [79] **Belle** Collaboration, D. Sahoo *et al.*, “Search for lepton-number- and baryon-number-violating tau decays at Belle,” *Phys. Rev. D* **102** (2020) 111101, [arXiv:2010.15361 \[hep-ex\]](#).
- [80] **Belle** Collaboration, P. Oskin *et al.*, “Search for transitions from $\Upsilon(4S)$ and $\Upsilon(5S)$ to $\eta_b(1S)$ and $\eta_b(2S)$ with emission of an ω meson,” *Phys. Rev. D* **102** no. 9, (2020) 092011, [arXiv:2009.11720 \[hep-ex\]](#).
- [81] **Belle** Collaboration, J. Yelton *et al.*, “Study of electromagnetic decays of orbitally excited Ξ_c baryons,” *Phys. Rev. D* **102** no. 7, (2020) 071103, [arXiv:2009.03951 \[hep-ex\]](#).
- [82] **Belle** Collaboration, Y. Li *et al.*, “Search for a doubly-charged DDK bound state in $\Upsilon(1S, 2S)$ inclusive decays and via direct production in e^+e^- collisions at $\sqrt{s} = 10.520, 10.580, \text{ and } 10.867$ GeV,” *Phys. Rev. D* **102** no. 11, (2020) 112001, [arXiv:2008.13341 \[hep-ex\]](#).
- [83] **Belle** Collaboration, J. Y. Lee *et al.*, “Measurement of Branching Fractions of $\Lambda_c^+ \rightarrow \eta\Lambda\pi^+$, $\eta\Sigma^0\pi^+$, $\Lambda(1670)\pi^+$, and $\eta\Sigma(1385)^+$,” *Phys. Rev. D* **103** no. 5, (2021) 052005, [arXiv:2008.11575 \[hep-ex\]](#).
- [84] **Belle-II** Collaboration, F. Abudinén *et al.*, “Search for Axion-Like Particles produced in e^+e^- collisions at Belle II,” *Phys. Rev. Lett.* **125** no. 16, (2020) 161806, [arXiv:2007.13071 \[hep-ex\]](#).
- [85] **Belle** Collaboration, T. J. Moon *et al.*, “First Determination of the Spin and Parity of a Charmed-Strange Baryon, $\Xi_c(2970)^+$,” *Phys. Rev. D* **103** no. 11, (2021) L111101, [arXiv:2007.14700 \[hep-ex\]](#).
- [86] **Belle** Collaboration, Y. Teramoto *et al.*, “Evidence for $X(3872) \rightarrow J/\psi\pi^+\pi^-$ produced in single-tag two-photon interactions,” *Phys. Rev. Lett.* **126** no. 12, (2021) 122001, [arXiv:2007.05696 \[hep-ex\]](#).
- [87] **Belle** Collaboration, Y. Chen *et al.*, “Dalitz analysis of $D^0 \rightarrow K^-\pi^+\eta$ decays at Belle,” *Phys. Rev. D* **102** no. 1, (2020) 012002, [arXiv:2003.07759 \[hep-ex\]](#).
- [88] **Belle** Collaboration, C. Beleño *et al.*, “Measurement of the Branching Fraction of the Decay $B^+ \rightarrow \pi^+\pi^-\ell^+\nu_\ell$ in Fully Reconstructed Events at Belle,” *Phys. Rev. D* **103** no. 11, (2021) 112001, [arXiv:2005.07766 \[hep-ex\]](#).
- [89] K. Kinoshita and Y. Zabarmawi, “Ionization clustering on charged particle tracks as a seed for biologically relevant radiation effects,” *Phys. Rev. E* **101** (Jun, 2020) 062411.
- [90] **Belle** Collaboration, Y. Ku *et al.*, “Search for B^0 decays to invisible final states ($+\gamma$) at Belle,” *Phys. Rev. D* **102** no. 1, (2020) 012003, [arXiv:2004.03826 \[hep-ex\]](#).
- [91] **Belle II Collaboration** Collaboration, I. Adachi *et al.*, “Search for an invisibly decaying Z' boson at belle ii in $e^+e^- \rightarrow \mu^+\mu^- (e^\pm\mu^\mp)$ plus missing energy final states,” *Phys. Rev. Lett.* **124** (Apr, 2020) 141801.
- [92] **Belle** Collaboration, S. Jia *et al.*, “Evidence for a vector charmoniumlike state in $e^+e^- \rightarrow D_s^+ D_{s2}^*(2573)^- + c.c.$,” *Phys. Rev. D* **101** no. 9, (2020) 091101, [arXiv:2004.02404 \[hep-ex\]](#).
- [93] **Belle** Collaboration, K. Chu *et al.*, “Study of $B \rightarrow p\bar{p}\pi\pi$,” *Phys. Rev. D* **101** no. 5, (2020) 052012, [arXiv:1912.05999 \[hep-ex\]](#).
- [94] **Belle** Collaboration, K. Chilikin *et al.*, “First search for the $\eta_{c2}(1D)$ in B decays at Belle,” *JHEP* **05** (2020) 034, [arXiv:2003.08335 \[hep-ex\]](#).
- [95] **Belle** Collaboration, R. Seidl *et al.*, “Update of inclusive cross sections of single and pairs of identified light charged hadrons,” *Phys. Rev. D* **101** no. 9, (2020) 092004, [arXiv:2001.10194 \[hep-ex\]](#).
- [96] **Belle** Collaboration, M. Nayak *et al.*, “Measurement of the charm-mixing parameter y_{CP} in $D^0 \rightarrow K_S^0\omega$ decays at Belle,” *Phys. Rev. D* **102** no. 7, (2020) 071102, [arXiv:1912.10912 \[hep-ex\]](#).

- [97] **Belle** Collaboration, S. Jia *et al.*, “Observation of a vector charmoniumlike state in $e^+e^- \rightarrow D_s^+ D_{s1}(2536)^- + c.c.$ ” *Phys. Rev. D* **100** no. 11, (2019) 111103, [arXiv:1911.00671 \[hep-ex\]](#).
- [98] **Belle** Collaboration, Y. Li *et al.*, “Measurements of the Branching Fractions $\mathcal{B}(B^- \rightarrow \bar{\Lambda}_c^- \Xi_c^{\prime 0})$, $\mathcal{B}(B^- \rightarrow \bar{\Lambda}_c^- \Xi_c(2645)^0)$ and $\mathcal{B}(B^- \rightarrow \bar{\Lambda}_c^- \Xi_c(2790)^0)$,” *Phys. Rev. D* **100** no. 11, (2019) 112010, [arXiv:1911.12530 \[hep-ex\]](#).
- [99] **Belle** Collaboration, M. Prim *et al.*, “Search for $B^+ \rightarrow \mu^+ \nu_\mu$ and $B^+ \rightarrow \mu^+ N$ with inclusive tagging,” *Phys. Rev. D* **101** no. 3, (2020) 032007, [arXiv:1911.03186 \[hep-ex\]](#).
- [100] **Belle** Collaboration, P. Katrenko *et al.*, “Observation of the Radiative Decays of $\Upsilon(1S)$ to χ_{c1} ,” *Phys. Rev. Lett.* **124** no. 12, (2020) 122001, [arXiv:1910.10915 \[hep-ex\]](#).
- [101] **Belle** Collaboration, G. Caria *et al.*, “Measurement of $\mathcal{R}(D)$ and $\mathcal{R}(D^*)$ with a semileptonic tagging method,” *Phys. Rev. Lett.* **124** no. 16, (2020) 161803, [arXiv:1910.05864 \[hep-ex\]](#).
- [102] **Belle-II** Collaboration, F. Abudinén *et al.*, “Measurement of the integrated luminosity of the Phase 2 data of the Belle II experiment,” *Chin. Phys. C* **44** (2020) 021001, [arXiv:1910.05365 \[hep-ex\]](#).
- [103] **Belle** Collaboration, P. K. Resmi *et al.*, “First measurement of the CKM angle ϕ_3 with $B^\pm \rightarrow D(K_S^0 \pi^+ \pi^- \pi^0) K^\pm$ decays,” *JHEP* **10** (2019) 178, [arXiv:1908.09499 \[hep-ex\]](#).
- [104] **Belle** Collaboration, Y. Jin *et al.*, “Observation of $\tau^- \rightarrow \pi^- \nu_\tau e^+ e^-$ and search for $\tau^- \rightarrow \pi^- \nu_\tau \mu^+ \mu^-$,” *Phys. Rev. D* **100** no. 7, (2019) 071101, [arXiv:1908.09353 \[hep-ex\]](#).
- [105] **Belle** Collaboration, R. Mizuk *et al.*, “Observation of a new structure near 10.75 GeV in the energy dependence of the $e^+e^- \rightarrow \Upsilon(nS)\pi^+\pi^-$ ($n = 1, 2, 3$) cross sections,” *JHEP* **10** (2019) 220, [arXiv:1905.05521 \[hep-ex\]](#).
- [106] **Belle** Collaboration, S. Jia *et al.*, “Search for $\Omega(2012) \rightarrow K\Xi(1530) \rightarrow K\pi\Xi$ at Belle,” *Phys. Rev. D* **100** no. 3, (2019) 032006, [arXiv:1906.00194 \[hep-ex\]](#).
- [107] **Belle** Collaboration, P. C. Chou *et al.*, “Search for $B^0 \rightarrow X(3872)\gamma$,” *Phys. Rev. D* **100** no. 1, (2019) 012002, [arXiv:1905.11718 \[hep-ex\]](#).
- [108] **Belle** Collaboration, Y. B. Li *et al.*, “First Measurements of Absolute Branching Fractions of the Ξ_c^0 Baryon at Belle,” *Phys. Rev. Lett.* **122** no. 8, (2019) 082001, [arXiv:1811.09738 \[hep-ex\]](#).
- [109] **Belle** Collaboration, E. Waheed *et al.*, “Measurement of the CKM matrix element $|V_{cb}|$ from $B^0 \rightarrow D^{*-} \ell^+ \nu_\ell$ at Belle,” *Phys. Rev. D* **100** no. 5, (2019) 052007, [arXiv:1809.03290 \[hep-ex\]](#).
- [110] **Belle** Collaboration, Y. T. Lai *et al.*, “Measurement of branching fraction and final-state asymmetry for the $\bar{B}^0 \rightarrow K_S^0 K^\mp \pi^\pm$ decay,” *Phys. Rev. D* **100** no. 1, (2019) 011101, [arXiv:1904.06835 \[hep-ex\]](#).
- [111] **Belle** Collaboration, V. Bhardwaj *et al.*, “Search for $X(3872)$ and $X(3915)$ decay into $\chi_{c1}\pi^0$ in B decays at Belle,” *Phys. Rev. D* **99** no. 11, (2019) 111101, [arXiv:1904.07015 \[hep-ex\]](#).
- [112] **Belle** Collaboration, B. Pal *et al.*, “Evidence for the decay $B^0 \rightarrow p\bar{p}\pi^0$,” *Phys. Rev. D* **99** no. 9, (2019) 091104, [arXiv:1904.05713 \[hep-ex\]](#).
- [113] **Belle** Collaboration, K. Chilikin *et al.*, “Evidence for $B^+ \rightarrow h_c K^+$ and observation of $\eta_c(2S) \rightarrow p\bar{p}\pi^+\pi^-$,” *Phys. Rev. D* **100** no. 1, (2019) 012001, [arXiv:1903.06414 \[hep-ex\]](#).
- [114] **Belle** Collaboration, R. Garg *et al.*, “Search for the $B \rightarrow Y(4260)K$, $Y(4260) \rightarrow J/\psi\pi^+\pi^-$ decays,” *Phys. Rev. D* **99** no. 7, (2019) 071102, [arXiv:1901.06470 \[hep-ex\]](#).
- [115] **Belle** Collaboration, A. B. Kaliyar *et al.*, “Measurements of branching fraction and direct CP asymmetry in $B^\pm \rightarrow K_S^0 K_S^0 K^\pm$ and a search for $B^\pm \rightarrow K_S^0 K_S^0 \pi^\pm$,” *Phys. Rev. D* **99** no. 3, (2019) 031102, [arXiv:1812.10221 \[hep-ex\]](#).
- [116] **Belle** Collaboration, Y. B. Li *et al.*, “First measurements of absolute branching fractions of the Ξ_c^+ baryon at Belle,” *Phys. Rev. D* **100** no. 3, (2019) 031101, [arXiv:1904.12093 \[hep-ex\]](#).

- [117] **Belle** Collaboration, S. Jia *et al.*, “Observation of $e^+e^- \rightarrow \gamma\chi_{c1}$ and search for $e^+e^- \rightarrow \gamma\chi_{c0}, \gamma\chi_{c2}$, and $\gamma\eta_c$ at \sqrt{s} near 10.6 GeV at Belle,” *Phys. Rev.* **D98** no. 9, (2018) 092015, [arXiv:1810.10291 \[hep-ex\]](#).
- [118] **Belle** Collaboration, M. Sumihama *et al.*, “Observation of $\Xi(1620)^0$ and evidence for $\Xi(1690)^0$ in $\Xi_c^+ \rightarrow \Xi^-\pi^+\pi^+$ decays,” *Phys. Rev. Lett.* **122** no. 7, (2019) 072501, [arXiv:1810.06181 \[hep-ex\]](#).
- [119] **Belle** Collaboration, J. B. Kim *et al.*, “Search for CP violation with kinematic asymmetries in the $D^0 \rightarrow K^+K^-\pi^+\pi^-$ decay,” *Phys. Rev.* **D99** no. 1, (2019) 011104, [arXiv:1810.06457 \[hep-ex\]](#).
- [120] **Belle** Collaboration, Y. Yusa *et al.*, “Measurement of time-dependent CP violation in $B^0 \rightarrow K_S^0\pi^0\pi^0$ decays,” *Phys. Rev.* **D99** no. 1, (2019) 011102, [arXiv:1810.03336 \[hep-ex\]](#).
- [121] **Belle** Collaboration, B. Pal *et al.*, “Measurement of the branching fraction and time-dependent CP asymmetry for $B^0 \rightarrow J/\psi\pi^0$ decays,” *Phys. Rev.* **D98** no. 11, (2018) 112008, [arXiv:1810.01356 \[hep-ex\]](#).
- [122] **Belle** Collaboration, I. S. Seong *et al.*, “Search for a light CP -odd Higgs boson and low-mass dark matter at the Belle experiment,” *Phys. Rev. Lett.* **122** no. 1, (2019) 011801, [arXiv:1809.05222 \[hep-ex\]](#).
- [123] **Belle** Collaboration, Y. Guan *et al.*, “Observation of Transverse $\Lambda/\bar{\Lambda}$ Hyperon Polarization in e^+e^- Annihilation at Belle,” *Phys. Rev. Lett.* **122** no. 4, (2019) 042001, [arXiv:1808.05000 \[hep-ex\]](#).
- [124] **Belle** Collaboration, P. C. Lu *et al.*, “Observation of $B^+ \rightarrow p\bar{\Lambda}K^+K^-$ and $B^+ \rightarrow \bar{p}\Lambda K^+K^+$,” *Phys. Rev.* **D99** no. 3, (2019) 032003, [arXiv:1807.10503 \[hep-ex\]](#).
- [125] **Belle** Collaboration, S. Watanuki *et al.*, “Measurements of isospin asymmetry and difference of direct CP asymmetries in inclusive $B \rightarrow X_s\gamma$ decays,” *Phys. Rev.* **D99** no. 3, (2019) 032012, [arXiv:1807.04236 \[hep-ex\]](#).
- [126] **Belle** Collaboration, S. Sandilya *et al.*, “Search for the lepton-flavor-violating decay $B^0 \rightarrow K^{*0}\mu^\pm e^\mp$,” *Phys. Rev. D* **98** no. 7, (2018) 071101, [arXiv:1807.03267 \[hep-ex\]](#).
- [127] **Belle** Collaboration, B. Fulsom *et al.*, “Observation of $\Upsilon(2S) \rightarrow \gamma\eta_b(1S)$ decay,” *Phys. Rev. Lett.* **121** no. 23, (2018) 232001, [arXiv:1807.01201 \[hep-ex\]](#).
- [128] **Belle** Collaboration, Y. Li *et al.*, “Evidence of a structure in $\bar{K}^0\Lambda_c^+$ consistent with a charged $\Xi_c(2930)^+$, and updated measurement of $\bar{B}^0 \rightarrow \bar{K}^0\Lambda_c^+\bar{\Lambda}_c^-$ at Belle,” *Eur. Phys. J. C* **78** no. 11, (2018) 928, [arXiv:1806.09182 \[hep-ex\]](#).
- [129] **Belle** Collaboration, J. Yin *et al.*, “Observation of $e^+e^- \rightarrow \pi^+\pi^-\pi^0\chi_{b1,2}(1P)$ and search for $e^+e^- \rightarrow \phi\chi_{b1,2}(1P)$ at $\sqrt{s} = 10.96\text{--}11.05$ GeV,” *Phys. Rev. D* **98** no. 9, (2018) 091102, [arXiv:1806.06203 \[hep-ex\]](#).
- [130] **Belle** Collaboration, J. Yelton *et al.*, “Observation of an Excited Ω^- Baryon,” *Phys. Rev. Lett.* **121** no. 5, (2018) 052003, [arXiv:1805.09384 \[hep-ex\]](#).
- [131] **Belle** Collaboration, S. Jia *et al.*, “Search for $\Upsilon(1S, 2S) \rightarrow Z_c^+Z_c^{(\prime)-}$ and $e^+e^- \rightarrow Z_c^+Z_c^{(\prime)-}$ at $\sqrt{s} = 10.52, 10.58, \text{ and } 10.867$ GeV,” *Phys. Rev. D* **97** no. 11, (2018) 112004, [arXiv:1805.02308 \[hep-ex\]](#).
- [132] **BaBar, Belle** Collaboration, I. Adachi *et al.*, “Measurement of $\cos 2\beta$ in $B^0 \rightarrow D^{(*)}h^0$ with $D \rightarrow K_S^0\pi^+\pi^-$ decays by a combined time-dependent Dalitz plot analysis of BaBar and Belle data,” *Phys. Rev. D* **98** no. 11, (2018) 112012, [arXiv:1804.06153 \[hep-ex\]](#).
- [133] **BaBar, Belle** Collaboration, I. Adachi *et al.*, “First Evidence for $\cos 2\beta > 0$ and Resolution of the Cabibbo-Kobayashi-Maskawa Quark-Mixing Unitarity Triangle Ambiguity,” *Phys. Rev. Lett.* **121** no. 26, (2018) 261801, [arXiv:1804.06152 \[hep-ex\]](#).
- [134] **Belle** Collaboration, E. Guido *et al.*, “Observation of $\Upsilon(4S) \rightarrow \eta'\Upsilon(1S)$,” *Phys. Rev. Lett.* **121** no. 6, (2018) 062001, [arXiv:1803.10303 \[hep-ex\]](#).
- [135] **Belle** Collaboration, H. Nakano *et al.*, “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow K_S^0\eta\gamma$ decays,” *Phys. Rev. D* **97** no. 9, (2018) 092003, [arXiv:1803.07774 \[hep-ex\]](#).

- [136] **Belle** Collaboration, A. Vossen *et al.*, “Measurement of the branching fraction of $B \rightarrow D^{(*)}\pi\ell\nu$ at Belle using hadronic tagging in fully reconstructed events,” *Phys. Rev. D* **98** no. 1, (2018) 012005, [arXiv:1803.06444 \[hep-ex\]](#).
- [137] **Belle** Collaboration, U. Tamponi *et al.*, “Inclusive study of bottomonium production in association with an η meson in e^+e^- annihilations near $\Upsilon(5S)$,” *Eur. Phys. J. C* **78** no. 8, (2018) 633, [arXiv:1803.03225 \[hep-ex\]](#).
- [138] **Belle** Collaboration, M. Berger *et al.*, “Measurement of the Decays $\Lambda_c \rightarrow \Sigma\pi\pi$ at Belle,” *Phys. Rev. D* **98** no. 11, (2018) 112006, [arXiv:1802.03421 \[hep-ex\]](#).
- [139] **Belle** Collaboration, A. Sibidanov *et al.*, “Search for $B^- \rightarrow \mu^- \bar{\nu}_\mu$ Decays at the Belle Experiment,” *Phys. Rev. Lett.* **121** no. 3, (2018) 031801, [arXiv:1712.04123 \[hep-ex\]](#).
- [140] **Belle** Collaboration, Y. B. Li *et al.*, “Observation of $\Xi_c(2930)^0$ and updated measurement of $B^- \rightarrow K^- \Lambda_c^+ \bar{\Lambda}_c^-$ at Belle,” *Eur. Phys. J. C* **78** no. 3, (2018) 252, [arXiv:1712.03612 \[hep-ex\]](#).
- [141] **Belle** Collaboration, J. Yelton *et al.*, “Measurement of branching fractions of hadronic decays of the Ω_c^0 baryon,” *Phys. Rev. D* **97** no. 3, (2018) 032001, [arXiv:1712.01333 \[hep-ex\]](#).
- [142] **Belle** Collaboration, V. Babu *et al.*, “Search for CP violation in the $D^+ \rightarrow \pi^+\pi^0$ decay at Belle,” *Phys. Rev. D* **97** no. 1, (2018) 011101, [arXiv:1712.00619 \[hep-ex\]](#).
- [143] **Belle** Collaboration, J. Yelton *et al.*, “Observation of Excited Ω_c Charmed Baryons in e^+e^- Collisions,” *Phys. Rev. D* **97** no. 5, (2018) 051102, [arXiv:1711.07927 \[hep-ex\]](#).
- [144] **Belle** Collaboration, N. Shimizu *et al.*, “Measurement of the tau Michel parameters $\bar{\eta}$ and $\xi\kappa$ in the radiative leptonic decay $\tau^- \rightarrow \ell^- \nu_\tau \bar{\nu}_\ell \gamma$,” *PTEP* **2018** no. 2, (2018) 023C01, [arXiv:1709.08833 \[hep-ex\]](#).
- [145] **Belle** Collaboration, Y. Kato *et al.*, “Measurements of the absolute branching fractions of $B^+ \rightarrow X_{c\bar{c}}K^+$ and $B^+ \rightarrow \bar{D}^{(*)0}\pi^+$ at Belle,” *Phys. Rev. D* **97** no. 1, (2018) 012005, [arXiv:1709.06108 \[hep-ex\]](#).
- [146] **Belle** Collaboration, S. Hirose *et al.*, “Measurement of the τ lepton polarization and $R(D^*)$ in the decay $\bar{B} \rightarrow D^*\tau^-\bar{\nu}_\tau$ with one-prong hadronic τ decays at Belle,” *Phys. Rev. D* **97** no. 1, (2018) 012004, [arXiv:1709.00129 \[hep-ex\]](#).
- [147] **Belle** Collaboration, E. Guido *et al.*, “Study of η and dipion transitions in $\Upsilon(4S)$ decays to lower bottomonia,” *Phys. Rev. D* **96** no. 5, (2017) 052005, [arXiv:1707.04973 \[hep-ex\]](#).
- [148] **Belle** Collaboration, T. Horiguchi *et al.*, “Evidence for Isospin Violation and Measurement of CP Asymmetries in $B \rightarrow K^*(892)\gamma$,” *Phys. Rev. Lett.* **119** no. 19, (2017) 191802, [arXiv:1707.00394 \[hep-ex\]](#).
- [149] **Belle** Collaboration, B. Pal *et al.*, “Search for $\Lambda_c^+ \rightarrow \phi p\pi^0$ and branching fraction measurement of $\Lambda_c^+ \rightarrow K^-\pi^+p\pi^0$,” *Phys. Rev. D* **96** no. 5, (2017) 051102, [arXiv:1707.00089 \[hep-ex\]](#).
- [150] **Belle** Collaboration, R. Seidl *et al.*, “Invariant-mass and fractional-energy dependence of inclusive production of di-hadrons in e^+e^- annihilation at $\sqrt{s} = 10.58$ GeV,” *Phys. Rev. D* **96** no. 3, (2017) 032005, [arXiv:1706.08348 \[hep-ex\]](#).
- [151] **Belle** Collaboration, M. Niyama *et al.*, “Production cross sections of hyperons and charmed baryons from e^+e^- annihilation near $\sqrt{s} = 10.52 \sim 10.58$ GeV,” *Phys. Rev. D* **97** no. 7, (2018) 072005, [arXiv:1706.06791 \[hep-ex\]](#).
- [152] **Belle** Collaboration, T. Julius *et al.*, “Measurement of the branching fraction and CP asymmetry in $B^0 \rightarrow \pi^0\pi^0$ decays, and an improved constraint on ϕ_2 ,” *Phys. Rev. D* **96** no. 3, (2017) 032007, [arXiv:1705.02083 \[hep-ex\]](#).
- [153] **Belle** Collaboration, K. Chilikin *et al.*, “Observation of an alternative $\chi_{c0}(2P)$ candidate in $e^+e^- \rightarrow J/\psi D\bar{D}$,” *Phys. Rev. D* **95** (2017) 112003, [arXiv:1704.01872 \[hep-ex\]](#).

- [154] **Belle** Collaboration, C. Beleño *et al.*, “Measurement of the decays $B \rightarrow \eta \ell \nu_\ell$ and $B \rightarrow \eta' \ell \nu_\ell$ in fully reconstructed events at Belle,” *Phys. Rev. D* **96** no. 9, (2017) 091102, [arXiv:1703.10216 \[hep-ex\]](#).
- [155] **Belle** Collaboration, K. Prasanth *et al.*, “First measurement of T -odd moments in $D^0 \rightarrow K_S^0 \pi^+ \pi^- \pi^0$ decays,” *Phys. Rev. D* **95** no. 9, (2017) 091101, [arXiv:1703.05721 \[hep-ex\]](#).
- [156] **Belle** Collaboration, J. Grygier *et al.*, “Search for $B \rightarrow h \nu \bar{\nu}$ decays with semileptonic tagging at Belle,” *Phys. Rev. D* **96** no. 9, (2017) 091101, [arXiv:1702.03224 \[hep-ex\]](#). [Addendum: *Phys.Rev.D* **97**, 099902 (2018)].
- [157] **Belle** Collaboration, S. Wehle *et al.*, “Lepton-Flavor-Dependent Angular Analysis of $B \rightarrow K^* \ell^+ \ell^-$,” *Phys. Rev. Lett.* **118** no. 11, (2017) 111801, [arXiv:1612.05014 \[hep-ex\]](#).
- [158] **Belle** Collaboration, S. Hirose *et al.*, “Measurement of the τ lepton polarization and $R(D^*)$ in the decay $\bar{B} \rightarrow D^* \tau^- \bar{\nu}_\tau$,” *Phys. Rev. Lett.* **118** no. 21, (2017) 211801, [arXiv:1612.00529 \[hep-ex\]](#).
- [159] **Belle** Collaboration, Y. T. Lai *et al.*, “Search for D^0 decays to invisible final states at Belle,” *Phys. Rev. D* **95** no. 1, (2017) 011102, [arXiv:1611.09455 \[hep-ex\]](#).
- [160] **Belle** Collaboration, E. Won *et al.*, “Search for a dark vector gauge boson decaying to $\pi^+ \pi^-$ using $\eta \rightarrow \pi^+ \pi^- \gamma$ decays,” *Phys. Rev. D* **94** no. 9, (2016) 092006, [arXiv:1609.05599 \[hep-ex\]](#).
- [161] **Belle** Collaboration, Y. Sato *et al.*, “Measurement of the branching ratio of $\bar{B}^0 \rightarrow D^{*+} \tau^- \bar{\nu}_\tau$ relative to $\bar{B}^0 \rightarrow D^{*+} \ell^- \bar{\nu}_\ell$ decays with a semileptonic tagging method,” *Phys. Rev. D* **94** no. 7, (2016) 072007, [arXiv:1607.07923 \[hep-ex\]](#).
- [162] **Belle** Collaboration, J. Yelton *et al.*, “Study of Excited Ξ_c States Decaying into Ξ_c^0 and Ξ_c^+ Baryons,” *Phys. Rev. D* **94** no. 5, (2016) 052011, [arXiv:1607.07123 \[hep-ex\]](#).
- [163] **Belle** Collaboration, V. Vorobyev *et al.*, “Measurement of the CKM angle φ_1 in $B^0 \rightarrow \bar{D}^{(*)0} h^0$, $\bar{D}^0 \rightarrow K_S^0 \pi^+ \pi^-$ decays with time-dependent binned Dalitz plot analysis,” *Phys. Rev. D* **94** no. 5, (2016) 052004, [arXiv:1607.05813 \[hep-ex\]](#).
- [164] **Belle** Collaboration, Y. Kato *et al.*, “Studies of charmed strange baryons in the ΛD final state at Belle,” *Phys. Rev. D* **94** no. 3, (2016) 032002, [arXiv:1605.09103 \[hep-ex\]](#).
- [165] **Belle** Collaboration, C. S. Park *et al.*, “Search for a massive invisible particle X^0 in $B^+ \rightarrow e^+ X^0$ and $B^+ \rightarrow \mu^+ X^0$ decays,” *Phys. Rev. D* **94** no. 1, (2016) 012003, [arXiv:1605.04430 \[hep-ex\]](#).
- [166] **Belle** Collaboration, C. P. Shen *et al.*, “Search for XYZ states in $\Upsilon(1S)$ inclusive decays,” *Phys. Rev. D* **93** no. 11, (2016) 112013, [arXiv:1605.00990 \[hep-ex\]](#).
- [167] **Belle** Collaboration, Z. King *et al.*, “Search for the decay $B^0 \rightarrow \phi \gamma$,” *Phys. Rev. D* **93** no. 11, (2016) 111101, [arXiv:1603.06546 \[hep-ex\]](#).
- [168] **Belle** Collaboration, A. Abdesselam *et al.*, “Observation of $D^0 \rightarrow \rho^0 \gamma$ and search for CP violation in radiative charm decays,” *Phys. Rev. Lett.* **118** no. 5, (2017) 051801, [arXiv:1603.03257 \[hep-ex\]](#).
- [169] **Belle** Collaboration, A. Garmash *et al.*, “Observation of $Z_b(10610)$ and $Z_b(10650)$ Decaying to B Mesons,” *Phys. Rev. Lett.* **116** no. 21, (2016) 212001, [arXiv:1512.07419 \[hep-ex\]](#).
- [170] **Belle** Collaboration, S. B. Yang *et al.*, “First Observation of Doubly Cabibbo-Suppressed Decay of a Charmed Baryon: $\Lambda_c^+ \rightarrow p K^+ \pi^-$,” *Phys. Rev. Lett.* **117** no. 1, (2016) 011801, [arXiv:1512.07366 \[hep-ex\]](#).
- [171] **Belle** Collaboration, V. Chobanova *et al.*, “First observation of the decay $B^0 \rightarrow \psi(2S) \pi^0$,” *Phys. Rev. D* **93** no. 3, (2016) 031101, [arXiv:1512.06895 \[hep-ex\]](#).
- [172] **Belle** Collaboration, N. K. Nisar *et al.*, “Search for the rare decay $D^0 \rightarrow \gamma \gamma$ at Belle,” *Phys. Rev. D* **93** no. 5, (2016) 051102, [arXiv:1512.02992 \[hep-ex\]](#).
- [173] **Belle** Collaboration, V. Bhardwaj *et al.*, “Inclusive and exclusive measurements of B decays to χ_{c1} and χ_{c2} at Belle,” *Phys. Rev. D* **93** no. 5, (2016) 052016, [arXiv:1512.02672 \[hep-ex\]](#).

- [174] **Belle** Collaboration, B. Pal *et al.*, “Observation of the decay $B_s^0 \rightarrow K^0 \bar{K}^0$,” *Phys. Rev. Lett.* **116** no. 16, (2016) 161801, [arXiv:1512.02145 \[hep-ex\]](#).
- [175] **Belle** Collaboration, R. Glattauer *et al.*, “Measurement of the decay $B \rightarrow D \ell \nu_\ell$ in fully reconstructed events and determination of the Cabibbo-Kobayashi-Maskawa matrix element $|V_{cb}|$,” *Phys. Rev. D* **93** no. 3, (2016) 032006, [arXiv:1510.03657 \[hep-ex\]](#).
- [176] **Belle** Collaboration, P. Vanhoefer *et al.*, “Study of $B^0 \rightarrow \rho^+ \rho^-$ decays and implications for the CKM angle ϕ_2 ,” *Phys. Rev. D* **93** no. 3, (2016) 032010, [arXiv:1510.01245 \[hep-ex\]](#). [Addendum: *Phys.Rev.D* **94**, 099903 (2016)].
- [177] **Belle** Collaboration, M. Starič *et al.*, “Measurement of $D^0 - \bar{D}^0$ mixing and search for CP violation in $D^0 \rightarrow K^+ K^-, \pi^+ \pi^-$ decays with the full Belle data set,” *Phys. Lett. B* **753** (2016) 412–418, [arXiv:1509.08266 \[hep-ex\]](#).
- [178] **Belle** Collaboration, P. Hamer *et al.*, “Search for $B^0 \rightarrow \pi^- \tau^+ \nu_\tau$ with hadronic tagging at Belle,” *Phys. Rev. D* **93** no. 3, (2016) 032007, [arXiv:1509.06521 \[hep-ex\]](#).
- [179] **Belle** Collaboration, Y. Y. Chang *et al.*, “Observation of $B^0 \rightarrow p \bar{\Lambda} D^{(*)-}$,” *Phys. Rev. Lett.* **115** no. 22, (2015) 221803, [arXiv:1509.03034 \[hep-ex\]](#).
- [180] **Belle** Collaboration, K. Negishi *et al.*, “First model-independent Dalitz analysis of $B^0 \rightarrow DK^{*0}$, $D \rightarrow K_S^0 \pi^+ \pi^-$ decay,” *PTEP* **2016** no. 4, (2016) 043C01, [arXiv:1509.01098 \[hep-ex\]](#).
- [181] **Belle** Collaboration, A. Abdesselam *et al.*, “Energy scan of the $e^+ e^- \rightarrow h_b(nP) \pi^+ \pi^-$ ($n = 1, 2$) cross sections and evidence for $\Upsilon(11020)$ decays into charged bottomonium-like states,” *Phys. Rev. Lett.* **117** no. 14, (2016) 142001, [arXiv:1508.06562 \[hep-ex\]](#).
- [182] **Belle** Collaboration, M. Huschle *et al.*, “Measurement of the branching ratio of $\bar{B} \rightarrow D^{(*)} \tau^- \bar{\nu}_\tau$ relative to $\bar{B} \rightarrow D^{(*)} \ell^- \bar{\nu}_\ell$ decays with hadronic tagging at Belle,” *Phys. Rev. D* **92** no. 7, (2015) 072014, [arXiv:1507.03233 \[hep-ex\]](#).
- [183] **Belle** Collaboration, U. Tamponi *et al.*, “First observation of the hadronic transition $\Upsilon(4S) \rightarrow \eta h_b(1P)$ and new measurement of the $h_b(1P)$ and $\eta_b(1S)$ parameters,” *Phys. Rev. Lett.* **115** no. 14, (2015) 142001, [arXiv:1506.08914 \[hep-ex\]](#).
- [184] **Belle** Collaboration, Y. L. Han *et al.*, “Measurement of $e^+ e^- \rightarrow \gamma \chi_{cJ}$ via initial state radiation at Belle,” *Phys. Rev. D* **92** no. 1, (2015) 012011, [arXiv:1506.05229 \[hep-ex\]](#).
- [185] **BaBar, Belle** Collaboration, A. Abdesselam *et al.*, “First Observation of CP Violation in $\bar{B}^0 \rightarrow D_{CP}^{(*)} h^0$ Decays by a Combined Time-Dependent Analysis of BABAR and Belle Data,” *Phys. Rev. Lett.* **115** no. 12, (2015) 121604, [arXiv:1505.04147 \[hep-ex\]](#).
- [186] **Belle** Collaboration, A. Heller *et al.*, “Search for $B^+ \rightarrow \ell^+ \nu_\ell \gamma$ decays with hadronic tagging using the full Belle data sample,” *Phys. Rev. D* **91** no. 11, (2015) 112009, [arXiv:1504.05831 \[hep-ex\]](#).
- [187] **Belle** Collaboration, S. K. Choi *et al.*, “Measurements of $B \rightarrow \bar{D} D_{s_0}^{*+}(2317)$ decay rates and a search for isospin partners of the $D_{s_0}^{*+}(2317)$,” *Phys. Rev. D* **91** no. 9, (2015) 092011, [arXiv:1504.02637 \[hep-ex\]](#). [Addendum: *Phys.Rev.D* **92**, 039905 (2015)].
- [188] **Belle** Collaboration, C. Oswald *et al.*, “Semi-inclusive studies of semileptonic B_s decays at Belle,” *Phys. Rev. D* **92** no. 7, (2015) 072013, [arXiv:1504.02004 \[hep-ex\]](#).
- [189] **Belle** Collaboration, B. Pal *et al.*, “Evidence for the decay $B^0 \rightarrow \eta \pi^0$,” *Phys. Rev. D* **92** no. 1, (2015) 011101, [arXiv:1504.00957 \[hep-ex\]](#).
- [190] **Belle** Collaboration, B. Kronenbitter *et al.*, “Measurement of the branching fraction of $B^+ \rightarrow \tau^+ \nu_\tau$ decays with the semileptonic tagging method,” *Phys. Rev. D* **92** no. 5, (2015) 051102, [arXiv:1503.05613 \[hep-ex\]](#).
- [191] **Belle** Collaboration, A. Bala *et al.*, “Observation of X(3872) in $B \rightarrow X(3872) K \pi$ decays,” *Phys. Rev. D* **91** no. 5, (2015) 051101, [arXiv:1501.06867 \[hep-ex\]](#).

- [192] **Belle** Collaboration, A. Vinokurova *et al.*, “Search for B decays to final states with the η_c meson,” *JHEP* **06** (2015) 132, [arXiv:1501.06351 \[hep-ex\]](#). [Erratum: *JHEP* 02, 088 (2017)].
- [193] **Belle** Collaboration, D. Santel *et al.*, “Measurements of the $\Upsilon(10860)$ and $\Upsilon(11020)$ resonances via $\sigma(e^+e^- \rightarrow \Upsilon(nS)\pi^+\pi^-)$,” *Phys. Rev. D* **93** no. 1, (2016) 011101, [arXiv:1501.01137 \[hep-ex\]](#).
- [194] **Belle** Collaboration, D. Dutta *et al.*, “Search for $B_s^0 \rightarrow \gamma\gamma$ and a measurement of the branching fraction for $B_s^0 \rightarrow \phi\gamma$,” *Phys. Rev. D* **91** no. 1, (2015) 011101, [arXiv:1411.7771 \[hep-ex\]](#).
- [195] **Belle** Collaboration, T. Saito *et al.*, “Measurement of the $\bar{B} \rightarrow X_s\gamma$ Branching Fraction with a Sum of Exclusive Decays,” *Phys. Rev. D* **91** no. 5, (2015) 052004, [arXiv:1411.7198 \[hep-ex\]](#).
- [196] **Belle** Collaboration, J. Wiechczynski *et al.*, “Measurement of $B^0 \rightarrow D_s^- K_S^0 \pi^+$ and $B^+ \rightarrow D_s^- K^+ K^+$ branching fractions,” *Phys. Rev. D* **91** no. 3, (2015) 032008, [arXiv:1411.2035 \[hep-ex\]](#).
- [197] **Belle** Collaboration, X. L. Wang *et al.*, “Measurement of $e^+e^- \rightarrow \pi^+\pi^-\psi(2S)$ via Initial State Radiation at Belle,” *Phys. Rev. D* **91** (2015) 112007, [arXiv:1410.7641 \[hep-ex\]](#).
- [198] **Belle** Collaboration, S. D. Yang *et al.*, “Evidence of $\Upsilon(1S) \rightarrow J/\psi + \chi_{c1}$ and search for double-charmonium production in $\Upsilon(1S)$ and $\Upsilon(2S)$ decays,” *Phys. Rev. D* **90** no. 11, (2014) 112008, [arXiv:1409.7644 \[hep-ex\]](#).
- [199] **Belle** Collaboration, S. Sato *et al.*, “Observation of the decay $B^0 \rightarrow \eta' K^*(892)^0$,” *Phys. Rev. D* **90** no. 7, (2014) 072009, [arXiv:1408.6343 \[hep-ex\]](#).
- [200] **Belle** Collaboration, K. Chilikin *et al.*, “Observation of a new charged charmoniumlike state in $\bar{B}^0 \rightarrow J/\psi K^- \pi^+$ decays,” *Phys. Rev. D* **90** no. 11, (2014) 112009, [arXiv:1408.6457 \[hep-ex\]](#).
- [201] **Belle** Collaboration, L. Šantelj *et al.*, “Measurement of Time-Dependent CP Violation in $B^0 \rightarrow \eta' K^0$ Decays,” *JHEP* **10** (2014) 165, [arXiv:1408.5991 \[hep-ex\]](#).
- [202] **Belle** Collaboration, X. H. He *et al.*, “Observation of $e^+e^- \rightarrow \pi^+\pi^-\pi^0\chi_{bJ}$ and Search for $X_b \rightarrow \omega\Upsilon(1S)$ at $\sqrt{s} = 10.867$ GeV,” *Phys. Rev. Lett.* **113** no. 14, (2014) 142001, [arXiv:1408.0504 \[hep-ex\]](#).
- [203] **BaBar**, **Belle** Collaboration, A. J. Bevan *et al.*, “The Physics of the B Factories,” *Eur. Phys. J. C* **74** (2014) 3026, [arXiv:1406.6311 \[hep-ex\]](#).
- [204] **Belle** Collaboration, Y. Yook *et al.*, “Search for $B^+ \rightarrow e^+\nu$ and $B^+ \rightarrow \mu^+\nu$ decays using hadronic tagging,” *Phys. Rev. D* **91** no. 5, (2015) 052016, [arXiv:1406.6356 \[hep-ex\]](#).
- [205] **Belle** Collaboration, S. H. Lee *et al.*, “Measurements of the masses and widths of the $\Sigma_c(2455)^{0/++}$ and $\Sigma_c(2520)^{0/++}$ baryons,” *Phys. Rev. D* **89** no. 9, (2014) 091102, [arXiv:1404.5389 \[hep-ex\]](#).
- [206] **Belle** Collaboration, T. Peng *et al.*, “Measurement of $D^0 - \bar{D}^0$ mixing and search for indirect CP violation using $D^0 \rightarrow K_S^0 \pi^+ \pi^-$ decays,” *Phys. Rev. D* **89** no. 9, (2014) 091103, [arXiv:1404.2412 \[hep-ex\]](#).
- [207] **Belle** Collaboration, N. K. Nisar *et al.*, “Search for CP violation in $D^0 \rightarrow \pi^0 \pi^0$ decays,” *Phys. Rev. Lett.* **112** (2014) 211601, [arXiv:1404.1266 \[hep-ex\]](#).
- [208] **Belle** Collaboration, A. Garmash *et al.*, “Amplitude analysis of $e^+e^- \rightarrow \Upsilon(nS)\pi^+\pi^-$ at $\sqrt{s} = 10.865$ GeV,” *Phys. Rev. D* **91** no. 7, (2015) 072003, [arXiv:1403.0992 \[hep-ex\]](#).
- [209] **Belle** Collaboration, Y. Sato *et al.*, “Measurement of the lepton forward-backward asymmetry in $B \rightarrow X_s \ell^+ \ell^-$ decays with a sum of exclusive modes,” *Phys. Rev. D* **93** no. 3, (2016) 032008, [arXiv:1402.7134 \[hep-ex\]](#). [Addendum: *Phys.Rev.D* 93, 059901 (2016)].
- [210] **Belle** Collaboration, C. P. Shen *et al.*, “Updated cross section measurement of $e^+e^- \rightarrow K^+K^-J/\psi$ and $K_S^0 K_S^0 J/\psi$ via initial state radiation at Belle,” *Phys. Rev. D* **89** no. 7, (2014) 072015, [arXiv:1402.6578 \[hep-ex\]](#).
- [211] **Belle** Collaboration, A. Zupanc *et al.*, “Measurement of the Branching Fraction $\mathcal{B}(\Lambda_c^+ \rightarrow pK^- \pi^+)$,” *Phys. Rev. Lett.* **113** no. 4, (2014) 042002, [arXiv:1312.7826 \[hep-ex\]](#).

- [212] **Belle** Collaboration, V. Chobanova *et al.*, “Measurement of branching fractions and CP violation parameters in $B \rightarrow \omega K$ decays with first evidence of CP violation in $B^0 \rightarrow \omega K_S^0$,” *Phys. Rev. D* **90** no. 1, (2014) 012002, [arXiv:1311.6666 \[hep-ex\]](#).
- [213] **Belle** Collaboration, X. H. He *et al.*, “Search for the process $e^+e^- \rightarrow J/\psi X(1835)$ at $\sqrt{s} \approx 10.6$ GeV,” *Phys. Rev. D* **89** no. 3, (2014) 032003, [arXiv:1311.6337 \[hep-ex\]](#).
- [214] **Belle** Collaboration, K. Belous *et al.*, “Measurement of the τ -lepton lifetime at Belle,” *Phys. Rev. Lett.* **112** no. 3, (2014) 031801, [arXiv:1310.8503 \[hep-ex\]](#).
- [215] **Belle** Collaboration, T. Iwashita *et al.*, “Measurement of branching fractions for $B \rightarrow J/\psi \eta K$ decays and search for a narrow resonance in the $J/\psi \eta$ final state,” *PTEP* **2014** no. 4, (2014) 043C01, [arXiv:1310.2704 \[hep-ex\]](#).
- [216] **Belle** Collaboration, M. Nayak *et al.*, “Evidence for the suppressed decay $B^- \rightarrow DK^-$, $D \rightarrow K^+ \pi^- \pi^0$,” *Phys. Rev. D* **88** no. 9, (2013) 091104, [arXiv:1310.1741 \[hep-ex\]](#).
- [217] **Belle** Collaboration, C. P. Shen *et al.*, “Measurement of $e^+e^- \rightarrow \omega \pi^0$, $K^*(892)\bar{K}$ and $K_2^*(1430)\bar{K}$ at \sqrt{s} near 10.6 GeV,” *Phys. Rev. D* **88** no. 5, (2013) 052019, [arXiv:1309.0575 \[hep-ex\]](#).
- [218] **Belle** Collaboration, P. Krokovny *et al.*, “First observation of the $Z_b^0(10610)$ in a Dalitz analysis of $\Upsilon(10860) \rightarrow \Upsilon(nS)\pi^0\pi^0$,” *Phys. Rev. D* **88** no. 5, (2013) 052016, [arXiv:1308.2646 \[hep-ex\]](#).
- [219] **Belle** Collaboration, M. Prim *et al.*, “Angular analysis of $B^0 \rightarrow \phi K^*$ decays and search for CP violation at Belle,” *Phys. Rev. D* **88** no. 7, (2013) 072004, [arXiv:1308.1830 \[hep-ex\]](#).
- [220] **Belle** Collaboration, A. Zupanc *et al.*, “Measurements of branching fractions of leptonic and hadronic D_s^+ meson decays and extraction of the D_s^+ meson decay constant,” *JHEP* **09** (2013) 139, [arXiv:1307.6240 \[hep-ex\]](#).
- [221] **Belle** Collaboration, E. White *et al.*, “Measurement of the wrong-sign decay $D^0 \rightarrow K^+ \pi^- \pi^+ \pi^-$,” *Phys. Rev. D* **88** no. 5, (2013) 051101, [arXiv:1307.5935 \[hep-ex\]](#).
- [222] **Belle** Collaboration, R. Chistov *et al.*, “First observation of Cabibbo-suppressed Ξ_c^0 decays,” *Phys. Rev. D* **88** no. 7, (2013) 071103, [arXiv:1306.5947 \[hep-ex\]](#).
- [223] **Belle** Collaboration, K. Chilikin *et al.*, “Experimental constraints on the spin and parity of the $Z(4430)^+$,” *Phys. Rev. D* **88** no. 7, (2013) 074026, [arXiv:1306.4894 \[hep-ex\]](#).
- [224] **Belle** Collaboration, C. P. Shen *et al.*, “Measurement of exclusive $\Upsilon(1S)$ and $\Upsilon(2S)$ decays into Vector-Pseudoscalar final states,” *Phys. Rev. D* **88** no. 1, (2013) 011102, [arXiv:1305.5887 \[hep-ex\]](#).
- [225] **Belle** Collaboration, E. Solovieva *et al.*, “Evidence for $\bar{B}_s^0 \rightarrow \Lambda_c^+ \bar{\Lambda} \pi^-$,” *Phys. Lett. B* **726** (2013) 206–210, [arXiv:1304.6931 \[hep-ex\]](#).
- [226] **Belle** Collaboration, V. Gaur *et al.*, “Evidence for the decay $B^0 \rightarrow K^+ K^- \pi^0$,” *Phys. Rev. D* **87** no. 9, (2013) 091101, [arXiv:1304.5312 \[hep-ex\]](#).
- [227] **Belle** Collaboration, V. Bhardwaj *et al.*, “Evidence of a new narrow resonance decaying to $\chi_{c1}\gamma$ in $B \rightarrow \chi_{c1}\gamma K$,” *Phys. Rev. Lett.* **111** no. 3, (2013) 032001, [arXiv:1304.3975 \[hep-ex\]](#).
- [228] **Belle** Collaboration, Z. Q. Liu *et al.*, “Study of $e^+e^- \rightarrow \pi^+\pi^- J/\psi$ and Observation of a Charged Charmoniumlike State at Belle,” *Phys. Rev. Lett.* **110** (2013) 252002, [arXiv:1304.0121 \[hep-ex\]](#). [Erratum: *Phys.Rev.Lett.* **111**, 019901 (2013)].
- [229] **Belle** Collaboration, O. Lutz *et al.*, “Search for $B \rightarrow h^{(*)}\nu\bar{\nu}$ with the full Belle $\Upsilon(4S)$ data sample,” *Phys. Rev. D* **87** no. 11, (2013) 111103, [arXiv:1303.3719 \[hep-ex\]](#).
- [230] **Belle** Collaboration, B. H. Kim *et al.*, “Search for an H -dibaryon with mass near $2m_\Lambda$ in $\Upsilon(1S)$ and $\Upsilon(2S)$ decays,” *Phys. Rev. Lett.* **110** no. 22, (2013) 222002, [arXiv:1302.4028 \[hep-ex\]](#).
- [231] **Belle** Collaboration, I. Adachi *et al.*, “Measurement of the CP violation parameters in $B^0 \rightarrow \pi^+\pi^-$ decays,” *Phys. Rev. D* **88** no. 9, (2013) 092003, [arXiv:1302.0551 \[hep-ex\]](#).

- [232] **Belle** Collaboration, C. Oswald *et al.*, “Measurement of the inclusive semileptonic branching fraction $\mathcal{B}(B_s^0 \rightarrow X^- \ell^+ \nu_\ell)$ at Belle,” *Phys. Rev. D* **87** no. 7, (2013) 072008, [arXiv:1212.6400 \[hep-ex\]](#). [Erratum: *Phys.Rev.D* 90, 119901 (2014)].
- [233] **Belle** Collaboration, I. Adachi *et al.*, “Study of $B^0 \rightarrow \rho^0 \rho^0$ decays, implications for the CKM angle ϕ_2 and search for other B^0 decay modes with a four-pion final state,” *Phys. Rev. D* **89** no. 7, (2014) 072008, [arXiv:1212.4015 \[hep-ex\]](#). [Addendum: *Phys.Rev.D* 89, 119903 (2014)].
- [234] **Belle** Collaboration, J. Brodzicka *et al.*, “Physics Achievements from the Belle Experiment,” *PTEP* **2012** (2012) 04D001, [arXiv:1212.5342 \[hep-ex\]](#).
- [235] **Belle** Collaboration, B. R. Ko *et al.*, “Search for CP Violation in the Decay $D^+ \rightarrow K_S^0 K^+$,” *JHEP* **02** (2013) 098, [arXiv:1212.6112 \[hep-ex\]](#).
- [236] **Belle** Collaboration, Y. T. Duh *et al.*, “Measurements of branching fractions and direct CP asymmetries for $B \rightarrow K\pi$, $B \rightarrow \pi\pi$ and $B \rightarrow KK$ decays,” *Phys. Rev. D* **87** no. 3, (2013) 031103, [arXiv:1210.1348 \[hep-ex\]](#).
- [237] **Belle** Collaboration, S. Esen *et al.*, “Precise measurement of the branching fractions for $B_s \rightarrow D_s^{(*)+} D_s^{(*)-}$ and first measurement of the $D_s^{*+} D_s^{*-}$ polarization using e^+e^- collisions,” *Phys. Rev. D* **87** no. 3, (2013) 031101, [arXiv:1208.0323 \[hep-ex\]](#).
- [238] **Belle** Collaboration, I. Adachi *et al.*, “Evidence for $B^- \rightarrow \tau^- \bar{\nu}_\tau$ with a Hadronic Tagging Method Using the Full Data Sample of Belle,” *Phys. Rev. Lett.* **110** no. 13, (2013) 131801, [arXiv:1208.4678 \[hep-ex\]](#).
- [239] **Belle** Collaboration, B. Kronenbitter *et al.*, “First observation of CP violation and improved measurement of the branching fraction and polarization of $B^0 \rightarrow D^{*+} D^{*-}$ decays,” *Phys. Rev. D* **86** (2012) 071103, [arXiv:1207.5611 \[hep-ex\]](#).
- [240] **Belle** Collaboration, J. Stypula *et al.*, “Evidence for $B^- \rightarrow D_s^+ K^- \ell^- \bar{\nu}_\ell$ and search for $B^- \rightarrow D_s^{*+} K^- \ell^- \bar{\nu}_\ell$,” *Phys. Rev. D* **86** (2012) 072007, [arXiv:1207.6244 \[hep-ex\]](#).
- [241] **Belle** Collaboration, R. Mizuk *et al.*, “Evidence for the $\eta_b(2S)$ and observation of $h_b(1P) \rightarrow \eta_b(1S)\gamma$ and $h_b(2P) \rightarrow \eta_b(1S)\gamma$,” *Phys. Rev. Lett.* **109** (2012) 232002, [arXiv:1205.6351 \[hep-ex\]](#).
- [242] **Belle** Collaboration, J. Dalseno *et al.*, “Measurement of Branching Fraction and First Evidence of CP Violation in $B^0 \rightarrow a_1^\pm(1260)\pi^\mp$ Decays,” *Phys. Rev. D* **86** (2012) 092012, [arXiv:1205.5957 \[hep-ex\]](#).
- [243] **Belle** Collaboration, C. P. Shen *et al.*, “First observation of exclusive $\Upsilon(1S)$ and $\Upsilon(2S)$ decays into light hadrons,” *Phys. Rev. D* **86** (2012) 031102, [arXiv:1205.1246 \[hep-ex\]](#).
- [244] **Belle** Collaboration, H. Aihara *et al.*, “First Measurement of ϕ_3 with a Model-independent Dalitz Plot Analysis of $B^\pm \rightarrow DK$, $D \rightarrow K_S^0 \pi\pi$ Decay,” *Phys. Rev. D* **85** (2012) 112014, [arXiv:1204.6561 \[hep-ex\]](#).
- [245] **Belle** Collaboration, B. R. Ko *et al.*, “Evidence for CP Violation in the Decay $D^+ \rightarrow K_S^0 \pi^+$,” *Phys. Rev. Lett.* **109** (2012) 021601, [arXiv:1203.6409 \[hep-ex\]](#). [Erratum: *Phys.Rev.Lett.* 109, 119903 (2012)].
- [246] **Belle** Collaboration, M. Rohrken *et al.*, “Measurements of Branching Fractions and Time-dependent CP Violating Asymmetries in $B^0 \rightarrow D^{(*)\pm} D^\mp$ Decays,” *Phys. Rev. D* **85** (2012) 091106, [arXiv:1203.6647 \[hep-ex\]](#).
- [247] **Belle** Collaboration, J. Li *et al.*, “First observation of $B_s^0 \rightarrow J/\psi\eta$ and $B_s^0 \rightarrow J/\psi\eta'$,” *Phys. Rev. Lett.* **108** (2012) 181808, [arXiv:1202.0103 \[hep-ex\]](#).
- [248] **Belle** Collaboration, I. Adachi *et al.*, “Precise measurement of the CP violation parameter $\sin 2\phi_1$ in $B^0 \rightarrow (c\bar{c})K^0$ decays,” *Phys. Rev. Lett.* **108** (2012) 171802, [arXiv:1201.4643 \[hep-ex\]](#).
- [249] **Belle** Collaboration, Y. Sato *et al.*, “Measurement of the CP-violation Parameter $\sin 2\phi_1$ with a New Tagging Method at the $\Upsilon(5S)$ Resonance,” *Phys. Rev. Lett.* **108** (2012) 171801, [arXiv:1201.3502 \[hep-ex\]](#).
- [250] **Belle** Collaboration, M. Staric *et al.*, “Search for CP Violation in D^\pm Meson Decays to $\phi\pi^\pm$,” *Phys. Rev. Lett.* **108** (2012) 071801, [arXiv:1110.0694 \[hep-ex\]](#).

- [251] **Belle** Collaboration, A. Bondar *et al.*, “Observation of two charged bottomonium-like resonances in $\Upsilon(5S)$ decays,” *Phys. Rev. Lett.* **108** (2012) 122001, [arXiv:1110.2251 \[hep-ex\]](#).
- [252] **Belle** Collaboration, C. T. Hoi *et al.*, “Evidence for Direct CP Violation in $B^\pm \rightarrow \eta h^\pm$ and Observation of $B^0 \rightarrow \eta K^0$,” *Phys. Rev. Lett.* **108** (2012) 031801, [arXiv:1110.2000 \[hep-ex\]](#).
- [253] **Belle** Collaboration, X. L. Wang *et al.*, “Search for charmonium and charmonium-like states in $\Upsilon(2S)$ radiative decays,” *Phys. Rev. D* **84** (2011) 071107, [arXiv:1108.4514 \[hep-ex\]](#).
- [254] **Belle** Collaboration, P. Chen *et al.*, “Observation of $B^- \rightarrow \bar{p}\Lambda D^0$ at Belle,” *Phys. Rev. D* **84** (2011) 071501, [arXiv:1108.4271 \[hep-ex\]](#).
- [255] **Belle** Collaboration, S. K. Choi *et al.*, “Bounds on the width, mass difference and other properties of $X(3872) \rightarrow \pi^+\pi^- J/\psi$ decays,” *Phys. Rev. D* **84** (2011) 052004, [arXiv:1107.0163 \[hep-ex\]](#).
- [256] **Belle** Collaboration, E. Won *et al.*, “Observation of $D^+ \rightarrow K^+\eta^{(\prime)}$ and Search for CP Violation in $D^+ \rightarrow \pi^+\eta^{(\prime)}$ Decays,” *Phys. Rev. Lett.* **107** (2011) 221801, [arXiv:1107.0553 \[hep-ex\]](#).
- [257] **Belle** Collaboration, A. Vinokurova *et al.*, “Study of $B^\pm \rightarrow K^\pm(K_S K\pi)^0$ decay and determination of η_c and $\eta_c(2S)$ parameters,” *Phys. Lett. B* **706** (2011) 139–149, [arXiv:1105.0978 \[hep-ex\]](#).
- [258] **Belle** Collaboration, V. Bhardwaj *et al.*, “Observation of $X(3872) \rightarrow J/\psi\gamma$ and search for $X(3872) \rightarrow \psi'\gamma$ in B decays,” *Phys. Rev. Lett.* **107** (2011) 091803, [arXiv:1105.0177 \[hep-ex\]](#).
- [259] **Belle** Collaboration, H. Sahoo *et al.*, “First Observation of Radiative $B^0 \rightarrow \phi K^0\gamma$ Decays and Measurements of Their Time-Dependent CP Violation,” *Phys. Rev. D* **84** (2011) 071101, [arXiv:1104.5590 \[hep-ex\]](#).
- [260] **Belle** Collaboration, Y. Horii *et al.*, “Evidence for the Suppressed Decay $B^- \rightarrow DK^-, D \rightarrow K^+\pi^-$,” *Phys. Rev. Lett.* **106** (2011) 231803, [arXiv:1103.5951 \[hep-ex\]](#).
- [261] **Belle** Collaboration, I. Adachi *et al.*, “First observation of the P -wave spin-singlet bottomonium states $h_b(1P)$ and $h_b(2P)$,” *Phys. Rev. Lett.* **108** (2012) 032001, [arXiv:1103.3419 \[hep-ex\]](#).
- [262] **Belle** Collaboration, J. Li *et al.*, “Observation of $B_s^0 \rightarrow J/\psi f_0(980)$ and Evidence for $B_s^0 \rightarrow J/\psi f_0(1370)$,” *Phys. Rev. Lett.* **106** (2011) 121802, [arXiv:1102.2759 \[hep-ex\]](#).
- [263] **Belle** Collaboration, T. Aushev *et al.*, “Study of the decays $B \rightarrow D_{s1}(2536)^+\bar{D}^{(*)}$,” *Phys. Rev. D* **83** (2011) 051102, [arXiv:1102.0935 \[hep-ex\]](#).
- [264] **Belle** Collaboration, S. Bahinipati *et al.*, “Measurements of time-dependent CP asymmetries in $B \rightarrow D^{*\mp}\pi^\pm$ decays using a partial reconstruction technique,” *Phys. Rev. D* **84** (2011) 021101, [arXiv:1102.0888 \[hep-ex\]](#).
- [265] **Belle** Collaboration, Y. Miyazaki *et al.*, “Search for Lepton-Flavor-Violating tau Decays into a Lepton and a Vector Meson,” *Phys. Lett. B* **699** (2011) 251–257, [arXiv:1101.0755 \[hep-ex\]](#).
- [266] **Belle** Collaboration, B. R. Ko *et al.*, “Search for CP Violation in the Decays $D^0 \rightarrow K_S^0 P^0$,” *Phys. Rev. Lett.* **106** (2011) 211801, [arXiv:1101.3365 \[hep-ex\]](#).
- [267] **Belle** Collaboration, M. Bischofberger *et al.*, “Search for CP violation in $\tau \rightarrow K_S^0 \pi \nu_\tau$ decays at Belle,” *Phys. Rev. Lett.* **107** (2011) 131801, [arXiv:1101.0349 \[hep-ex\]](#).
- [268] K. Kinoshita, “ $\Upsilon(5S)$ Results from Belle: Strange Beauty and Other Beasts,” *AIP Conf. Proc.* **1441** no. 1, (2012) 634–637, [arXiv:1109.1452 \[hep-ex\]](#).
- [269] **Belle** Collaboration, H. Ha *et al.*, “Measurement of the decay $B^0 \rightarrow \pi^-\ell^+\nu$ and determination of $|V_{ub}|$,” *Phys. Rev. D* **83** (2011) 071101, [arXiv:1012.0090 \[hep-ex\]](#).
- [270] **Belle** Collaboration, G. Pakhlova *et al.*, “Measurement of $e^+e^- \rightarrow D_s^{(*)+}D_s^{(*)-}$ cross sections near threshold using initial-state radiation,” *Phys. Rev. D* **83** (2011) 011101, [arXiv:1011.4397 \[hep-ex\]](#).

- [271] **Belle** Collaboration, W. Dungen *et al.*, “Measurement of the form factors of the decay $B^0 \rightarrow D^{*+}\ell^+\nu$ and determination of the CKM matrix element $|V_{cb}|$,” *Phys. Rev. D* **82** (2010) 112007, [arXiv:1010.5620 \[hep-ex\]](#).
- [272] **Belle** Collaboration, H. Guler *et al.*, “Study of the $K^+\pi^+\pi^-$ Final State in $B^+ \rightarrow J/\psi K^+\pi^+\pi^-$ and $B^+ \rightarrow \psi' K^+\pi^+\pi^-$,” *Phys. Rev. D* **83** (2011) 032005, [arXiv:1009.5256 \[hep-ex\]](#).
- [273] **Belle** Collaboration, A. Das *et al.*, “Measurements of Branching Fractions for $B^0 \rightarrow D_s^+\pi^-$ and $\bar{B}^0 \rightarrow D_s^+K^-$,” *Phys. Rev. D* **82** (2010) 051103, [arXiv:1007.4619 \[hep-ex\]](#).
- [274] **Belle** Collaboration, C. C. Peng *et al.*, “Search for $B_s^0 \rightarrow hh$ Decays at the $\Upsilon(5S)$ Resonance,” *Phys. Rev. D* **82** (2010) 072007, [arXiv:1006.5115 \[hep-ex\]](#).
- [275] **Belle** Collaboration, K. Hara *et al.*, “Evidence for $B^- \rightarrow \tau^-\bar{\nu}$ with a Semileptonic Tagging Method,” *Phys. Rev. D* **82** (2010) 071101, [arXiv:1006.4201 \[hep-ex\]](#).
- [276] **Belle** Collaboration, R. Louvot *et al.*, “Observation of $B_s^0 \rightarrow D_s^{*-}\pi^+$, $B_s^0 \rightarrow D_s^{(*)-} \rho^+$ Decays and Measurement of $B_s^0 \rightarrow D_s^{*-}\rho^+$ Polarization,” *Phys. Rev. Lett.* **104** (2010) 231801, [arXiv:1003.5312 \[hep-ex\]](#).
- [277] **Belle** Collaboration, A. Drutskoy *et al.*, “Measurement of $\Upsilon(5S)$ decays to B^0 and B^+ mesons,” *Phys. Rev. D* **81** (2010) 112003, [arXiv:1003.5885 \[hep-ex\]](#).
- [278] **Belle** Collaboration, A. Poluektov *et al.*, “Evidence for direct CP violation in the decay $B \rightarrow D^{(*)}K$, $D \rightarrow K_S\pi^+\pi^-$ and measurement of the CKM phase ϕ_3 ,” *Phys. Rev. D* **81** (2010) 112002, [arXiv:1003.3360 \[hep-ex\]](#).
- [279] **Belle** Collaboration, C. C. Chiang *et al.*, “Search for $B^0 \rightarrow K^{*0}\bar{K}^{*0}$, $B^0 \rightarrow K^{*0}K^{*0}$ and $B^0 \rightarrow K^+\pi^-K^{\mp}\pi^{\pm}$ Decays,” *Phys. Rev. D* **81** (2010) 071101, [arXiv:1001.4595 \[hep-ex\]](#).
- [280] K. Kinoshita, “Strange Beauty and Other Beasts from $\Upsilon(5S)$ at Belle,” in *45th Rencontres de Moriond on Electroweak Interactions and Unified Theories*, pp. 147–152. 5, 2010. [arXiv:1005.3893 \[hep-ex\]](#).
- [281] **Belle** Collaboration, N. J. Joshi *et al.*, “Measurement of the branching fractions for $B^0 \rightarrow D_s^{*+}\pi^-$ and $B^0 \rightarrow D_s^{*-}K^+$ decays,” *Phys. Rev. D* **81** (2010) 031101, [arXiv:0912.2594 \[hep-ex\]](#).
- [282] **Belle** Collaboration, K. Nishimura *et al.*, “First Measurement of Inclusive $B \rightarrow X_S\eta$ Decays,” *Phys. Rev. Lett.* **105** (2010) 191803, [arXiv:0910.4751 \[hep-ex\]](#).
- [283] **Belle** Collaboration, G. Pakhlova *et al.*, “Measurement of the $e^+e^- \rightarrow D^0D^{*-}\pi^+$ cross section using initial-state radiation,” *Phys. Rev. D* **80** (2009) 091101, [arXiv:0908.0231 \[hep-ex\]](#).
- [284] **Belle** Collaboration, P. Urquijo *et al.*, “Measurement Of $|V_{ub}|$ From Inclusive Charmless Semileptonic B Decays,” *Phys. Rev. Lett.* **104** (2010) 021801, [arXiv:0907.0379 \[hep-ex\]](#).
- [285] **Belle** Collaboration, A. Limosani *et al.*, “Measurement of Inclusive Radiative B -meson Decays with a Photon Energy Threshold of 1.7-GeV,” *Phys. Rev. Lett.* **103** (2009) 241801, [arXiv:0907.1384 \[hep-ex\]](#).
- [286] **Belle** Collaboration, A. Zupanc *et al.*, “Measurement of $\gamma(\text{CP})$ in D^0 meson decays to the $K_S^0K^+K^-$ final state,” *Phys. Rev. D* **80** (2009) 052006, [arXiv:0905.4185 \[hep-ex\]](#).
- [287] **Belle** Collaboration, S. H. Kyeong *et al.*, “Measurements of Charmless Hadronic $b \rightarrow s$ Penguin Decays in the $\pi^+\pi^-K^+\pi^-$ Final State and Observation of $B^0 \rightarrow \rho^0K^+\pi^-$,” *Phys. Rev. D* **80** (2009) 051103, [arXiv:0905.0763 \[hep-ex\]](#).
- [288] **Belle** Collaboration, R. Mizuk *et al.*, “Dalitz analysis of $B \rightarrow K\pi^+\psi'$ decays and the $Z(4430)^+$,” *Phys. Rev. D* **80** (2009) 031104, [arXiv:0905.2869 \[hep-ex\]](#).
- [289] **Belle** Collaboration, J. T. Wei *et al.*, “Measurement of the Differential Branching Fraction and Forward-Backward Asymmetry for $B \rightarrow K^{(*)}\ell^+\ell^-$,” *Phys. Rev. Lett.* **103** (2009) 171801, [arXiv:0904.0770 \[hep-ex\]](#).

- [290] **Belle** Collaboration, B. R. Ko *et al.*, “Observation of the Doubly Cabibbo-Suppressed Decay $D_s^+ \rightarrow K^+ K^+ \pi^-$,” *Phys. Rev. Lett.* **102** (2009) 221802, [arXiv:0903.5126 \[hep-ex\]](#).
- [291] **Belle** Collaboration, A. Sokolov *et al.*, “Measurement of the branching fraction for the decay $\Upsilon(4S) \rightarrow \Upsilon(1S) \pi^+ \pi^-$,” *Phys. Rev. D* **79** (2009) 051103, [arXiv:0901.1431 \[hep-ex\]](#).
- [292] **Belle** Collaboration, P. Pakhlov *et al.*, “Measurement of the $e^+e^- \rightarrow J/\psi c\bar{c}$ cross section at $\sqrt{s} \approx 10.6$ GeV,” *Phys. Rev. D* **79** (2009) 071101, [arXiv:0901.2775 \[hep-ex\]](#).
- [293] **Belle** Collaboration, K. Vervink *et al.*, “Improved measurement of the polarization and time-dependent CP violation in the decay $B^0 \rightarrow D^{*+} D^{*-}$,” *Phys. Rev. D* **80** (2009) 111104, [arXiv:0901.4057 \[hep-ex\]](#).
- [294] K. Kinoshita, “Prospects for Upgrade of KEKB,” *Nucl. Phys. B Proc. Suppl.* **187** (2009) 253–259, [arXiv:0811.4165 \[hep-ex\]](#).
- [295] **Belle** Collaboration, J. Dalseno *et al.*, “Time-dependent Dalitz Plot Measurement of CP Parameters in $B^0 \rightarrow K_S^0 \pi^+ \pi^-$ Decays,” *Phys. Rev. D* **79** (2009) 072004, [arXiv:0811.3665 \[hep-ex\]](#).
- [296] **Belle** Collaboration, K. F. Chen *et al.*, “Observation of an enhancement in $e^+e^- \rightarrow \Upsilon(1S) \pi^+ \pi^-$, $\Upsilon(2S) \pi^+ \pi^-$, and $\Upsilon(3S) \pi^+ \pi^-$ production around $\sqrt{s} = 10.89$ GeV at Belle,” *Phys. Rev. D* **82** (2010) 091106, [arXiv:0810.3829 \[hep-ex\]](#).
- [297] **Belle** Collaboration, R. Wedd *et al.*, “Evidence for $B \rightarrow K \eta' \gamma$ Decays at Belle,” *Phys. Rev. D* **81** (2010) 111104, [arXiv:0810.0804 \[hep-ex\]](#).
- [298] **Belle** Collaboration, M. Fujikawa *et al.*, “Measurement of CP asymmetries in $B^0 \rightarrow K^0 \pi^0$ decays,” *Phys. Rev. D* **81** (2010) 011101, [arXiv:0809.4366 \[hep-ex\]](#).
- [299] **Belle** Collaboration, R. Louvot *et al.*, “Measurement of the Decay $B_s^0 \rightarrow D_s^- \pi^+$ and Evidence for $B_s^0 \rightarrow D_s^\pm K^\mp$ in e^+e^- Annihilation at $\sqrt{s} \approx 10.87$ -GeV,” *Phys. Rev. Lett.* **102** (2009) 021801, [arXiv:0809.2526 \[hep-ex\]](#).
- [300] **Belle** Collaboration, R. Kumar *et al.*, “Evidence for $B^0 \rightarrow \chi_{c1} \pi^0$ at Belle,” *Phys. Rev. D* **78** (2008) 091104, [arXiv:0809.1778 \[hep-ex\]](#).
- [301] E. Solovieva *et al.*, “Study of Ω_c^0 and Ω_c^{*0} Baryons at Belle,” *Phys. Lett. B* **672** (2009) 1–5, [arXiv:0808.3677 \[hep-ex\]](#).
- [302] **Belle** Collaboration, C. C. Chiang *et al.*, “Measurement of $B^0 \rightarrow \pi^+ \pi^- \pi^+ \pi^-$ Decays and Search for $B^0 \rightarrow \rho^0 \rho^0$,” *Phys. Rev. D* **78** (2008) 111102, [arXiv:0808.2576 \[hep-ex\]](#).
- [303] **Belle** Collaboration, M. Staric *et al.*, “Measurement of CP asymmetry in Cabibbo suppressed D^0 decays,” *Phys. Lett. B* **670** (2008) 190–195, [arXiv:0807.0148 \[hep-ex\]](#).
- [304] **Belle** Collaboration, V. Bhardwaj *et al.*, “Observation of $B^\pm \rightarrow \psi(2S) \pi^\pm$ and search for direct CP-violation,” *Phys. Rev. D* **78** (2008) 051104, [arXiv:0807.2170 \[hep-ex\]](#).
- [305] **Belle** Collaboration, G. Pakhlova *et al.*, “Observation of a near-threshold enhancement in the $e^+e^- \rightarrow \Lambda_c^+ \Lambda_c^-$ cross section using initial-state radiation,” *Phys. Rev. Lett.* **101** (2008) 172001, [arXiv:0807.4458 \[hep-ex\]](#).
- [306] **Belle** Collaboration, P. Goldenzweig *et al.*, “Evidence for Neutral B Meson Decays to ωK^{*0} ,” *Phys. Rev. Lett.* **101** (2008) 231801, [arXiv:0807.4271 \[hep-ex\]](#).
- [307] **Belle** Collaboration, R. Mizuk *et al.*, “Observation of two resonance-like structures in the $\pi^+ \chi_{c1}$ mass distribution in exclusive $\bar{B}^0 \rightarrow K^- \pi^+ \chi_{c1}$ decays,” *Phys. Rev. D* **78** (2008) 072004, [arXiv:0806.4098 \[hep-ex\]](#).
- [308] **Belle** Collaboration, J. Li *et al.*, “Time-dependent CP Asymmetries in $B^0 \rightarrow K_S^0 \rho^0 \gamma$ Decays,” *Phys. Rev. Lett.* **101** (2008) 251601, [arXiv:0806.1980 \[hep-ex\]](#).
- [309] **Belle** Collaboration, Y. Liu *et al.*, “Search for $B^0 \rightarrow J/\psi \phi$ decays,” *Phys. Rev. D* **78** (2008) 011106, [arXiv:0805.3225 \[hep-ex\]](#).

- [310] **Belle** Collaboration, Y. Horii *et al.*, “Study of the Suppressed B meson Decay $B^- \rightarrow DK^-, D \rightarrow K^+\pi^-$,” *Phys. Rev. D* **78** (2008) 071901, [arXiv:0804.2063](#) [[hep-ex](#)].
- [311] **Belle** Collaboration, M. Iwabuchi *et al.*, “Search for $B^+ \rightarrow D^{*+}\pi^0$ decay,” *Phys. Rev. Lett.* **101** (2008) 041601, [arXiv:0804.0831](#) [[hep-ex](#)].
- [312] **Belle** Collaboration, J. T. Wei *et al.*, “Search for $B \rightarrow \pi\ell^+\ell^-$ Decays at Belle,” *Phys. Rev. D* **78** (2008) 011101, [arXiv:0804.3656](#) [[hep-ex](#)].
- [313] **Belle** Collaboration, N. Taniguchi *et al.*, “Measurement of branching fractions, isospin and CP -violating asymmetries for exclusive $b \rightarrow d\gamma$ modes,” *Phys. Rev. Lett.* **101** (2008) 111801, [arXiv:0804.4770](#) [[hep-ex](#)]. [Erratum: *Phys.Rev.Lett.* 101, 129904 (2008)].
- [314] **Belle** Collaboration, C. Schwanda *et al.*, “Measurement of the Moments of the Photon Energy Spectrum in $B \rightarrow X_s\gamma$ Decays and Determination of $|V_{cb}|$ and m_b at Belle,” *Phys. Rev. D* **78** (2008) 032016, [arXiv:0803.2158](#) [[hep-ex](#)].
- [315] **Belle** Collaboration, S. W. Lin *et al.*, “Difference in direct charge-parity violation between charged and neutral B meson decays,” *Nature* **452** (2008) 332–335.
- [316] **Belle** Collaboration, I. Adachi *et al.*, “Measurement of the branching fraction and charge asymmetry of the decay $B^+ \rightarrow D^+\bar{D}^0$ and search for $B^0 \rightarrow D^0\bar{D}^0$,” *Phys. Rev. D* **77** (2008) 091101, [arXiv:0802.2988](#) [[hep-ex](#)].
- [317] **Belle** Collaboration, U. Bitenc *et al.*, “Improved search for $D^0 - \bar{D}^0$ mixing using semileptonic decays at Belle,” *Phys. Rev. D* **77** (2008) 112003, [arXiv:0802.2952](#) [[hep-ex](#)].
- [318] **Belle** Collaboration, J. H. Chen *et al.*, “Observation of $B^0 \rightarrow p\bar{p}K^{*0}$ with a large K^{*0} polarization,” *Phys. Rev. Lett.* **100** (2008) 251801, [arXiv:0802.0336](#) [[hep-ex](#)].
- [319] **Belle** Collaboration, K. Arinstein *et al.*, “Measurement of the ratio $B(D^0 \rightarrow \pi^+\pi^-\pi^0) / B(D^0 \rightarrow K^-\pi^+\pi^0)$ and the time-integrated CP asymmetry in $D^0 \rightarrow \pi^+\pi^-\pi^0$,” *Phys. Lett. B* **662** (2008) 102–110, [arXiv:0801.2439](#) [[hep-ex](#)].
- [320] K. Kinoshita, “Results From $\Upsilon(5S)$ at Belle: Strange Beauty and Other Beasts,” in *23rd Lake Louise Winter Institute: Fundamental Interactions*, pp. 278–282. 2009. [arXiv:0805.3866](#) [[hep-ex](#)].
- [321] **Belle** Collaboration, J. Wicht *et al.*, “Observation of $B_s^0 \rightarrow \phi\gamma$ and Search for $B_s^0 \rightarrow \gamma\gamma$ Decays at Belle,” *Phys. Rev. Lett.* **100** (2008) 121801, [arXiv:0712.2659](#) [[hep-ex](#)].
- [322] **Belle** Collaboration, Y. Nakahama *et al.*, “Measurement of Time-Dependent CP -Violating Parameters in $B^0 \rightarrow K_S^0 K_S^0$ decays,” *Phys. Rev. Lett.* **100** (2008) 121601, [arXiv:0712.4234](#) [[hep-ex](#)].
- [323] **Belle** Collaboration, D. Liventsev *et al.*, “Study of $B \rightarrow D^{**}\ell\nu$ with full reconstruction tagging,” *Phys. Rev. D* **77** (2008) 091503, [arXiv:0711.3252](#) [[hep-ex](#)].
- [324] K. Kinoshita, “Searching for New Physics: Results from Belle and Babar,” in *34th SLAC Summer Institute on Particle Physics: The Next Frontier: Exploring with the LHC*. 1, 2007. [arXiv:hep-ex/0701054](#).
- [325] **Belle** Collaboration, Y. Miyazaki *et al.*, “Search for Lepton Flavor Violating tau Decays into Three Leptons,” *Phys. Lett. B* **660** (2008) 154–160, [arXiv:0711.2189](#) [[hep-ex](#)].
- [326] **Belle** Collaboration, A. Kusaka *et al.*, “Measurement of CP asymmetries and branching fractions in a time-dependent Dalitz analysis of $B^0 \rightarrow (\rho\pi)^0$ and a constraint on the quark mixing angle ϕ_2 ,” *Phys. Rev. D* **77** (2008) 072001, [arXiv:0710.4974](#) [[hep-ex](#)].
- [327] **Belle** Collaboration, K. F. Chen *et al.*, “Observation of anomalous $\Upsilon(1S)\pi^+\pi^-$ and $\Upsilon(2S)\pi^+\pi^-$ production near the $\Upsilon(5S)$ resonance,” *Phys. Rev. Lett.* **100** (2008) 112001, [arXiv:0710.2577](#) [[hep-ex](#)].
- [328] **Belle** Collaboration, G. Pakhlova *et al.*, “Measurement of the near-threshold $e^+e^- \rightarrow D\bar{D}$ cross section using initial-state radiation,” *Phys. Rev. D* **77** (2008) 011103, [arXiv:0708.0082](#) [[hep-ex](#)].

- [329] **Belle** Collaboration, C. Z. Yuan *et al.*, “Observation of $e^+e^- \rightarrow K^+K^-J/\psi$ via initial state radiation at Belle,” *Phys. Rev. D* **77** (2008) 011105, [arXiv:0709.2565 \[hep-ex\]](#).
- [330] **Belle** Collaboration, L. Widhalm *et al.*, “Measurement of $B(D_s^+ \rightarrow \mu\nu)$,” *Phys. Rev. Lett.* **100** (2008) 241801, [arXiv:0709.1340 \[hep-ex\]](#).
- [331] **Belle** Collaboration, V. Balagura *et al.*, “Observation of $D_{s1}(2536)^+ \rightarrow D^+\pi^-K^+$ and angular decomposition of $D_{s1}(2536)^+ \rightarrow D^{*+}K_S^0$,” *Phys. Rev. D* **77** (2008) 032001, [arXiv:0709.4184 \[hep-ex\]](#).
- [332] **Belle** Collaboration, Y. Ushiroda *et al.*, “Time-dependent CP-violating asymmetry in $B^0 \rightarrow \rho^0\gamma$ decays,” *Phys. Rev. Lett.* **100** (2008) 021602, [arXiv:0709.2769 \[hep-ex\]](#).
- [333] **Belle** Collaboration, H. Sahoo *et al.*, “Measurements of time-dependent CP violation in $B^0 \rightarrow \psi(2S)K_S^0$ decays,” *Phys. Rev. D* **77** (2008) 091103, [arXiv:0708.2604 \[hep-ex\]](#).
- [334] **Belle** Collaboration, G. Pakhlova *et al.*, “Observation of $\psi(4415) \rightarrow D\bar{D}_2^*(2460)$ decay using initial-state radiation,” *Phys. Rev. Lett.* **100** (2008) 062001, [arXiv:0708.3313 \[hep-ex\]](#).
- [335] **Belle** Collaboration, Y. Uchida *et al.*, “Search for $\bar{B}^0 \rightarrow \Lambda_c^+\Lambda_c^-$ decay at Belle,” *Phys. Rev. D* **77** (2008) 051101, [arXiv:0708.1105 \[hep-ex\]](#).
- [336] **Belle** Collaboration, S. E. Lee *et al.*, “Improved measurement of time-dependent CP violation in $B^0 \rightarrow J/\psi\pi^0$ decays,” *Phys. Rev. D* **77** (2008) 071101, [arXiv:0708.0304 \[hep-ex\]](#).
- [337] **Belle** Collaboration, P. Pakhlov *et al.*, “Production of New Charmoniumlike States in $e^+e^- \rightarrow J/\psi D^{(*)}\bar{D}^{(*)}$ at $\sqrt{s} \approx 10$. GeV,” *Phys. Rev. Lett.* **100** (2008) 202001, [arXiv:0708.3812 \[hep-ex\]](#).
- [338] **Belle** Collaboration, S. K. Choi *et al.*, “Observation of a resonance-like structure in the $\pi^\pm\psi'$ mass distribution in exclusive $B \rightarrow K\pi^\pm\psi'$ decays,” *Phys. Rev. Lett.* **100** (2008) 142001, [arXiv:0708.1790 \[hep-ex\]](#).
- [339] **Belle** Collaboration, K. F. Chen *et al.*, “Search for $B \rightarrow h^{(*)}\nu\bar{\nu}$ decays at Belle,” *Phys. Rev. Lett.* **99** (2007) 221802, [arXiv:0707.0138 \[hep-ex\]](#).
- [340] **Belle** Collaboration, C. Z. Yuan *et al.*, “Measurement of $e^+e^- \rightarrow \pi^+\pi^-J/\psi$ cross-section via initial state radiation at Belle,” *Phys. Rev. Lett.* **99** (2007) 182004, [arXiv:0707.2541 \[hep-ex\]](#).
- [341] O. Tajima *et al.*, “Search for the CP-violating decays $\Upsilon(4S) \rightarrow B^0\bar{B}^0 \rightarrow J/\psi K_S^0 + J/\psi(\eta_c)K_S^0$,” *Phys. Rev. Lett.* **99** (2007) 211601, [arXiv:0707.4336 \[hep-ex\]](#).
- [342] **Belle** Collaboration, J. Brodzicka *et al.*, “Observation of a new D_{sJ} meson in $B^+ \rightarrow \bar{D}^0 D^0 K^+$ decays,” *Phys. Rev. Lett.* **100** (2008) 092001, [arXiv:0707.3491 \[hep-ex\]](#).
- [343] **Belle** Collaboration, X. L. Wang *et al.*, “Observation of Two Resonant Structures in $e^+e^- \rightarrow \pi^+\pi^-\psi(2S)$ via Initial State Radiation at Belle,” *Phys. Rev. Lett.* **99** (2007) 142002, [arXiv:0707.3699 \[hep-ex\]](#).
- [344] **Belle** Collaboration, J. Dalseno *et al.*, “Measurement of Branching Fraction and Time-Dependent CP Asymmetry Parameters in $B^0 \rightarrow D^{*+}D^{*-}K_S^0$ Decays,” *Phys. Rev. D* **76** (2007) 072004, [arXiv:0706.2045 \[hep-ex\]](#).
- [345] **Belle** Collaboration, A. Matyja *et al.*, “Observation of $B^0 \rightarrow D^{*-}\tau^+\nu_\tau$ decay at Belle,” *Phys. Rev. Lett.* **99** (2007) 191807, [arXiv:0706.4429 \[hep-ex\]](#).
- [346] **Belle** Collaboration, J. T. Wei *et al.*, “Study of $B^+ \rightarrow p\bar{p}K^+$ and $B^+ \rightarrow p\bar{p}\pi^+$,” *Phys. Lett. B* **659** (2008) 80–86, [arXiv:0706.4167 \[hep-ex\]](#).
- [347] **Belle** Collaboration, K. Abe *et al.*, “Measurement of $D^0 - \bar{D}^0$ Mixing Parameters in $D^0 \rightarrow K_S^0\pi^+\pi^-$ decays,” *Phys. Rev. Lett.* **99** (2007) 131803, [arXiv:0704.1000 \[hep-ex\]](#).
- [348] **Belle** Collaboration, M. Z. Wang *et al.*, “Study of $B^+ \rightarrow p\bar{\Lambda}\gamma$, $p\bar{\Lambda}\pi^0$ and $B^0 \rightarrow p\bar{\Lambda}\pi^-$,” *Phys. Rev. D* **76** (2007) 052004, [arXiv:0704.2672 \[hep-ex\]](#).

- [349] **BELLE** Collaboration, M. Staric *et al.*, “Evidence for $D^0 - \bar{D}^0$ Mixing,” *Phys. Rev. Lett.* **98** (2007) 211803, [arXiv:hep-ex/0703036](#).
- [350] **Belle** Collaboration, Y. T. Tsai *et al.*, “Search for $B^0 \rightarrow p\bar{p}$, $\Lambda\bar{\Lambda}$ and $B^+ \rightarrow p\bar{\Lambda}$ at Belle,” *Phys. Rev. D* **75** (2007) 111101, [arXiv:hep-ex/0703048](#).
- [351] A. Zupanc *et al.*, “Improved measurement of $\bar{B}^0 \rightarrow D_s^- D^+$ and search for $\bar{B}^0 \rightarrow D_s^+ D_s^-$ at Belle,” *Phys. Rev. D* **75** (2007) 091102, [arXiv:hep-ex/0703040](#).
- [352] **Belle** Collaboration, S. Fratina *et al.*, “Evidence for CP violation in $B^0 \rightarrow D^+ D^-$ decays,” *Phys. Rev. Lett.* **98** (2007) 221802, [arXiv:hep-ex/0702031](#).
- [353] **Belle** Collaboration, A. Go *et al.*, “Measurement of EPR-type flavour entanglement in $\Upsilon(4S) \rightarrow B^0 \bar{B}^0$ decays,” *Phys. Rev. Lett.* **99** (2007) 131802, [arXiv:quant-ph/0702267](#).
- [354] **Belle** Collaboration, A. Somov *et al.*, “Improved measurement of CP -violating parameters in $B^0 \rightarrow \rho^+ \rho^-$ decays,” *Phys. Rev. D* **76** (2007) 011104, [arXiv:hep-ex/0702009](#).
- [355] **Belle** Collaboration, J. Schumann *et al.*, “Search for B decays into $\eta' \rho$, $\eta' K^*$, $\eta' \phi$, $\eta' \omega$ and $\eta' \eta^{(\prime)}$ at Belle,” *Phys. Rev. D* **75** (2007) 092002, [arXiv:hep-ex/0701046](#).
- [356] **Belle** Collaboration, C. H. Wang *et al.*, “Measurement of charmless B Decays to ηK^* and $\eta \rho$,” *Phys. Rev. D* **75** (2007) 092005, [arXiv:hep-ex/0701057](#).
- [357] **Belle** Collaboration, A. Kusaka *et al.*, “Measurement of CP Asymmetry in a Time-Dependent Dalitz Analysis of $B^0 \rightarrow (\rho\pi)^0$ and a Constraint on the CKM Angle ϕ_2 ,” *Phys. Rev. Lett.* **98** (2007) 221602, [arXiv:hep-ex/0701015](#).
- [358] **Belle** Collaboration, A. Kuzmin *et al.*, “Study of $\bar{B}^0 \rightarrow D^0 \pi^+ \pi^-$ decays,” *Phys. Rev. D* **76** (2007) 012006, [arXiv:hep-ex/0611054](#).
- [359] **Belle** Collaboration, C. Schwanda *et al.*, “Moments of the Hadronic Invariant Mass Spectrum in $B \rightarrow X_c \ell \nu$ Decays at BELLE,” *Phys. Rev. D* **75** (2007) 032005, [arXiv:hep-ex/0611044](#).
- [360] **Belle** Collaboration, N. Satoyama *et al.*, “A Search for the rare leptonic decays $B^+ \rightarrow \mu^+ \nu_\mu$ and $B^+ \rightarrow e^+ \nu_e$,” *Phys. Lett. B* **647** (2007) 67–73, [arXiv:hep-ex/0611045](#).
- [361] **Belle** Collaboration, O. Tajima *et al.*, “Search for invisible decay of the $\Upsilon(1S)$,” *Phys. Rev. Lett.* **98** (2007) 132001, [arXiv:hep-ex/0611041](#).
- [362] **Belle** Collaboration, A. Drutskoy *et al.*, “Measurements of exclusive B_s^0 decays at the $\Upsilon(5S)$,” *Phys. Rev. D* **76** (2007) 012002, [arXiv:hep-ex/0610003](#).
- [363] **Belle** Collaboration, A. Garmash *et al.*, “Dalitz Analysis of Three-body Charmless $B^0 \rightarrow K^0 \pi^+ \pi^-$ Decay,” *Phys. Rev. D* **75** (2007) 012006, [arXiv:hep-ex/0610081](#).
- [364] **Belle** Collaboration, P. Urquijo *et al.*, “Moments of the electron energy spectrum and partial branching fraction of $B \rightarrow X_c e \nu$ decays at Belle,” *Phys. Rev. D* **75** (2007) 032001, [arXiv:hep-ex/0610012](#).
- [365] **Belle** Collaboration, W. T. Chen *et al.*, “A Study of $\gamma\gamma \rightarrow K_S^0 K_S^0$ production at energies of 2.4-GeV to 4.0-GeV at Belle,” *Phys. Lett. B* **651** (2007) 15–21, [arXiv:hep-ex/0609042](#).
- [366] **Belle** Collaboration, M. C. Chang *et al.*, “Observation of the decay $B^0 \rightarrow J/\psi \eta$,” *Phys. Rev. Lett.* **98** (2007) 131803, [arXiv:hep-ex/0609047](#).
- [367] **Belle** Collaboration, Y. Chao *et al.*, “Measurements of time-dependent CP violation in $B^0 \rightarrow \omega K_S^0$, $f^0(980) K_S^0$, $K_S^0 \pi^0$ and $K^+ K^- K_S^0$ decays,” *Phys. Rev. D* **76** (2007) 091103, [arXiv:hep-ex/0609006](#).
- [368] **Belle** Collaboration, K. Abe *et al.*, “Measurements of Branching Fractions for $B \rightarrow K\pi$ and $B \rightarrow \pi\pi$ Decays with 449 million $B\bar{B}$ Pairs,” *Phys. Rev. Lett.* **99** (2007) 121601, [arXiv:hep-ex/0609015](#).
- [369] **Belle** Collaboration, K. Abe *et al.*, “Observation of B decays to two kaons,” *Phys. Rev. Lett.* **98** (2007) 181804, [arXiv:hep-ex/0608049](#).

- [370] **Belle** Collaboration, K. Abe *et al.*, “Measurement of the mass of the tau-lepton and an upper limit on the mass difference between τ^+ and τ^- ,” *Phys. Rev. Lett.* **99** (2007) 011801, [arXiv:hep-ex/0608046](#).
- [371] **Belle** Collaboration, A. Drutskoy *et al.*, “Measurement of inclusive D_s , D^0 and J/ψ rates and determination of the $B_s^* \bar{B}_s^*$ production fraction in $b\bar{b}$ events at the $\Upsilon(5S)$ resonance,” *Phys. Rev. Lett.* **98** (2007) 052001, [arXiv:hep-ex/0608015](#).
- [372] **Belle** Collaboration, I. Adachi *et al.*, “Search for resonant $B^\pm \rightarrow K^\pm h \rightarrow K^\pm \gamma \gamma$ Decays at Belle,” *Phys. Lett. B* **662** (2008) 323–329, [arXiv:hep-ex/0608037](#).
- [373] **Belle** Collaboration, Y. Ushiroda *et al.*, “Time-Dependent CP Asymmetries in $B^0 \rightarrow K_S^0 \pi^0 \gamma$ transitions,” *Phys. Rev. D* **74** (2006) 111104, [arXiv:hep-ex/0608017](#).
- [374] **Belle** Collaboration, K. Abe *et al.*, “Experimental constraints on the possible J^P quantum numbers of the $\Lambda_c(2880)^+$,” *Phys. Rev. Lett.* **98** (2007) 262001, [arXiv:hep-ex/0608043](#).
- [375] **Belle** Collaboration, K. Abe *et al.*, “Measurement of the near-threshold $e^+e^- \rightarrow D^{(*)\pm} D^{(*)\mp}$ cross section using initial-state radiation,” *Phys. Rev. Lett.* **98** (2007) 092001, [arXiv:hep-ex/0608018](#).
- [376] **Belle** Collaboration, H. Ishino *et al.*, “Observation of Direct CP -Violation in $B^0 \rightarrow \pi^+ \pi^-$ Decays and Model-Independent Constraints on ϕ_2 ,” *Phys. Rev. Lett.* **98** (2007) 211801, [arXiv:hep-ex/0608035](#).
- [377] **Belle** Collaboration, P. Chang *et al.*, “Improved measurements of branching fractions and CP asymmetries in $B \rightarrow \eta h$ decays,” *Phys. Rev. D* **75** (2007) 071104, [arXiv:hep-ex/0608033](#).
- [378] **Belle** Collaboration, R. Kumar *et al.*, “Observation of $B^\pm \rightarrow \chi_{c1} \pi^\pm$ and Search for Direct CP Violation,” *Phys. Rev. D* **74** (2006) 051103, [arXiv:hep-ex/0607008](#).
- [379] **Belle** Collaboration, R. Chistov *et al.*, “Observation of new states decaying into $\Lambda_c^+ K^- \pi^+$ and $\Lambda_c^+ K_S^0 \pi^-$,” *Phys. Rev. Lett.* **97** (2006) 162001, [arXiv:hep-ex/0606051](#).
- [380] **Belle** Collaboration, P. Krokovny *et al.*, “Measurement of the quark mixing parameter $\cos(2\phi_1)$ using time-dependent Dalitz analysis of $\bar{B}^0 \rightarrow D[K_S^0 \pi^+ \pi^-] h^0$,” *Phys. Rev. Lett.* **97** (2006) 081801, [arXiv:hep-ex/0605023](#).
- [381] **Belle** Collaboration, F. Fang *et al.*, “Search for the h_c meson in $B^\pm \rightarrow h_c K^\pm$,” *Phys. Rev. D* **74** (2006) 012007, [arXiv:hep-ex/0605007](#).
- [382] **Belle** Collaboration, K. Ikado *et al.*, “Evidence of the Purely Leptonic Decay $B^- \rightarrow \tau^- \bar{\nu}_\tau$,” *Phys. Rev. Lett.* **97** (2006) 251802, [arXiv:hep-ex/0604018](#).
- [383] **Belle** Collaboration, T. Hokuue *et al.*, “Measurements of branching fractions and q^2 distributions for $B \rightarrow \pi \ell \nu$ and $B \rightarrow \rho \ell \nu$ decays with $B \rightarrow D^{(*)} \ell \nu$ decay tagging,” *Phys. Lett. B* **648** (2007) 139–148, [arXiv:hep-ex/0604024](#).
- [384] **Belle** Collaboration, F. J. Ronga *et al.*, “Measurements of CP violation in $B^0 \rightarrow D^{*-} \pi^+$ and $B^0 \rightarrow D^- \pi^+$ decays,” *Phys. Rev. D* **73** (2006) 092003, [arXiv:hep-ex/0604013](#).
- [385] **Belle** Collaboration, L. Widhalm *et al.*, “Measurement of $D^0 \rightarrow \pi \ell \nu (K \ell \nu)$ Form Factors and Absolute Branching Fractions,” *Phys. Rev. Lett.* **97** (2006) 061804, [arXiv:hep-ex/0604049](#).
- [386] **Belle** Collaboration, A. Poluektov *et al.*, “Measurement of ϕ_3 with Dalitz plot analysis of $B^+ \rightarrow D^{(*)} K^{(*)+}$ decay,” *Phys. Rev. D* **73** (2006) 112009, [arXiv:hep-ex/0604054](#).
- [387] **Belle** Collaboration, J. Schumann *et al.*, “Evidence for $B \rightarrow \eta' \pi$ and improved measurements for $B \rightarrow \eta' K$,” *Phys. Rev. Lett.* **97** (2006) 061802, [arXiv:hep-ex/0603001](#).
- [388] **Belle** Collaboration, A. Ishikawa *et al.*, “Measurement of Forward-Backward Asymmetry and Wilson Coefficients in $B \rightarrow K^* \ell^+ \ell^-$,” *Phys. Rev. Lett.* **96** (2006) 251801, [arXiv:hep-ex/0603018](#).
- [389] **Belle** Collaboration, L. M. Zhang *et al.*, “Improved constraints on $D^0 - \bar{D}^0$ mixing in $D^0 \rightarrow K^+ \pi^-$ decays at BELLE,” *Phys. Rev. Lett.* **96** (2006) 151801, [arXiv:hep-ex/0601029](#).

- [390] **Belle** Collaboration, K. Abe *et al.*, “Study of $B^\pm \rightarrow D(CP)K^\pm$ and $D^*(CP)K^\pm$ decays,” *Phys. Rev. D* **73** (2006) 051106, [arXiv:hep-ex/0601032](#).
- [391] **Belle** Collaboration, A. Somov *et al.*, “Measurement of the branching fraction, polarization, and CP asymmetry for $B^0 \rightarrow \rho^+\rho^-$ decays, and determination of the CKM phase ϕ_2 ,” *Phys. Rev. Lett.* **96** (2006) 171801, [arXiv:hep-ex/0601024](#).
- [392] K. Kinoshita, “Sides of ‘the’ unitarity triangle: Results from Belle and BaBar,” *AIP Conf. Proc.* **815** no. 1, (2006) 146–156, [arXiv:hep-ex/0510036](#).
- [393] **Belle** Collaboration, A. Garmash *et al.*, “Evidence for large direct CP violation in $B^\pm \rightarrow \rho(770)^0 K^\pm$ from analysis of the three-body charmless $B^\pm \rightarrow K^\pm \pi^\pm \pi^\mp$ decay,” *Phys. Rev. Lett.* **96** (2006) 251803, [arXiv:hep-ex/0512066](#).
- [394] **Belle** Collaboration, R. Chistov *et al.*, “Observation of $B^+ \rightarrow \bar{\Xi}_c^0 \Lambda_c^+$ and evidence for $B^0 \rightarrow \bar{\Xi}_c^- \Lambda_c^+$,” *Phys. Rev. D* **74** (2006) 111105, [arXiv:hep-ex/0510074](#).
- [395] **Belle** Collaboration, Q. L. Xie *et al.*, “Observation of $B^- \rightarrow J/\psi \Lambda \bar{p}$ and searches for $B^- \rightarrow J/\psi \Sigma^0 \bar{p}$ and $B^0 \rightarrow J/\psi p \bar{p}$ decays,” *Phys. Rev. D* **72** (2005) 051105, [arXiv:hep-ex/0508011](#).
- [396] **Belle** Collaboration, K. Abe *et al.*, “Observation of $B^+ \rightarrow \Lambda_c^+ \Lambda_c^- K^+$ and $B^0 \rightarrow \Lambda_c^+ \Lambda_c^- K^0$ decays,” *Phys. Rev. Lett.* **97** (2006) 202003, [arXiv:hep-ex/0508015](#).
- [397] **Belle** Collaboration, J. Dragic *et al.*, “Measurement of branching fraction and direct CP asymmetry in $B^0 \rightarrow \rho^0 \pi^0$ decays,” *Phys. Rev. D* **73** (2006) 111105, [arXiv:hep-ex/0508007](#).
- [398] **Belle** Collaboration, X. C. Tian *et al.*, “Measurement of the wrong-sign decays $D^0 \rightarrow K^+ \pi^- \pi^0$ and $D^0 \rightarrow K^+ \pi^- \pi^+ \pi^-$ and search for CP violation,” *Phys. Rev. Lett.* **95** (2005) 231801, [arXiv:hep-ex/0507071](#).
- [399] **Belle** Collaboration, S. Villa *et al.*, “Search for the decay $B^0 \rightarrow \gamma\gamma$,” *Phys. Rev. D* **73** (2006) 051107, [arXiv:hep-ex/0507036](#).
- [400] **Belle** Collaboration, K. Abe *et al.*, “Search for the $\Theta(1540)^+$ pentaquark using kaon secondary interactions at BELLE,” *Phys. Lett. B* **632** (2006) 173–180, [arXiv:hep-ex/0507014](#).
- [401] **Belle** Collaboration, K. Abe *et al.*, “Observation of a new charmonium state in double charmonium production in e^+e^- annihilation at $\sqrt{s} \approx 10.6$ -GeV,” *Phys. Rev. Lett.* **98** (2007) 082001, [arXiv:hep-ex/0507019](#).
- [402] **Belle** Collaboration, U. Bitenc *et al.*, “Search for $D^0 - \bar{D}^0$ mixing using semileptonic decays at Belle,” *Phys. Rev. D* **72** (2005) 071101, [arXiv:hep-ex/0507020](#).
- [403] **Belle** Collaboration, D. Liventsev *et al.*, “Measurement of the branching fractions for $B^- \rightarrow D(*) + \pi^- l - \bar{\nu} l$ and $\bar{B}^0 \rightarrow D(*)0\pi^+ l - \bar{\nu} l$,” *Phys. Rev. D* **72** (2005) 051109, [arXiv:hep-ex/0507060](#).
- [404] **Belle** Collaboration, K. Abe *et al.*, “Measurement of azimuthal asymmetries in inclusive production of hadron pairs in e^+e^- annihilation at Belle,” *Phys. Rev. Lett.* **96** (2006) 232002, [arXiv:hep-ex/0507063](#).
- [405] **Belle** Collaboration, K. Abe *et al.*, “Observation of $b \rightarrow d\gamma$ and determination of $|V_{td}/V_{ts}|$,” *Phys. Rev. Lett.* **96** (2006) 221601, [arXiv:hep-ex/0506079](#).
- [406] **Belle** Collaboration, K. Abe *et al.*, “Measurements of B decays to two kaons,” *Phys. Rev. Lett.* **95** (2005) 231802, [arXiv:hep-ex/0506080](#).
- [407] **Belle** Collaboration, D. Mohapatra *et al.*, “Search for the $b \rightarrow d\gamma$ process,” *Phys. Rev. D* **72** (2005) 011101, [arXiv:hep-ex/0505097](#).
- [408] **Belle** Collaboration, I. Bizjak *et al.*, “Determination of $|V_{ub}|$ from measurements of the inclusive charmless semileptonic partial rates of B mesons using full reconstruction tags,” *Phys. Rev. Lett.* **95** (2005) 241801, [arXiv:hep-ex/0505088](#).

- [409] **Belle** Collaboration, K. F. Chen *et al.*, “Time-dependent CP -violating asymmetries in $b \rightarrow s\bar{q}q$ transitions,” *Phys. Rev. D* **72** (2005) 012004, [arXiv:hep-ex/0504023](#).
- [410] **Belle** Collaboration, A. Limosani *et al.*, “Measurement of inclusive charmless semileptonic B -meson decays at the endpoint of the electron momentum spectrum,” *Phys. Lett. B* **621** (2005) 28–40, [arXiv:hep-ex/0504046](#).
- [411] **Belle** Collaboration, R. Itoh *et al.*, “Studies of CP violation in $B \rightarrow J/\psi K^*$ decays,” *Phys. Rev. Lett.* **95** (2005) 091601, [arXiv:hep-ex/0504030](#).
- [412] **Belle** Collaboration, K. Sumisawa *et al.*, “Measurement of time-dependent CP -violating asymmetries in $B^0 \rightarrow K_S^0 K_S^0 K_S^0$ decay,” *Phys. Rev. Lett.* **95** (2005) 061801, [arXiv:hep-ex/0503023](#).
- [413] **Belle** Collaboration, Y. J. Lee *et al.*, “Observation of $B^+ \rightarrow p\bar{\Lambda}\gamma$,” *Phys. Rev. Lett.* **95** (2005) 061802, [arXiv:hep-ex/0503046](#).
- [414] **Belle** Collaboration, Y. Ushiroda *et al.*, “New measurement of time-dependent CP -violating asymmetry in $B^0 \rightarrow K_S^0 \pi^0 \gamma$ decay,” *Phys. Rev. Lett.* **94** (2005) 231601, [arXiv:hep-ex/0503008](#).
- [415] **Belle** Collaboration, L. M. Zhang *et al.*, “Search for $B^0 \rightarrow J/\psi \bar{D}^0$ and $B^+ \rightarrow J/\psi \bar{D}^0 \pi^+$ decays,” *Phys. Rev. D* **71** (2005) 091107, [arXiv:hep-ex/0503037](#).
- [416] **Belle** Collaboration, M. Iwasaki *et al.*, “Improved measurement of the electroweak penguin process $B \rightarrow X_s l^+ l^-$,” *Phys. Rev. D* **72** (2005) 092005, [arXiv:hep-ex/0503044](#).
- [417] **Belle** Collaboration, M. Z. Wang *et al.*, “Study of the baryon-antibaryon low-mass enhancements in charmless three-body baryonic B decays,” *Phys. Lett. B* **617** (2005) 141–149, [arXiv:hep-ex/0503047](#).
- [418] **Belle** Collaboration, K. F. Chen *et al.*, “Measurement of polarization and triple-product correlations in $B \rightarrow \phi K^*$ decays,” *Phys. Rev. Lett.* **94** (2005) 221804, [arXiv:hep-ex/0503013](#).
- [419] **Belle** Collaboration, K. Abe *et al.*, “Improved Evidence for Direct CP Violation in $B^0 \rightarrow \pi^+ \pi^-$ Decays and Model-Independent Constraints on ϕ_2 ,” *Phys. Rev. Lett.* **95** (2005) 101801, [arXiv:hep-ex/0502035](#).
- [420] **Belle** Collaboration, H. Miyake *et al.*, “Branching fraction, polarization and CP -violating asymmetries in $B^0 \rightarrow D^{*+} D^{*-}$ decays,” *Phys. Lett. B* **618** (2005) 34–42, [arXiv:hep-ex/0501037](#).
- [421] **Belle** Collaboration, M. Saigo *et al.*, “Study of the suppressed decays $B^- \rightarrow [K^+ \pi^-](D)K^-$ and $B^- \rightarrow [K^+ \pi^-](D)\pi^-$,” *Phys. Rev. Lett.* **94** (2005) 091601, [arXiv:hep-ex/0412025](#).
- [422] **Belle** Collaboration, H. Yang *et al.*, “Observation of $B^+ \rightarrow K_1(1270)^+ \gamma$,” *Phys. Rev. Lett.* **94** (2005) 111802, [arXiv:hep-ex/0412039](#).
- [423] **Belle** Collaboration, A. Garmash *et al.*, “Dalitz analysis of the three-body charmless decays $B^+ \rightarrow K^+ \pi^+ \pi^-$ and $B^+ \rightarrow K^+ K^+ K^-$,” *Phys. Rev. D* **71** (2005) 092003, [arXiv:hep-ex/0412066](#).
- [424] **Belle** Collaboration, T. Okabe *et al.*, “Spectra of prompt electrons from decays of B^+ and B^0 mesons and ratio of inclusive semielectronic branching fractions,” *Phys. Lett. B* **614** (2005) 27–36, [arXiv:hep-ex/0411066](#).
- [425] **Belle** Collaboration, T. Lesiak *et al.*, “Measurement of masses and branching ratios of Ξ_c^+ and Ξ_c^0 baryons,” *Phys. Lett. B* **605** (2005) 237–246, [arXiv:hep-ex/0409065](#). [Erratum: *Phys.Lett.B* 617, 198–200 (2005)].
- [426] **Belle** Collaboration, K. Abe *et al.*, “Observation of the $D_1(2420) \rightarrow D\pi^+ \pi^-$ decays,” *Phys. Rev. Lett.* **94** (2005) 221805, [arXiv:hep-ex/0410091](#).
- [427] **Belle** Collaboration, G. Majumder *et al.*, “Observation of $B^0 \rightarrow D^{*-}(5\pi)^+$, $B^+ \rightarrow D^{*-}(4\pi)^{++}$ and $B^+ \rightarrow \bar{D}^{*0}(5\pi)^+$,” *Phys. Rev. D* **70** (2004) 111103, [arXiv:hep-ex/0409008](#).
- [428] **Belle** Collaboration, N. Gabyshev *et al.*, “Study of decay mechanisms in $B^- \rightarrow \Lambda_c^+ \bar{p} \pi^-$ decays and observation of low-mass structure in the $\Lambda_c^+ \bar{p}$ system,” *Phys. Rev. Lett.* **97** (2006) 242001, [arXiv:hep-ex/0409005](#).

- [429] **Belle** Collaboration, A. Drutskoy *et al.*, “Observation of $\bar{B}^0 \rightarrow D_{sJ}^*(2317) + K^-$ decay,” *Phys. Rev. Lett.* **94** (2005) 061802, [arXiv:hep-ex/0409026](#).
- [430] **Belle** Collaboration, J. Zhang *et al.*, “Measurements of branching fractions and polarization in $B \rightarrow K^* \rho$ decays,” *Phys. Rev. Lett.* **95** (2005) 141801, [arXiv:hep-ex/0408102](#).
- [431] **Belle** Collaboration, J. Li *et al.*, “Search for $D^0 - \bar{D}^0$ mixing in $D^0 \rightarrow K^+ \pi^-$ decays and measurement of the doubly-Cabibbo-suppressed decay rate,” *Phys. Rev. Lett.* **94** (2005) 071801, [arXiv:hep-ex/0408125](#).
- [432] **Belle** Collaboration, Y. Chao *et al.*, “Evidence for direct CP violation in $B^0 \rightarrow K^+ \pi^-$ decays,” *Phys. Rev. Lett.* **93** (2004) 191802, [arXiv:hep-ex/0408100](#).
- [433] **Belle** Collaboration, K. Abe *et al.*, “Improved measurement of CP -violation parameters $\sin 2\phi_1$ and $|\lambda|$, B meson lifetimes, and $B^0 - \bar{B}^0$ mixing parameter Δm_d ,” *Phys. Rev. D* **71** (2005) 072003, [arXiv:hep-ex/0408111](#). [Erratum: *Phys.Rev.D* 71, 079903 (2005)].
- [434] **Belle** Collaboration, T. Aushev *et al.*, “Search for CP violation in the decay $B^0 \rightarrow D^{*\pm} D^\mp$,” *Phys. Rev. Lett.* **93** (2004) 201802, [arXiv:hep-ex/0408051](#).
- [435] **Belle** Collaboration, K. Abe *et al.*, “Observation of a near-threshold $\omega J/\psi$ mass enhancement in exclusive $B \rightarrow K \omega J/\psi$ decays,” *Phys. Rev. Lett.* **94** (2005) 182002, [arXiv:hep-ex/0408126](#).
- [436] **Belle** Collaboration, Y. Chao *et al.*, “Observation of $B^0 \rightarrow \pi^0 \pi^0$,” *Phys. Rev. Lett.* **94** (2005) 181803, [arXiv:hep-ex/0408101](#).
- [437] **Belle** Collaboration, C. C. Wang *et al.*, “Study of $B^0 \rightarrow \rho^\pm \pi^\mp$ time-dependent CP violation at Belle,” *Phys. Rev. Lett.* **94** (2005) 121801, [arXiv:hep-ex/0408003](#).
- [438] **Belle** Collaboration, S. U. Kataoka *et al.*, “Study of time-dependent CP violation in $B^0 \rightarrow J/\psi \pi^0$ decays,” *Phys. Rev. Lett.* **93** (2004) 261801, [arXiv:hep-ex/0408105](#).
- [439] **Belle** Collaboration, K. Abe *et al.*, “Time-dependent CP violation effects in partially reconstructed $B \rightarrow D^* \pi$ decays,” *Phys. Lett. B* **624** (2005) 11–21, [arXiv:hep-ex/0408106](#).
- [440] **Belle** Collaboration, Y. Chao *et al.*, “Improved measurements of partial rate asymmetry in $B \rightarrow hh$ decays,” *Phys. Rev. D* **71** (2005) 031502, [arXiv:hep-ex/0407025](#).
- [441] **Belle** Collaboration, J. Zhang *et al.*, “Measurement of branching fraction and CP asymmetry in $B^+ \rightarrow \rho^+ \pi^0$,” *Phys. Rev. Lett.* **94** (2005) 031801, [arXiv:hep-ex/0406006](#).
- [442] **Belle** Collaboration, A. Poluektov *et al.*, “Measurement of ϕ_3 with Dalitz plot analysis of $B^\pm \rightarrow D^{(*)} K^\pm$ decay,” *Phys. Rev. D* **70** (2004) 072003, [arXiv:hep-ex/0406067](#).
- [443] **Belle** Collaboration, Y. Enari *et al.*, “Search for the lepton flavor violating decay $\tau^- \rightarrow \mu^- \eta$ at Belle,” *Phys. Rev. Lett.* **93** (2004) 081803, [arXiv:hep-ex/0404018](#).
- [444] **Belle** Collaboration, C. Schwanda *et al.*, “Evidence for $B^+ \rightarrow \omega \ell^+ \nu$,” *Phys. Rev. Lett.* **93** (2004) 131803, [arXiv:hep-ex/0402023](#).
- [445] **Belle** Collaboration, M. Nakao *et al.*, “Measurement of the $B \rightarrow K^* \gamma$ branching fractions and asymmetries,” *Phys. Rev. D* **69** (2004) 112001, [arXiv:hep-ex/0402042](#).
- [446] **Belle** Collaboration, T. Uglov *et al.*, “Measurement of the $e^+ e^- \rightarrow D^{*+} D^{*-}$ cross-sections,” *Phys. Rev. D* **70** (2004) 071101, [arXiv:hep-ex/0401038](#).
- [447] **Belle** Collaboration, K. Abe *et al.*, “Observation of large CP violation and evidence for direct CP violation in $B^0 \rightarrow \pi^+ \pi^-$ decays,” *Phys. Rev. Lett.* **93** (2004) 021601, [arXiv:hep-ex/0401029](#).
- [448] **Belle** Collaboration, Y. Chao *et al.*, “Improved measurements of branching fractions for $B \rightarrow K \pi, \pi \pi$ and $K \bar{K}$ decays,” *Phys. Rev. D* **69** (2004) 111102, [arXiv:hep-ex/0311061](#).
- [449] **Belle** Collaboration, H. Kakuno *et al.*, “Measurement of $|V_{ub}|$ using inclusive $B \rightarrow X_u l \nu$ decays with a novel X_u reconstruction method,” *Phys. Rev. Lett.* **92** (2004) 101801, [arXiv:hep-ex/0311048](#).

- [450] **Belle** Collaboration, K. Abe *et al.*, “An Upper bound on the decay $\tau \rightarrow \mu\gamma$ from Belle,” *Phys. Rev. Lett.* **92** (2004) 171802, [arXiv:hep-ex/0310029](#).
- [451] **Belle** Collaboration, M. Z. Wang *et al.*, “Observation of $B^+ \rightarrow p\bar{p}\pi^+$, $B^0 \rightarrow p\bar{p}K^0$, and $B^+ \rightarrow p\bar{p}K^{*+}$,” *Phys. Rev. Lett.* **92** (2004) 131801, [arXiv:hep-ex/0310018](#).
- [452] **Belle** Collaboration, A. Drutskoy *et al.*, “Observation of radiative $B \rightarrow \phi K\gamma$ decays,” *Phys. Rev. Lett.* **92** (2004) 051801, [arXiv:hep-ex/0309006](#).
- [453] **Belle** Collaboration, M. C. Chang *et al.*, “Search for $B^0 \rightarrow \ell^+\ell^-$ at BELLE,” *Phys. Rev. D* **68** (2003) 111101, [arXiv:hep-ex/0309069](#).
- [454] **Belle** Collaboration, S. K. Choi *et al.*, “Observation of a narrow charmonium - like state in exclusive $B^\pm \rightarrow K^\pm\pi^+\pi^-J/\psi$ decays,” *Phys. Rev. Lett.* **91** (2003) 262001, [arXiv:hep-ex/0309032](#).
- [455] **Belle** Collaboration, S. L. Zang *et al.*, “Search for $B^- \rightarrow J/\psi\Lambda\bar{p}$ decay,” *Phys. Rev. D* **69** (2004) 017101, [arXiv:hep-ex/0309060](#).
- [456] **Belle** Collaboration, K. Abe *et al.*, “Observation of radiative decay $D^0 \rightarrow \phi\gamma$,” *Phys. Rev. Lett.* **92** (2004) 101803, [arXiv:hep-ex/0308037](#).
- [457] **Belle** Collaboration, K. Abe *et al.*, “Measurement of time dependent CP violating asymmetries in $B^0 \rightarrow \phi K_S^0$, $K^+K^-K_S^0$, and ηK_S^0 decays,” *Phys. Rev. Lett.* **91** (2003) 261602, [arXiv:hep-ex/0308035](#).
- [458] **Belle** Collaboration, S. H. Lee *et al.*, “Evidence for $B^0 \rightarrow \pi^0\pi^0$,” *Phys. Rev. Lett.* **91** (2003) 261801, [arXiv:hep-ex/0308040](#).
- [459] **Belle** Collaboration, K. Abe *et al.*, “Study of CP violating effects in time dependent $B^0(\bar{B}^0) \rightarrow D^{*\mp}\pi^{+-}$ decays,” *Phys. Rev. Lett.* **93** (2004) 031802, [arXiv:hep-ex/0308048](#). [Erratum: *Phys.Rev.Lett.* **93**, 059901 (2004)].
- [460] **Belle** Collaboration, P. Krokovny *et al.*, “Observation of the $D_{sJ}(2317)$ and $D_{sJ}(2457)$ in B decays,” *Phys. Rev. Lett.* **91** (2003) 262002, [arXiv:hep-ex/0308019](#).
- [461] **Belle** Collaboration, A. Ishikawa *et al.*, “Observation of $B \rightarrow K^*\ell^+\ell^-$,” *Phys. Rev. Lett.* **91** (2003) 261601, [arXiv:hep-ex/0308044](#).
- [462] **Belle** Collaboration, K. Abe *et al.*, “Observation of $B^+ \rightarrow \psi(3770)K^+$,” *Phys. Rev. Lett.* **93** (2004) 051803, [arXiv:hep-ex/0307061](#).
- [463] K. Kinoshita, “An Unbinned Goodness-of-Fit Test Based on the Random Walk,” *eConf* **C030908** (2003) MOCT002, [arXiv:physics/0312014](#).
- [464] **Belle** Collaboration, Y. Mikami *et al.*, “Measurements of the D_{sJ} resonance properties,” *Phys. Rev. Lett.* **92** (2004) 012002, [arXiv:hep-ex/0307052](#).
- [465] **Belle** Collaboration, K. Abe *et al.*, “Study of $B^- \rightarrow D^{*0}\pi^- (D^{*0} \rightarrow D^{*+}\pi^-)$ decays,” *Phys. Rev. D* **69** (2004) 112002, [arXiv:hep-ex/0307021](#).
- [466] **Belle** Collaboration, K. Abe *et al.*, “Measurement of the $e^+e^- \rightarrow D^{*+}D^{*-}$ cross-sections,” *Surveys High Energ. Phys.* **18** (2003) 221–232, [arXiv:hep-ex/0307084](#).
- [467] **Belle** Collaboration, A. Garmash *et al.*, “Study of B meson decays to three body charmless hadronic final states,” *Phys. Rev. D* **69** (2004) 012001, [arXiv:hep-ex/0307082](#).
- [468] **Belle** Collaboration, K. F. Chen *et al.*, “Measurement of branching fractions and polarization in $B \rightarrow \phi K^*$ decays,” *Phys. Rev. Lett.* **91** (2003) 201801, [arXiv:hep-ex/0307014](#).
- [469] **Belle** Collaboration, J. Zhang *et al.*, “Observation of $B^+ \rightarrow \rho^+\rho^0$,” *Phys. Rev. Lett.* **91** (2003) 221801, [arXiv:hep-ex/0306007](#).
- [470] **Belle** Collaboration, H. C. Huang *et al.*, “Evidence for $B \rightarrow \phi\phi K$,” *Phys. Rev. Lett.* **91** (2003) 241802, [arXiv:hep-ex/0305068](#).

- [471] **Belle** Collaboration, Y. Unno *et al.*, “Improved measurement of the partial rate CP asymmetry in $B^+ \rightarrow K^0\pi^+$ and $B^- \rightarrow \bar{K}^0\pi^-$ decays,” *Phys. Rev. D* **68** (2003) 011103, [arXiv:hep-ex/0304035](#).
- [472] **Belle** Collaboration, S. K. Swain *et al.*, “Measurement of branching fraction ratios and CP asymmetries in $B^\pm \rightarrow D_{CP}K^\pm$,” *Phys. Rev. D* **68** (2003) 051101, [arXiv:hep-ex/0304032](#).
- [473] **Belle** Collaboration, M. Z. Wang *et al.*, “Observation of $B^0 \rightarrow p\bar{\Lambda}\pi^-$,” *Phys. Rev. Lett.* **90** (2003) 201802, [arXiv:hep-ex/0302024](#).
- [474] **Belle** Collaboration, K. Kinoshita, “Heavy quark production and decay in the Upsilon region: Results from Belle,” in *5th International Conference on Quark Confinement and the Hadron Spectrum*, pp. 395–400. 9, 2002.
- [475] **Belle** Collaboration, N. C. Hastings *et al.*, “Studies of $B^0 - \bar{B}^0$ mixing properties with inclusive dilepton events,” *Phys. Rev. D* **67** (2003) 052004, [arXiv:hep-ex/0212033](#).
- [476] **Belle** Collaboration, N. Gabyshev *et al.*, “Observation of $\bar{B}^0 \rightarrow \Lambda_c^+ \bar{p}$ decay,” *Phys. Rev. Lett.* **90** (2003) 121802, [arXiv:hep-ex/0212052](#).
- [477] **Belle** Collaboration, A. Satpathy *et al.*, “Study of $\bar{B}^0 \rightarrow D^{0*}\pi^+\pi^-$ decays,” *Phys. Lett. B* **553** (2003) 159–166, [arXiv:hep-ex/0211022](#).
- [478] **Belle** Collaboration, Y. Zheng *et al.*, “Measurement of the $B^0 - \bar{B}^0$ mixing rate with $B^0(\bar{B}^0) \rightarrow D^{*\mp}\pi^\pm$ partial reconstruction,” *Phys. Rev. D* **67** (2003) 092004, [arXiv:hep-ex/0211065](#).
- [479] **Belle** Collaboration, K. Abe *et al.*, “Measurement of branching fractions and charge asymmetries for two-body B meson decays with charmonium,” *Phys. Rev. D* **67** (2003) 032003, [arXiv:hep-ex/0211047](#).
- [480] **Belle** Collaboration, K. Abe *et al.*, “Measurement of the inclusive semileptonic branching fraction of B mesons and $|V_{cb}|$,” *Phys. Lett. B* **547** (2002) 181–192, [arXiv:hep-ex/0208033](#).
- [481] **Belle** Collaboration, K. Abe *et al.*, “An Improved measurement of mixing induced CP violation in the neutral B meson system,” *Phys. Rev. D* **66** (2002) 071102, [arXiv:hep-ex/0208025](#).
- [482] **Belle** Collaboration, N. Gabyshev *et al.*, “Study of exclusive B decays to charmed baryons at BELLE,” *Phys. Rev. D* **66** (2002) 091102, [arXiv:hep-ex/0208041](#).
- [483] **Belle** Collaboration, K. Kinoshita, “Evaluating quality of fit in unbinned maximum likelihood fitting,” in *Conference on Advanced Statistical Techniques in Particle Physics*, pp. 176–181. 3, 2002.
- [484] **Belle** Collaboration, J. Kaneko *et al.*, “Measurement of the electroweak penguin process $B \rightarrow X_s\ell^+\ell^-$,” *Phys. Rev. Lett.* **90** (2003) 021801, [arXiv:hep-ex/0208029](#).
- [485] **Belle** Collaboration, F. Fang *et al.*, “Measurement of branching fractions for $B \rightarrow \eta_c K^*$ decays,” *Phys. Rev. Lett.* **90** (2003) 071801, [arXiv:hep-ex/0208047](#).
- [486] **Belle** Collaboration, B. C. K. Casey *et al.*, “Charmless hadronic two-body B meson decays,” *Phys. Rev. D* **66** (2002) 092002, [arXiv:hep-ex/0207090](#).
- [487] **Belle** Collaboration, P. Krokovny *et al.*, “Observation of $D_s^+ K^-$ and evidence for $D_s^+ \pi^-$ final states in neutral B decays,” *Phys. Rev. Lett.* **89** (2002) 231804, [arXiv:hep-ex/0207077](#).
- [488] **Belle** Collaboration, R. S. Lu *et al.*, “Observation of $B^\pm \rightarrow \omega K^\pm$ decay,” *Phys. Rev. Lett.* **89** (2002) 191801, [arXiv:hep-ex/0207019](#).
- [489] **Belle** Collaboration, A. Gordon *et al.*, “Study of $B \rightarrow \rho\pi$ decays at BELLE,” *Phys. Lett. B* **542** (2002) 183–192, [arXiv:hep-ex/0207007](#).
- [490] **Belle** Collaboration, K. Abe *et al.*, “Studies of the decay $B^\pm \rightarrow D_{CP}K^\pm$,” *Phys. Rev. Lett.* **90** (2003) 131803, [arXiv:hep-ex/0207012](#).
- [491] **Belle** Collaboration, T. Tomura *et al.*, “Measurement of the oscillation frequency for $B^0 - \bar{B}^0$ mixing using hadronic B^0 decays,” *Phys. Lett. B* **542** (2002) 207–215, [arXiv:hep-ex/0207022](#).

- [492] **Belle** Collaboration, K. F. Chen *et al.*, “Measurement of CP violating parameters in $B \rightarrow \eta K$ decays,” *Phys. Lett. B* **546** (2002) 196–205, [arXiv:hep-ex/0207033](#).
- [493] **Belle** Collaboration, A. Drutskoy *et al.*, “Observation of $B \rightarrow D^* K^- K^{0*}$ decays,” *Phys. Lett. B* **542** (2002) 171–182, [arXiv:hep-ex/0207041](#).
- [494] **Belle** Collaboration, K. Hara *et al.*, “Measurement of the $B^0 - \bar{B}^0$ mixing parameter Δm_d using semileptonic B^0 decays,” *Phys. Rev. Lett.* **89** (2002) 251803, [arXiv:hep-ex/0207045](#).
- [495] **Belle** Collaboration, S. K. Choi *et al.*, “Observation of the $\eta_c(2S)$ in exclusive $B \rightarrow K K_S K^- \pi^+$ decays,” *Phys. Rev. Lett.* **89** (2002) 102001, [arXiv:hep-ex/0206002](#). [Erratum: *Phys.Rev.Lett.* 89, 129901 (2002)].
- [496] **Belle** Collaboration, K. Abe *et al.*, “Observation of the decay $B^0 \rightarrow D^\pm D^{*\mp}$,” *Phys. Rev. Lett.* **89** (2002) 122001, [arXiv:hep-ex/0206014](#).
- [497] **Belle** Collaboration, S. Nishida *et al.*, “Radiative B meson decays into $K\pi\gamma$ and $K\pi\pi\gamma$ final states,” *Phys. Rev. Lett.* **89** (2002) 231801, [arXiv:hep-ex/0205025](#).
- [498] **Belle** Collaboration, K. Abe *et al.*, “Measurements of branching fractions and decay amplitudes in $B \rightarrow J/\psi K^*$ decays,” *Phys. Lett. B* **538** (2002) 11–20, [arXiv:hep-ex/0205021](#).
- [499] **Belle** Collaboration, K. Abe *et al.*, “Observation of $\bar{B}^0 \rightarrow D^{0*} p\bar{p}$,” *Phys. Rev. Lett.* **89** (2002) 151802, [arXiv:hep-ex/0205083](#).
- [500] **Belle** Collaboration, K. Abe *et al.*, “Observation of double $c\bar{c}$ production in e^+e^- annihilation at \sqrt{s} approximately 10.6-GeV,” *Phys. Rev. Lett.* **89** (2002) 142001, [arXiv:hep-ex/0205104](#).
- [501] **Belle** Collaboration, K. Abe *et al.*, “Study of CP violating asymmetries in $B^0 \rightarrow \pi^+\pi^-$ decays,” *Phys. Rev. Lett.* **89** (2002) 071801, [arXiv:hep-ex/0204002](#).
- [502] **Belle** Collaboration, K. Abe *et al.*, “Search for charmless two-body baryonic decays of B mesons,” *Phys. Rev. D* **65** (2002) 091103, [arXiv:hep-ex/0203027](#).
- [503] **Belle** Collaboration, K. Abe *et al.*, “Observation of χ_{c2} production in B meson decay,” *Phys. Rev. Lett.* **89** (2002) 011803, [arXiv:hep-ex/0202028](#).
- [504] **Belle** Collaboration, K. Abe *et al.*, “Observation of $B^\pm \rightarrow p\bar{p}K^\pm$,” *Phys. Rev. Lett.* **88** (2002) 181803, [arXiv:hep-ex/0202017](#).
- [505] **Belle** Collaboration, K. Abe *et al.*, “Precise measurement of B meson lifetimes with hadronic decay final states,” *Phys. Rev. Lett.* **88** (2002) 171801, [arXiv:hep-ex/0202009](#).
- [506] **Belle** Collaboration, K. Abe *et al.*, “Observation of mixing induced CP violation in the neutral B meson system,” *Phys. Rev. D* **66** (2002) 032007, [arXiv:hep-ex/0202027](#).
- [507] **CLEO** Collaboration, S. B. Athar *et al.*, “Measurement of the ratio of branching fractions of the $\Upsilon(4S)$ to charged and neutral B mesons,” *Phys. Rev. D* **66** (2002) 052003, [arXiv:hep-ex/0202033](#).
- [508] **Belle** Collaboration, K. Abe *et al.*, “Study of three-body charmless B decays,” *Phys. Rev. D* **65** (2002) 092005, [arXiv:hep-ex/0201007](#).
- [509] **Belle** Collaboration, K. Abe *et al.*, “Determination of $|V_{cb}|$ using the semileptonic decay $\bar{B}^0 \rightarrow D^{*+} e^- \bar{\nu}$,” *Phys. Lett. B* **526** (2002) 247–257, [arXiv:hep-ex/0111060](#).
- [510] **Belle** Collaboration, K. Abe *et al.*, “Observation of $B^+ \rightarrow \chi_{c0} K^+$,” *Phys. Rev. Lett.* **88** (2002) 031802, [arXiv:hep-ex/0111069](#).
- [511] **Belle** Collaboration, K. Abe *et al.*, “Measurement of $B(\bar{B}^0 \rightarrow D^+ \ell^- \bar{\nu})$ and determination of $|V_{cb}|$,” *Phys. Lett. B* **526** (2002) 258–268, [arXiv:hep-ex/0111082](#).
- [512] **Belle** Collaboration, K. Abe *et al.*, “A Measurement of lifetime difference in D^0 meson decays,” *Phys. Rev. Lett.* **88** (2002) 162001, [arXiv:hep-ex/0111026](#).

- [513] **Belle** Collaboration, K. Abe *et al.*, “Observation of Cabibbo suppressed and W exchange Λ_c^+ baryon decays,” *Phys. Lett. B* **524** (2002) 33–43, [arXiv:hep-ex/0111032](#).
- [514] **Belle** Collaboration, K. Abe *et al.*, “Production of prompt charmonia in e^+e^- annihilation at $\sqrt{s} \approx 10.6$ -GeV,” *Phys. Rev. Lett.* **88** (2002) 052001, [arXiv:hep-ex/0110012](#).
- [515] **Belle** Collaboration, K. Abe *et al.*, “Observation of the decay $B \rightarrow K\ell^+\ell^-$,” *Phys. Rev. Lett.* **88** (2002) 021801, [arXiv:hep-ex/0109026](#).
- [516] **Belle** Collaboration, K. Abe *et al.*, “Observation of color suppressed $\bar{B}^0 \rightarrow D^0\pi^0, D^{*0}\pi^0, D^0\eta$ and $D^0\omega$ decays,” *Phys. Rev. Lett.* **88** (2002) 052002, [arXiv:hep-ex/0109021](#).
- [517] **Belle** Collaboration, K. Abe *et al.*, “Measurement of the branching fraction for $B \rightarrow \eta'K$ and search for $B \rightarrow \eta'\pi^+$,” *Phys. Lett. B* **517** (2001) 309–318, [arXiv:hep-ex/0108010](#).
- [518] **Belle** Collaboration, K. Abe *et al.*, “Observation of large CP violation in the neutral B meson system,” *Phys. Rev. Lett.* **87** (2001) 091802, [arXiv:hep-ex/0107061](#).
- [519] **Belle** Collaboration, K. Abe *et al.*, “Search for direct CP violation in $B \rightarrow K\pi$ decays,” *Phys. Rev. D* **64** (2001) 071101, [arXiv:hep-ex/0106095](#).
- [520] **Belle** Collaboration, K. Abe *et al.*, “Observation of $B \rightarrow J/\psi K_1(1270)$,” *Phys. Rev. Lett.* **87** (2001) 161601, [arXiv:hep-ex/0105014](#).
- [521] **Belle** Collaboration, K. Abe *et al.*, “Measurement of branching fractions for $B \rightarrow \pi\pi, K\pi$ and KK decays,” *Phys. Rev. Lett.* **87** (2001) 101801, [arXiv:hep-ex/0104030](#).
- [522] **Belle** Collaboration, K. Abe *et al.*, “Observation of Cabibbo suppressed $B \rightarrow D^*K^-$ decays at BELLE,” *Phys. Rev. Lett.* **87** (2001) 111801, [arXiv:hep-ex/0104051](#).
- [523] **Belle** Collaboration, K. Abe *et al.*, “A Measurement of the branching fraction for the inclusive $B \rightarrow X_s\gamma$ decays with BELLE,” *Phys. Lett. B* **511** (2001) 151–158, [arXiv:hep-ex/0103042](#).
- [524] **Belle** Collaboration, K. Abe *et al.*, “Measurement of inclusive production of neutral pions from $\Upsilon(4S)$ decays,” *Phys. Rev. D* **64** (2001) 072001, [arXiv:hep-ex/0103041](#).
- [525] **Belle** Collaboration, A. Abashian *et al.*, “Measurement of the CP violation parameter $\sin 2\phi_1$ in B_d^0 meson decays,” *Phys. Rev. Lett.* **86** (2001) 2509–2514, [arXiv:hep-ex/0102018](#).
- [526] **CLEO** Collaboration, S. Chan *et al.*, “A Measurement of the decay asymmetry parameters in $\Xi_c^0 \rightarrow \Xi^-\pi^+$,” *Phys. Rev. D* **63** (2001) 111102, [arXiv:hep-ex/0011073](#).
- [527] **CLEO** Collaboration, A. H. Mahmood *et al.*, “Measurement of the Λ_c^+ lifetime,” *Phys. Rev. Lett.* **86** (2001) 2232–2236, [arXiv:hep-ex/0011049](#).
- [528] **Belle** Collaboration, K. Abe *et al.*, “Measurement of $B_d^0 - \bar{B}_d^0$ mixing rate from the time evolution of dilepton events at the $\Upsilon(4S)$,” *Phys. Rev. Lett.* **86** (2001) 3228–3232, [arXiv:hep-ex/0011090](#).
- [529] **CLEO** Collaboration, S. J. Richichi *et al.*, “Study of $B \rightarrow \psi(2S)K$ and $B \rightarrow \psi(2S)K^*(892)$ decays,” *Phys. Rev. D* **63** (2001) 031103, [arXiv:hep-ex/0010036](#).
- [530] **Belle** Collaboration, K. Kinoshita, “ CP results from BELLE,” *Nucl. Instrum. Meth. A* **462** (2001) 77–83, [arXiv:hep-ex/0101033](#).
- [531] **CLEO** Collaboration, S. Anderson *et al.*, “First observation of the decays $B^0 \rightarrow D^{*-}p\bar{p}\pi^+$ and $B^0 \rightarrow D^{*-}p\bar{n}$,” *Phys. Rev. Lett.* **86** (2001) 2732–2736, [arXiv:hep-ex/0009011](#).
- [532] **CLEO** Collaboration, S. Ahmed *et al.*, “Measurements of $B \rightarrow D_s^{+(*)}D^{*(*)}$ branching fractions,” *Phys. Rev. D* **62** (2000) 112003, [arXiv:hep-ex/0008015](#).
- [533] **CLEO** Collaboration, T. E. Browder *et al.*, “A Search for $B \rightarrow \tau\nu$,” *Phys. Rev. Lett.* **86** (2001) 2950–2954, [arXiv:hep-ex/0007057](#).

- [534] **CLEO** Collaboration, K. W. Edwards *et al.*, “Study of B decays to charmonium states $B \rightarrow \eta_c K$ and $B \rightarrow \chi_{c0} K$,” *Phys. Rev. Lett.* **86** (2001) 30–34, [arXiv:hep-ex/0007012](#).
- [535] **CLEO** Collaboration, T. Bergfeld *et al.*, “Search for decays of B^0 mesons into pairs of leptons: $B^0 \rightarrow e^+e^-$, $B^0 \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow e^\pm\mu^\mp$,” *Phys. Rev. D* **62** (2000) 091102, [arXiv:hep-ex/0007042](#).
- [536] **CLEO** Collaboration, S. Ahmed *et al.*, “Observation of the Ω_c^0 charmed baryon at CLEO,” *Int. J. Mod. Phys. A* **16S1B** (2001) 505–507, [arXiv:hep-ex/0007047](#).
- [537] **CLEO** Collaboration, R. Ammar *et al.*, “First observation of the Σ_c^{*+} baryon and a new measurement of the Σ_c^+ mass,” *Phys. Rev. Lett.* **86** (2001) 1167–1170, [arXiv:hep-ex/0007041](#).
- [538] **CLEO** Collaboration, J. P. Alexander *et al.*, “Measurement of the relative branching fraction of $\Upsilon(4S)$ to charged and neutral B meson pairs,” *Phys. Rev. Lett.* **86** (2001) 2737–2741, [arXiv:hep-ex/0006002](#).
- [539] **CLEO** Collaboration, G. Brandenburg *et al.*, “Measurements of the mass, total width and two photon partial width of the η_c meson,” *Phys. Rev. Lett.* **85** (2000) 3095–3099, [arXiv:hep-ex/0006026](#).
- [540] **CLEO** Collaboration, C. P. Jessop *et al.*, “Study of charmless hadronic B meson decays to pseudoscalar vector final states,” *Phys. Rev. Lett.* **85** (2000) 2881–2885, [arXiv:hep-ex/0006008](#).
- [541] **CLEO** Collaboration, B. H. Behrens *et al.*, “Precise measurement of $B^0\bar{B}^0$ mixing parameters at the $\Upsilon(4S)$,” *Phys. Lett. B* **490** (2000) 36–44, [arXiv:hep-ex/0005013](#).
- [542] **CLEO** Collaboration, P. Avery *et al.*, “Study of exclusive two-body B^0 meson decays to charmonium,” *Phys. Rev. D* **62** (2000) 051101, [arXiv:hep-ex/0004032](#).
- [543] **CLEO** Collaboration, R. A. Briere *et al.*, “Measurements of charm fragmentation into D_s^{*+} and D_s^+ in e^+e^- annihilations at $\sqrt{s}=10.5$ -GeV,” *Phys. Rev. D* **62** (2000) 072003, [arXiv:hep-ex/0004028](#).
- [544] **CLEO** Collaboration, D. M. Asner *et al.*, “Resonance structure of $\tau^- \rightarrow K^- \pi^+ \pi^- \nu_\tau$ decays,” *Phys. Rev. D* **62** (2000) 072006, [arXiv:hep-ex/0004002](#).
- [545] **CLEO** Collaboration, R. Ammar *et al.*, “Measurement of the product branching fraction $B(c \rightarrow \Theta_c X) \cdot B(\Theta_c \rightarrow \Lambda X)$,” *Phys. Rev. D* **62** (2000) 092007, [arXiv:hep-ex/0004033](#).
- [546] **CLEO** Collaboration, D. E. Jaffe *et al.*, “Measurement of $B(\Lambda_c^+ \rightarrow p K^- \pi^+)$,” *Phys. Rev. D* **62** (2000) 072005, [arXiv:hep-ex/0004001](#).
- [547] **CLEO** Collaboration, G. Bonvicini *et al.*, “Search for CP violation in $B^\pm \rightarrow J/\psi K^\pm$ and $B^\pm \rightarrow \psi_{2S} K^\pm$ decays,” *Phys. Rev. Lett.* **84** (2000) 5940, [arXiv:hep-ex/0003004](#).
- [548] **CLEO** Collaboration, E. D. Lipeles *et al.*, “Study of the decays $B^0 \rightarrow D^{*+} D^{*-}$,” *Phys. Rev. D* **62** (2000) 032005, [arXiv:hep-ex/0002065](#).
- [549] **CLEO** Collaboration, D. Cronin-Hennessy *et al.*, “Observation of $B \rightarrow K^\pm \pi^0$ and $B \rightarrow K^0 \pi^0$, and evidence for $B \rightarrow \pi^+ \pi^-$,” *Phys. Rev. Lett.* **85** (2000) 515–519.
- [550] **CLEO** Collaboration, S. Chen *et al.*, “Measurement of charge asymmetries in charmless hadronic in B meson decays,” *Phys. Rev. Lett.* **85** (2000) 525–529, [arXiv:hep-ex/0001009](#).
- [551] **CLEO** Collaboration, S. E. Csorna *et al.*, “Measurement of the B^0 and B^+ meson masses from $B^0 \rightarrow \psi(\psi') K_S^0$ and $B^+ \rightarrow \psi(\psi') K^+$ decays,” *Phys. Rev. D* **61** (2000) 111101, [arXiv:hep-ex/0001013](#).
- [552] **CLEO** Collaboration, M. Artuso *et al.*, “Search for the decay $\bar{B}^0 \rightarrow D^{*0} \gamma$,” *Phys. Rev. Lett.* **84** (2000) 4292–4295, [arXiv:hep-ex/0001002](#).
- [553] **CLEO** Collaboration, R. Godang *et al.*, “Search for $D^0 - \bar{D}^0$ mixing,” *Phys. Rev. Lett.* **84** (2000) 5038–5042, [arXiv:hep-ex/0001060](#).
- [554] **CLEO** Collaboration, S. J. Richichi *et al.*, “Two-body B meson decays to η and η' : Observation of $B \rightarrow \eta K^*$,” *Phys. Rev. Lett.* **85** (2000) 520–524, [arXiv:hep-ex/9912059](#).

- [555] **CLEO** Collaboration, T. E. Coan *et al.*, “Study of exclusive radiative B meson decays,” *Phys. Rev. Lett.* **84** (2000) 5283–5287, [arXiv:hep-ex/9912057](#).
- [556] **CLEO** Collaboration, S. Anderson *et al.*, “Hadronic structure in the decay $\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$,” *Phys. Rev. D* **61** (2000) 112002, [arXiv:hep-ex/9910046](#).
- [557] **CLEO** Collaboration, S. Ahmed *et al.*, “Update of the search for the neutrinoless decay $\tau \rightarrow \mu \gamma$,” *Phys. Rev. D* **61** (2000) 071101, [arXiv:hep-ex/9910060](#).
- [558] **CLEO** Collaboration, T. Bergfeld *et al.*, “Observation of radiative leptonic decay of the tau lepton,” *Phys. Rev. Lett.* **84** (2000) 830–834, [arXiv:hep-ex/9909050](#).
- [559] K. Kinoshita, “Status of Belle,” in *1999 Chicago Conference on Kaon Physics (K 99)*, pp. 549–556. 6, 1999.
- [560] K. Kinoshita, “Probing CKM via semileptonic B decays at the $\Upsilon(4S)$,” in *American Physical Society (APS) Meeting of the Division of Particles and Fields (DPF 99)*. 3, 1999. [arXiv:hep-ex/9903065](#).
- [561] **CLEO** Collaboration, T. E. Browder *et al.*, “Structure functions in the decay $\tau^\mp \rightarrow \pi^\mp \pi^0 \pi^0 \nu_\tau$,” *Phys. Rev. D* **61** (2000) 052004, [arXiv:hep-ex/9908030](#).
- [562] **CLEO** Collaboration, C. P. Jessop *et al.*, “First observation of the decay $B \rightarrow J/\psi \phi K$,” *Phys. Rev. Lett.* **84** (2000) 1393, [arXiv:hep-ex/9908014](#).
- [563] **CLEO** Collaboration, K. W. Edwards *et al.*, “Resonant structure of $\tau \rightarrow 3\pi^0 \nu_\tau$ and $\tau \rightarrow \omega \pi \nu_\tau$ decays,” *Phys. Rev. D* **61** (2000) 072003, [arXiv:hep-ex/9908024](#).
- [564] **CLEO** Collaboration, S. Anderson *et al.*, “Observation of a broad $L = 1$ $c\bar{q}$ state in $B^- \rightarrow D^{*+} \pi^- \pi^-$ at CLEO,” *Nucl. Phys. A* **663** (2000) 647–650, [arXiv:hep-ex/9908009](#).
- [565] **CLEO** Collaboration, R. A. Briere *et al.*, “Rare decays of the η' ,” *Phys. Rev. Lett.* **84** (2000) 26–30, [arXiv:hep-ex/9907046](#).
- [566] **CLEO** Collaboration, G. Brandenburg *et al.*, “Charged track multiplicity in B meson decay,” *Phys. Rev. D* **61** (2000) 072002, [arXiv:hep-ex/9907057](#).
- [567] **CLEO** Collaboration, J. P. Alexander *et al.*, “Evidence of new states decaying into $\Xi_c^* \pi$,” *Phys. Rev. Lett.* **83** (1999) 3390–3393, [arXiv:hep-ex/9906013](#).
- [568] **CLEO** Collaboration, M. Athanas *et al.*, “Limit on ν_τ mass from $\tau^- \rightarrow \pi^- \pi^+ \pi^- \pi^0 \nu_\tau$,” *Phys. Rev. D* **61** (2000) 052002, [arXiv:hep-ex/9906015](#).
- [569] **CLEO** Collaboration, B. H. Behrens *et al.*, “Measurement of $B \rightarrow \rho \ell \nu$ decay and $|V_{ub}|$,” *Phys. Rev. D* **61** (2000) 052001, [arXiv:hep-ex/9905056](#).
- [570] **CLEO** Collaboration, G. Bonvicini *et al.*, “Measurement of charm meson lifetimes,” *Phys. Rev. Lett.* **82** (1999) 4586–4590, [arXiv:hep-ex/9902011](#).
- [571] **CLEO** Collaboration, D. M. Asner *et al.*, “Hadronic structure in the decay $\tau^- \rightarrow \nu_\tau \pi^- \pi^0 \pi^0$ and the sign of the ν_τ helicity,” *Phys. Rev. D* **61** (2000) 012002, [arXiv:hep-ex/9902022](#).
- [572] **CLEO** Collaboration, R. Godang *et al.*, “Search for baryon and lepton number violating decays of the tau lepton,” *Phys. Rev. D* **59** (1999) 091303, [arXiv:hep-ex/9902005](#).
- [573] **CLEO** Collaboration, J. E. Bartelt *et al.*, “Measurement of the $B \rightarrow D \ell \nu$ branching fractions and form-factor,” *Phys. Rev. Lett.* **82** (1999) 3746, [arXiv:hep-ex/9811042](#).
- [574] **CLEO** Collaboration, M. Artuso *et al.*, “First observation of the decay $B^0 \rightarrow D^{*+} D^{*-}$,” *Phys. Rev. Lett.* **82** (1999) 3020–3024, [arXiv:hep-ex/9811027](#).
- [575] **CLEO** Collaboration, M. Bishai *et al.*, “Search for the decay $B \rightarrow D(2536)^+ X$,” *Phys. Rev. D* **57** (1998) 3847–3853, [arXiv:hep-ex/9710023](#).

- [576] **CLEO** Collaboration, T. E. Coan *et al.*, “Search for exclusive rare baryonic decays of B mesons,” *Phys. Rev. D* **59** (1999) 111101, [arXiv:hep-ex/9810043](#).
- [577] **CLEO** Collaboration, C. P. Jessop *et al.*, “Observation of two narrow states decaying into $\Xi_c^+\gamma$ and $\Xi_c^0\gamma$,” *Phys. Rev. Lett.* **82** (1999) 492–496, [arXiv:hep-ex/9810036](#).
- [578] **CLEO** Collaboration, S. J. Richichi *et al.*, “Study of three prong hadronic tau decays with charged kaons,” *Phys. Rev. D* **60** (1999) 112002, [arXiv:hep-ex/9810026](#).
- [579] **CLEO** Collaboration, M. S. Alam *et al.*, “Measurement of the branching fractions of $\Lambda_c^+ \rightarrow p\bar{K}n(\pi)$,” *Phys. Rev. D* **57** (1998) 4467–4470, [arXiv:hep-ex/9709012](#).
- [580] **CLEO** Collaboration, M. Bishai *et al.*, “First observation of the decay $\tau^- \rightarrow K^{*-}\eta\nu_\tau$,” *Phys. Rev. Lett.* **82** (1999) 281–285, [arXiv:hep-ex/9809012](#).
- [581] **CLEO** Collaboration, S. Glenn *et al.*, “Upsilon dipion transitions at energies near the $\Upsilon(4S)$,” *Phys. Rev. D* **59** (1999) 052003, [arXiv:hep-ex/9808008](#).
- [582] **CLEO** Collaboration, A. Anastassov *et al.*, “First observation of $\Upsilon(1S) \rightarrow \gamma\pi\pi$,” *Phys. Rev. Lett.* **82** (1999) 286–290, [arXiv:hep-ex/9807031](#).
- [583] **CLEO** Collaboration, S. Anderson *et al.*, “First search for CP violation in tau lepton decay,” *Phys. Rev. Lett.* **81** (1998) 3823–3827, [arXiv:hep-ex/9805027](#).
- [584] **CLEO** Collaboration, M. S. Alam *et al.*, “Further search for the two photon production of the glueball candidate $f_J(2220)$,” *Phys. Rev. Lett.* **81** (1998) 3328–3332, [arXiv:hep-ex/9805033](#).
- [585] **CLEO** Collaboration, T. E. Browder *et al.*, “Observation of high momentum η' production in B decay,” *Phys. Rev. Lett.* **81** (1998) 1786–1790, [arXiv:hep-ex/9804018](#).
- [586] **CLEO** Collaboration, R. Ammar *et al.*, “A Limit on the mass of the ν_τ ,” *Phys. Lett. B* **431** (1998) 209–218, [arXiv:hep-ex/9803031](#).
- [587] **CLEO** Collaboration, T. Bergfeld *et al.*, “Observation of $B^+ \rightarrow \omega K^+$ and search for related B decay modes,” *Phys. Rev. Lett.* **81** (1998) 272–276, [arXiv:hep-ex/9803018](#).
- [588] **CLEO** Collaboration, K. W. Edwards *et al.*, “Measurement of the mass splittings between the $b\bar{b}$ $\chi_{bJ}(1P)$ states,” *Phys. Rev. D* **59** (1999) 032003, [arXiv:hep-ex/9803010](#).
- [589] **CLEO** Collaboration, D. M. Asner *et al.*, “Radiative decay modes of the D^0 meson,” *Phys. Rev. D* **58** (1998) 092001, [arXiv:hep-ex/9803022](#).
- [590] **CLEO** Collaboration, J. P. Alexander *et al.*, “The Hadronic transitions $\Upsilon(2S) \rightarrow \Upsilon(1S)$,” *Phys. Rev. D* **58** (1998) 052004, [arXiv:hep-ex/9802024](#).
- [591] **CLEO** Collaboration, M. Athanas *et al.*, “First observation of the Cabibbo suppressed decay $B^+ \rightarrow \bar{D}^0 K^+$,” *Phys. Rev. Lett.* **80** (1998) 5493–5497, [arXiv:hep-ex/9802023](#).
- [592] **CLEO** Collaboration, G. Brandenburg *et al.*, “Continuum charged D^* spin alignment at $\sqrt{s} = 10.5$ GeV,” *Phys. Rev. D* **58** (1998) 052003, [arXiv:hep-ex/9802022](#).
- [593] **CLEO** Collaboration, C. P. Jessop *et al.*, “Measurement of the branching ratios for the decays of $D_s^+ \rightarrow \eta\pi^+, \eta'\pi^+, \eta\rho^+,$ and $\eta'\rho^+$,” *Phys. Rev. D* **58** (1998) 052002, [arXiv:hep-ex/9801010](#).
- [594] K. Kinoshita, “Reflections on beauty,” *New Astron. Rev.* **42** (1998) 263–270.
- [595] **CLEO** Collaboration, B. H. Behrens *et al.*, “Two-body B meson decays to η and η' Observation of $B \rightarrow \eta'K$,” *Phys. Rev. Lett.* **80** (1998) 3710–3714, [arXiv:hep-ex/9801012](#).
- [596] **CLEO** Collaboration, G. Bonvicini *et al.*, “Study of semileptonic decays of B mesons to charmed baryons,” *Phys. Rev. D* **57** (1998) 6604–6608, [arXiv:hep-ex/9712008](#).
- [597] **CLEO** Collaboration, D. W. Bliss *et al.*, “New limits for neutrinoless tau decays,” *Phys. Rev. D* **57** (1998) 5903–5907, [arXiv:hep-ex/9712010](#).

- [598] **CLEO** Collaboration, M. Chadha *et al.*, “Improved measurement of the pseudoscalar decay constant f_{D_s} ,” *Phys. Rev. D* **58** (1998) 032002, [arXiv:hep-ex/9712014](#).
- [599] **CLEO** Collaboration, M. Artuso *et al.*, “Measurement of $B(D^0 \rightarrow K^- \pi^+)$ using partial reconstruction of $\bar{B} \rightarrow D^{*+} X \ell^- \bar{\nu}$,” *Phys. Rev. Lett.* **80** (1998) 3193–3197, [arXiv:hep-ex/9712023](#).
- [600] **CLEO** Collaboration, R. Godang *et al.*, “Observation of exclusive two-body B decays to kaons and pions,” *Phys. Rev. Lett.* **80** (1998) 3456–3460, [arXiv:hep-ex/9711010](#).
- [601] **CLEO** Collaboration, J. E. Bartelt *et al.*, “Observation of the radiative decay $D^{*+} \rightarrow D^+ \gamma$,” *Phys. Rev. Lett.* **80** (1998) 3919–3923, [arXiv:hep-ex/9711011](#).
- [602] **CLEO** Collaboration, S. Glenn *et al.*, “Search for inclusive $b \rightarrow s \ell^+ \ell^-$,” *Phys. Rev. Lett.* **80** (1998) 2289–2293, [arXiv:hep-ex/9710003](#).
- [603] **CLEO** Collaboration, T. E. Coan *et al.*, “Flavor - specific inclusive B decays to charm,” *Phys. Rev. Lett.* **80** (1998) 1150–1155, [arXiv:hep-ex/9710028](#).
- [604] **CLEO** Collaboration, B. Nemati *et al.*, “Search for color suppressed B hadronic decay processes with CLEO,” *Phys. Rev. D* **57** (1998) 5363–5369, [arXiv:hep-ex/9708033](#).
- [605] **CLEO** Collaboration, A. Anastassov *et al.*, “Investigation of semileptonic B meson decay to P wave charm mesons,” *Phys. Rev. Lett.* **80** (1998) 4127–4131, [arXiv:hep-ex/9708035](#).
- [606] **CLEO** Collaboration, S. Anderson *et al.*, “Study of the decay $\tau^- \rightarrow 2\pi^- \pi^+ 3\pi^0 \nu_\tau$,” *Phys. Rev. Lett.* **79** (1997) 3814–3818, [arXiv:hep-ex/9707027](#).
- [607] **CLEO** Collaboration, K. W. Edwards *et al.*, “Search for the decay $\tau^- \rightarrow 4\pi^- 3\pi^+ (\pi^0) \nu_\tau$,” *Phys. Rev. D* **56** (1997) R5297–R5300, [arXiv:hep-ex/9707029](#).
- [608] **CLEO** Collaboration, J. Gronberg *et al.*, “Measurements of the meson - photon transition form-factors of light pseudoscalar mesons at large momentum transfer,” *Phys. Rev. D* **57** (1998) 33–54, [arXiv:hep-ex/9707031](#).
- [609] **CLEO** Collaboration, R. Ammar *et al.*, “A Measurement of the total cross-section for $e^+e^- \rightarrow \text{hadrons}$ at $\sqrt{s}=10.52$ GeV,” *Phys. Rev. D* **57** (1998) 1350–1358, [arXiv:hep-ex/9707018](#).
- [610] **CLEO** Collaboration, T. E. Browder *et al.*, “A New upper limit on the decay $\eta \rightarrow e^+e^-$,” *Phys. Rev. D* **56** (1997) 5359–5365, [arXiv:hep-ex/9706005](#).
- [611] **CLEO** Collaboration, T. Bergfeld *et al.*, “First observation of $\tau \rightarrow 3\pi\eta\nu_\tau$ and $\tau \rightarrow f_1\pi\nu_\tau$ decays,” *Phys. Rev. Lett.* **79** (1997) 2406–2410, [arXiv:hep-ex/9706020](#).
- [612] **CLEO** Collaboration, G. Brandenburg *et al.*, “A New measurement of $B \rightarrow D^* \pi$ branching fractions,” *Phys. Rev. Lett.* **80** (1998) 2762–2766, [arXiv:hep-ex/9706019](#).
- [613] **CLEO** Collaboration, R. Balest *et al.*, “Observation of the decay $D_s^+ \rightarrow \omega \pi^+$,” *Phys. Rev. Lett.* **79** (1997) 1436–1440, [arXiv:hep-ex/9705006](#).
- [614] **CLEO** Collaboration, M. Athanas *et al.*, “Measurement of the $\bar{B} \rightarrow D \ell \bar{\nu}$ partial width and form-factor parameters,” *Phys. Rev. Lett.* **79** (1997) 2208–2212, [arXiv:hep-ex/9705019](#).
- [615] **CLEO** Collaboration, B. Barish *et al.*, “First observation of inclusive B decays to the charmed strange baryons Ξ_c^0 and Ξ_c^+ ,” *Phys. Rev. Lett.* **79** (1997) 3599–3603, [arXiv:hep-ex/9705005](#).
- [616] **CLEO** Collaboration, J. P. Alexander *et al.*, “Determination of the Michel parameters and the ν_τ helicity in tau decay,” *Phys. Rev. D* **56** (1997) 5320–5329, [arXiv:hep-ex/9705009](#).
- [617] **CLEO** Collaboration, G. Bonvicini *et al.*, “Search for neutrinoless tau decays involving π^0 or η mesons,” *Phys. Rev. Lett.* **79** (1997) 1221–1224, [arXiv:hep-ex/9704010](#).
- [618] **CLEO** Collaboration, D. M. Asner *et al.*, “Search for the Decays $B^0 \rightarrow D^{*+} D^{*-}$,” *Phys. Rev. Lett.* **79** (1997) 799–803, [arXiv:hep-ex/9704014](#).

- [619] **CLEO** Collaboration, L. Gibbons *et al.*, “The Inclusive decays $B \rightarrow DX$ and $B \rightarrow D^*X$,” *Phys. Rev. D* **56** (1997) 3783–3802, [arXiv:hep-ex/9703006](#).
- [620] **CLEO** Collaboration, J. E. Bartelt *et al.*, “Studies of the Cabibbo suppressed decays $D^+ \rightarrow \pi^0 \ell^+ \nu$ and $D^+ \rightarrow \eta e^+ \nu_e$,” *Phys. Lett. B* **405** (1997) 373–378, [arXiv:hep-ex/9703013](#).
- [621] **CLEO** Collaboration, R. Godang *et al.*, “Limit on the two photon production of the glueball candidate $f_J(2220)$ at CLEO,” *Phys. Rev. Lett.* **79** (1997) 3829–3833, [arXiv:hep-ex/9703009](#).
- [622] **CLEO** Collaboration, C. P. Jessop *et al.*, “Measurement of the decay amplitudes and branching fractions of $B \rightarrow J/\psi K^*$ and $B \rightarrow J/\psi K$ decays,” *Phys. Rev. Lett.* **79** (1997) 4533–4537, [arXiv:hep-ex/9702013](#).
- [623] **CLEO** Collaboration, M. Artuso *et al.*, “Study of the B^0 semileptonic decay spectrum at the $\Upsilon(4S)$ resonance,” *Phys. Lett. B* **399** (1997) 321–328, [arXiv:hep-ex/9702007](#).
- [624] **CLEO** Collaboration, M. Bishai *et al.*, “Analyses of $D^+ \rightarrow K_S^0 K^+$ and $D^+ \rightarrow K_S^0 \pi^+$,” *Phys. Rev. Lett.* **78** (1997) 3261–3265, [arXiv:hep-ex/9701008](#).
- [625] **CLEO** Collaboration, T. E. Coan *et al.*, “ ν_τ helicity from h^\pm energy correlations,” *Phys. Rev. D* **55** (1997) 7291–7295, [arXiv:hep-ex/9701012](#).
- [626] **CLEO** Collaboration, M. S. Alam *et al.*, “Study of gluon versus quark fragmentation in $\Upsilon \rightarrow gg\gamma$ and $e^+e^- \rightarrow q\bar{q}\gamma$ events at $\sqrt{s} = 10$ GeV,” *Phys. Rev. D* **56** (1997) 17–22, [arXiv:hep-ex/9701006](#).
- [627] **CLEO** Collaboration, S. Anderson *et al.*, “ $\Lambda\bar{\Lambda}$ production in two photon interactions at CLEO,” *Phys. Rev. D* **56** (1997) R2485–R2489, [arXiv:hep-ex/9701013](#).
- [628] **CLEO** Collaboration, R. Ammar *et al.*, “A Measurement of the Michel parameters in leptonic decays of the tau,” *Phys. Rev. Lett.* **78** (1997) 4686–4690.
- [629] **CLEO** Collaboration, K. W. Edwards *et al.*, “Search for neutrinoless tau decays: $\tau \rightarrow e\gamma$ and $\tau \rightarrow \mu\gamma$,” *Phys. Rev. D* **55** (1997) 3919–3923.
- [630] **CLEO** Collaboration, B. Nemati *et al.*, “Measurement of the direct photon spectrum in $\Upsilon(1S)$ decays,” *Phys. Rev. D* **55** (1997) 5273–5281, [arXiv:hep-ex/9611020](#).
- [631] **CLEO** Collaboration, T. E. Browder *et al.*, “Search for $B \rightarrow \mu\bar{\nu}_\mu\gamma$ and $B \rightarrow e\bar{\nu}_e\gamma$,” *Phys. Rev. D* **56** (1997) 11–16.
- [632] **CLEO** Collaboration, A. Anastassov *et al.*, “Experimental test of lepton universality in tau decay,” *Phys. Rev. D* **55** (1997) 2559–2576. [Erratum: *Phys.Rev.D* 58, 119904 (1998)].
- [633] **CLEO** Collaboration, T. Bergfeld *et al.*, “A Search for nonresonant $B^+ \rightarrow h^+h^-h^+$ decays,” *Phys. Rev. Lett.* **77** (1996) 4503–4507.
- [634] **CLEO** Collaboration, P. Avery *et al.*, “Search for ϕ mesons in tau lepton decay,” *Phys. Rev. D* **55** (1997) R1119–R1123.
- [635] **CLEO** Collaboration, G. Brandenburg *et al.*, “Observation of two excited charmed baryons decaying into $\Lambda_c^+ \pi^\pm$,” *Phys. Rev. Lett.* **78** (1997) 2304–2308.
- [636] M. Sivertz, B. E. Berger, R. D. Ehrlich, J. E. Bartelt, S. E. Csorna, V. Jain, S. Marka, K. Kinoshita, and P. Pomianowski, “A Compact gas Cherenkov detector with novel optics,” *Nucl. Instrum. Meth. A* **385** (1997) 37–46, [arXiv:hep-ex/9607013](#).
- [637] **CLEO** Collaboration, J. P. Alexander *et al.*, “First measurement of the $B \rightarrow \pi\ell\nu$ and $B \rightarrow \rho(\omega)\ell\nu$ branching fractions,” *Phys. Rev. Lett.* **77** (1996) 5000–5004.
- [638] **CLEO** Collaboration, X. Fu *et al.*, “Observation of exclusive B decays to final states containing a charmed baryon,” *Phys. Rev. Lett.* **79** (1997) 3125–3129.
- [639] **CLEO** Collaboration, R. Balest *et al.*, “Measurement of the tau lepton lifetime,” *Phys. Lett. B* **388** (1996) 402–408.

- [640] **CLEO** Collaboration, R. Ammar *et al.*, “Study of flavor tagged baryon production in B decay,” *Phys. Rev. D* **55** (1997) 13–18.
- [641] **CLEO** Collaboration, L. Gibbons *et al.*, “Observation of an excited charmed baryon decaying into $\Xi_c^0\pi^+$,” *Phys. Rev. Lett.* **77** (1996) 810–813.
- [642] **CLEO** Collaboration, J. E. Bartelt *et al.*, “First observation of the decay $\tau^- \rightarrow K^-\eta\nu_\tau$,” *Phys. Rev. Lett.* **76** (1996) 4119–4123.
- [643] **CLEO** Collaboration, B. Barish *et al.*, “A Measurement of $B(D^0 \rightarrow K^-\pi^+\pi^0)/B(D^0 \rightarrow K^-\pi^+)$,” *Phys. Lett. B* **373** (1996) 334–338.
- [644] **CLEO** Collaboration, M. Artuso *et al.*, “Measurement of the branching fraction for $D_s^- \rightarrow \phi\pi^-$,” *Phys. Lett. B* **378** (1996) 364–372.
- [645] **CLEO** Collaboration, D. M. Asner *et al.*, “Analysis of $D^0 \rightarrow K\bar{K}X$ decays,” *Phys. Rev. D* **54** (1996) 4211–4220.
- [646] **CLEO** Collaboration, T. E. Coan *et al.*, “Decays of tau leptons to final states containing K_S^0 mesons,” *Phys. Rev. D* **53** (1996) 6037–6053.
- [647] **CLEO** Collaboration, M. Bishai *et al.*, “Study of $B \rightarrow \psi\rho$,” *Phys. Lett. B* **369** (1996) 186–192.
- [648] **CLEO** Collaboration, M. S. Alam *et al.*, “Tau decays into three charged leptons and two neutrinos,” *Phys. Rev. Lett.* **76** (1996) 2637–2641.
- [649] **CLEO** Collaboration, J. E. Duboscq *et al.*, “Measurement of the form-factors for $\bar{B}^0 \rightarrow D^{*+}\ell^-\bar{\nu}$,” *Phys. Rev. Lett.* **76** (1996) 3898–3902.
- [650] **CLEO** Collaboration, D. Gibaut *et al.*, “Measurements of $B \rightarrow D_s^+X$ decays,” *Phys. Rev. D* **53** (1996) 4734–4746.
- [651] **CLEO** Collaboration, B. Barish *et al.*, “Measurements of the B semileptonic branching fraction with lepton tags,” *Phys. Rev. Lett.* **76** (1996) 1570–1574.
- [652] **CLEO** Collaboration, R. Balest *et al.*, “Measurements of the decays $\tau^- \rightarrow h^-h^+h^-\nu_\tau$ and $\tau^- \rightarrow h^-h^+h^-\pi^0\nu_\tau$,” *Phys. Rev. Lett.* **75** (1995) 3809–3813.
- [653] **CLEO** Collaboration, Y. Kubota *et al.*, “Measurements of the inclusive semielectronic D^0 branching fraction,” *Phys. Rev. D* **54** (1996) 2994–3005, [arXiv:hep-ex/9511014](#).
- [654] **CLEO** Collaboration, K. W. Edwards *et al.*, “Observation of new decay modes of the charmed strange baryon Ξ_c^+ ,” *Phys. Lett. B* **373** (1996) 261–266.
- [655] **CLEO** Collaboration, G. Brandenburg *et al.*, “Measurements of the ratios $B(D_s^+ \rightarrow \eta\ell^+\nu) / B(D_s^+ \rightarrow \phi\ell^+\nu)$ and $B(D_s^+ \rightarrow \eta'\ell^+\nu) / B(D_s^+ \rightarrow \phi\ell^+\nu)$,” *Phys. Rev. Lett.* **75** (1995) 3804–3808, [arXiv:hep-ex/9508009](#).
- [656] **CLEO** Collaboration, Y. Kubota *et al.*, “The Inclusive decay $B \rightarrow \eta X$,” *Phys. Rev. D* **53** (1996) 6033–6036.
- [657] **CLEO** Collaboration, J. P. Alexander *et al.*, “Observation of the Cabibbo suppressed charmed baryon decay $\Lambda_c^+ \rightarrow p\phi$,” *Phys. Rev. D* **53** (1996) 1013–1017, [arXiv:hep-ex/9508005](#).
- [658] **CLEO** Collaboration, P. Avery *et al.*, “Observation of a narrow state decaying into $\Xi_c^+\pi^-$,” *Phys. Rev. Lett.* **75** (1995) 4364–4368, [arXiv:hep-ex/9508010](#).
- [659] **CLEO** Collaboration, J. Gronberg *et al.*, “Observation of the isospin violating decay $D_s^{*+} \rightarrow D_s^+\pi^0$,” *Phys. Rev. Lett.* **75** (1995) 3232–3236, [arXiv:hep-ex/9508001](#).
- [660] **CLEO** Collaboration, T. Bergfeld *et al.*, “Observation of the Ξ_c^+ charmed baryon decays to $\Sigma^+K^-\pi^+$, $\Sigma^+\text{anti-K}^*$, and $\Lambda K^-\pi^+\pi^+$,” *Phys. Lett. B* **365** (1996) 431–436, [arXiv:hep-ex/9508006](#).

- [661] **CLEO** Collaboration, D. M. Asner *et al.*, “Search for exclusive charmless hadronic B decays,” *Phys. Rev. D* **53** (1996) 1039–1050, [arXiv:hep-ex/9508004](#).
- [662] **CLEO** Collaboration, T. Coan *et al.*, “Measurement of α_s from tau decays,” *Phys. Lett. B* **356** (1995) 580–588.
- [663] **CLEO** Collaboration, J. E. Bartelt *et al.*, “Search for CP violation in D^0 decay,” *Phys. Rev. D* **52** (1995) 4860–4867.
- [664] **CLEO** Collaboration, F. Butler *et al.*, “Measurement of the ratio of branching fractions $B(D^0 \rightarrow \pi^- e^+ \nu_e) / B(D^0 \rightarrow K^- e^+ \nu_e)$,” *Phys. Rev. D* **52** (1995) 2656–2660.
- [665] **CLEO** Collaboration, M. Artuso *et al.*, “A Search for $B \rightarrow \ell \bar{\nu}_\ell$,” *Phys. Rev. Lett.* **75** (1995) 785–789.
- [666] **CLEO** Collaboration, M. Bishai *et al.*, “Measurement of the decay asymmetry parameters in $\Lambda_c^+ \rightarrow \Lambda \pi^+$ and $\Lambda_c^+ \rightarrow \Sigma^+ \pi^0$,” *Phys. Lett. B* **350** (1995) 256–262, [arXiv:hep-ex/9502004](#).
- [667] **CLEO** Collaboration, R. Ammar *et al.*, “New decay modes of the Λ_c^+ charm baryon,” *Phys. Rev. Lett.* **74** (1995) 3534–3537.
- [668] **CLEO** Collaboration, G. D. Crawford *et al.*, “Form-factor ratio measurement in $\Lambda_c^+ \rightarrow \Lambda e^+ \nu_e$,” *Phys. Rev. Lett.* **75** (1995) 624–628.
- [669] **CLEO** Collaboration, R. Balest *et al.*, “Inclusive decays of B mesons to charmonium,” *Phys. Rev. D* **52** (1995) 2661–2672.
- [670] **CLEO** Collaboration, M. S. Alam *et al.*, “First measurement of the rate for the inclusive radiative penguin decay $b \rightarrow s \gamma$,” *Phys. Rev. Lett.* **74** (1995) 2885–2889.
- [671] **CLEO** Collaboration, K. W. Edwards *et al.*, “Observation of excited baryon states decaying to $\Lambda_c^+ \pi^+ \pi^-$,” *Phys. Rev. Lett.* **74** (1995) 3331–3335.
- [672] **CLEO** Collaboration, T. Bergfeld *et al.*, “Observation of $D_1^+(2420)$ and $D_2^{*+}(2460)$,” *Phys. Lett. B* **340** (1994) 194–204.
- [673] **CLEO** Collaboration, D. Cinabro *et al.*, “Measurement of the branching fraction for $\Upsilon(1S) \rightarrow \tau^+ \tau^-$,” *Phys. Lett. B* **340** (1994) 129–134, [arXiv:hep-ex/9409004](#).
- [674] **CLEO** Collaboration, R. Balest *et al.*, “ $\Upsilon(1S) \rightarrow \gamma +$ noninteracting particles,” *Phys. Rev. D* **51** (1995) 2053–2060.
- [675] **CLEO** Collaboration, P. Avery *et al.*, “Measurement of the ratios of form-factors in the decay $D_s^+ \rightarrow \phi e^+ \nu_e$,” *Phys. Lett. B* **337** (1994) 405–410.
- [676] **CLEO** Collaboration, J. P. Alexander *et al.*, “Observation of $B \rightarrow \psi \pi$ decays,” *Phys. Lett. B* **341** (1995) 435–440. [Erratum: *Phys.Lett.B* 347, 469 (1995)].
- [677] **CLEO** Collaboration, Y. Kubota *et al.*, “Evidence for exclusive B decays to final states containing a charmed baryon,” *Surveys High Energy Phys.* **9** (1996) 315–320.
- [678] **CLEO** Collaboration, J. P. Alexander *et al.*, “First observation of $\Xi_c^+ \rightarrow \Xi^0 e^+ \nu_e$ and a measurement of the Ξ_c^+ / Ξ_c^0 lifetime ratio,” *Phys. Rev. Lett.* **74** (1995) 3113–3117. [Erratum: *Phys.Rev.Lett.* 75, 4155 (1995)].
- [679] **CLEO** Collaboration, B. Barish *et al.*, “Measurement of the $\bar{B} \rightarrow D^* \ell \bar{\nu}$ branching fractions and $|V_{cb}|$,” *Phys. Rev. D* **51** (1995) 1014–1033, [arXiv:hep-ex/9406005](#).
- [680] **CLEO** Collaboration, M. Athanas *et al.*, “Semileptonic branching fractions of charged and neutral B mesons,” *Phys. Rev. Lett.* **73** (1994) 3503–3507, [arXiv:hep-ex/9406004](#). [Erratum: *Phys.Rev.Lett.* 74, 3090 (1995)].
- [681] **CLEO** Collaboration, J. E. Bartelt *et al.*, “Search for neutrinoless decays of the tau lepton,” *Phys. Rev. Lett.* **73** (1994) 1890–1894.

- [682] **CLEO** Collaboration, M. Artuso *et al.*, “A Measurement of the branching fraction $\mathcal{B}(\tau^- \rightarrow h^- \pi^0 \nu_\tau)$,” *Phys. Rev. Lett.* **72** (1994) 3762–3766, [arXiv:hep-ph/9404310](#).
- [683] **CLEO** Collaboration, D. Gibaut *et al.*, “Study of the five charged pion decay of the tau lepton,” *Phys. Rev. Lett.* **73** (1994) 934–938.
- [684] **CLEO** Collaboration, M. S. Alam *et al.*, “Exclusive hadronic B decays to charm and charmonium final states,” *Phys. Rev. D* **50** (1994) 43–68, [arXiv:hep-ph/9403295](#).
- [685] **CLEO** Collaboration, J. Dominick *et al.*, “Two photon production of charged pion and kaon pairs,” *Phys. Rev. D* **50** (1994) 3027–3037, [arXiv:hep-ph/9403379](#).
- [686] **CLEO** Collaboration, P. Avery *et al.*, “Production and decay of $D_1(2420)^0$ and $D_2^*(2460)^0$,” *Phys. Lett. B* **331** (1994) 236–244, [arXiv:hep-ph/9403359](#). [Erratum: *Phys.Lett.B* 342, 453–453 (1995)].
- [687] **CLEO** Collaboration, D. N. Brown *et al.*, “Precision measurement of the $D_s^{+*} - D_s^+$ mass difference,” *Phys. Rev. D* **50** (1994) 1884–1891, [arXiv:hep-ph/9403327](#).
- [688] **CLEO** Collaboration, M. Battle *et al.*, “Measurement of Cabibbo suppressed decays of the tau lepton,” *Phys. Rev. Lett.* **73** (1994) 1079–1083, [arXiv:hep-ph/9403329](#).
- [689] **CLEO** Collaboration, G. D. Crawford *et al.*, “Luminosity measurement with the CLEO-II detector,” *Nucl. Instrum. Meth. A* **345** (1994) 429–439.
- [690] **CLEO** Collaboration, T. Bergfeld *et al.*, “Study of the decay $\Lambda_c^+ \rightarrow \Lambda \ell^+ \nu_\ell$,” *Phys. Lett. B* **323** (1994) 219–226, [arXiv:hep-ph/9403326](#).
- [691] **CLEO** Collaboration, Y. Kubota *et al.*, “Observation of a new charmed strange meson,” *Phys. Rev. Lett.* **72** (1994) 1972–1976, [arXiv:hep-ph/9403325](#).
- [692] **CLEO** Collaboration, R. Balest *et al.*, “Measurement of the branching fraction for $D^+ \rightarrow K^- \pi^+ \pi^+$,” *Phys. Rev. Lett.* **72** (1994) 2328–2331, [arXiv:hep-ph/9403382](#).
- [693] **CLEO** Collaboration, F. Butler *et al.*, “A Measurement of $B(D_s^+ \rightarrow \phi \ell^+ \nu) / B(D_s^+ \rightarrow \phi \pi^+)$,” *Phys. Lett. B* **324** (1994) 255–262, [arXiv:hep-ph/9403328](#).
- [694] **CLEO** Collaboration, D. Cinabro *et al.*, “Observation of $D^0 \rightarrow K^+ \pi^-$,” *Phys. Rev. Lett.* **72** (1994) 1406–1410.
- [695] **CLEO** Collaboration, M. Procaro *et al.*, “Observation of inclusive B decays to the charmed baryons Σ_c^{++} and Σ_c^0 ,” *Phys. Rev. Lett.* **73** (1994) 1472–1476.
- [696] **CLEO** Collaboration, R. Ammar *et al.*, “Search for B^0 decays to two charged leptons,” *Phys. Rev. D* **49** (1994) 5701–5704.
- [697] **CLEO** Collaboration, J. P. Alexander *et al.*, “Search for exclusive $b \rightarrow u$ transitions in hadronic decays of B mesons involving D_s^+ and D_s^{*+} mesons,” *Phys. Lett. B* **319** (1993) 365–372.
- [698] **CLEO** Collaboration, P. Avery *et al.*, “Observation of Λ_c^+ decays to $\Lambda \pi^+ \pi^0$, $\Sigma^0 \pi^+$, $\Sigma^0 \pi^+ \pi^0$, and $\Sigma^0 \pi^- \pi^+ \pi^+$,” *Phys. Lett. B* **325** (1994) 257–262.
- [699] **CLEO** Collaboration, A. Bean *et al.*, “Measurement of exclusive semileptonic decays of D mesons,” *Phys. Lett. B* **317** (1993) 647–654.
- [700] **CLEO** Collaboration, V. Shelkov *et al.*, “Measurement of two photon production of the χ_{c2} ,” *Phys. Rev. D* **50** (1994) 4265–4271.
- [701] **CLEO** Collaboration, K. Kinoshita, “Mixing and semileptonic decays of B_u and B_d mesons at CLEO II,” in *5th International Symposium on Heavy Flavor Physics*. 7, 1993.
- [702] K. Kinoshita, J. Amundson, C. Dib, G. W. S. Hou, V. Jain, A. S. Kronfeld, P. Lebrun, R. J. Oakes, and J. Taron, “Semileptonic and leptonic decays of B hadrons,” in *Summer Workshop on B Physics at Hadron Accelerators*, pp. 0389–394. 11, 1993.

- [703] **CLEO** Collaboration, J. E. Bartelt *et al.*, “Measurement of charmless semileptonic decays of B mesons,” *Phys. Rev. Lett.* **71** (1993) 4111–4115.
- [704] **CLEO** Collaboration, D. S. Akerib *et al.*, “Measurement of the absolute branching fraction for $D^0 \rightarrow K^- \pi^+$,” *Phys. Rev. Lett.* **71** (1993) 3070–3074.
- [705] **CLEO** Collaboration, D. Acosta *et al.*, “First measurement of $\Gamma(D_s^+ \rightarrow \mu^+ \nu) / \Gamma(D_s^+ \rightarrow \phi \pi^+)$,” *Phys. Rev. D* **49** (1994) 5690–5700.
- [706] **CLEO** Collaboration, M. Artuso *et al.*, “Measurement of cross-section for $\gamma\gamma \rightarrow p\bar{p}$,” *Phys. Rev. D* **50** (1994) 5484–5490.
- [707] **CLEO** Collaboration, M. Battle *et al.*, “Observation of B^0 decay to two charmless mesons,” *Phys. Rev. Lett.* **71** (1993) 3922–3926.
- [708] **CLEO** Collaboration, Y. Kubota *et al.*, “Measurement of exclusive Λ_c decays with a Σ^+ in the final state,” *Phys. Rev. Lett.* **71** (1993) 3255–3258.
- [709] **CLEO** Collaboration, M. Selen *et al.*, “The $D \rightarrow \pi\pi$ branching fractions,” *Phys. Rev. Lett.* **71** (1993) 1973–1977.
- [710] **CLEO** Collaboration, M. S. Alam *et al.*, “Measurement of the ratio $B(D^+ \rightarrow \pi^0 \ell^+ \nu) / B(D^+ \rightarrow \bar{K}^0 \ell^+ \nu)$,” *Phys. Rev. Lett.* **71** (1993) 1311–1315.
- [711] **CLEO** Collaboration, D. Bortoletto *et al.*, “Measurement of the decay $\tau^- \rightarrow \pi^- \pi^+ \pi^- 2\pi^0 \nu_\tau$,” *Phys. Rev. Lett.* **71** (1993) 1791–1795.
- [712] **CLEO** Collaboration, G. D. Crawford *et al.*, “Observation of the charmed Baryon Σ_c^+ and measurement of the isospin mass splittings of the Σ_c ,” *Phys. Rev. Lett.* **71** (1993) 3259–3262.
- [713] **CLEO** Collaboration, F. Butler *et al.*, “Analysis of hadronic transitions in $\Upsilon(3S)$ decays,” *Phys. Rev. D* **49** (1994) 40–57.
- [714] **CLEO** Collaboration, P. Avery *et al.*, “Study of the decays $\Lambda_c^+ \rightarrow \Xi^0 K^+$, $\Lambda_c^+ \rightarrow \Sigma^+ K^+ K^-$ and $\Lambda_c^+ \rightarrow \Xi^- K^+ \pi^+$,” *Phys. Rev. Lett.* **71** (1993) 2391–2395.
- [715] **CLEO** Collaboration, R. Ammar *et al.*, “Evidence for penguins: First observation of $B \rightarrow K^* (892)\gamma$,” *Phys. Rev. Lett.* **71** (1993) 674–678.
- [716] **CLEO** Collaboration, J. E. Bartelt *et al.*, “Two measurements of $B^0 \bar{B}^0$ mixing,” *Phys. Rev. Lett.* **71** (1993) 1680–1684.
- [717] **CLEO** Collaboration, R. Ballest *et al.*, “A Measurement of the tau lepton mass,” *Phys. Rev. D* **47** (1993) R3671–R3675.
- [718] **CLEO** Collaboration, D. Cinabro *et al.*, “A Limit on the ν_τ mass,” *Phys. Rev. Lett.* **70** (1993) 3700–3704.
- [719] **CLEO** Collaboration, J. P. Alexander *et al.*, “Production and decay of the $D_{s1}^+(2536)$,” *Phys. Lett. B* **303** (1993) 377–384.
- [720] J. L. Pinfold, R. Du, K. Kinoshita, B. Lorazo, M. Regimbald, and B. Price, “A Search for highly ionizing particles produced at the OPAL intersection point at LEP,” *Phys. Lett. B* **316** (1993) 407–411.
- [721] **CLEO** Collaboration, A. Bean *et al.*, “A Search for exclusive $b \rightarrow u$ semileptonic decays of B mesons,” *Phys. Rev. Lett.* **70** (1993) 2681–2685.
- [722] **CLEO** Collaboration, M. Procaro *et al.*, “Study of D^0 decays into \bar{K}^0 and \bar{K}^{*0} ,” *Phys. Rev. D* **48** (1993) 4007–4017.
- [723] **CLEO** Collaboration, D. S. Akerib *et al.*, “Measurement of the tau lepton electronic branching fraction,” *Phys. Rev. Lett.* **69** (1992) 3610–3614. [Erratum: *Phys. Rev. Lett.* **71**, 3395 (1993)].
- [724] **CLEO** Collaboration, M. Procaro *et al.*, “Tau decays with one charged particle plus multiple π^0 s,” *Phys. Rev. Lett.* **70** (1993) 1207–1211.

- [725] **CLEO** Collaboration, A. Bean *et al.*, “A Search for $\tau^- \rightarrow \gamma\mu$: A Test of lepton number conservation,” *Phys. Rev. Lett.* **70** (1993) 138–142.
- [726] **CLEO** Collaboration, M. Artuso *et al.*, “Measurement of tau decays involving η mesons,” *Phys. Rev. Lett.* **69** (1992) 3278–3281.
- [727] **CLEO** Collaboration, M. Battle *et al.*, “A Measurement of the tau lepton lifetime,” *Phys. Lett. B* **291** (1992) 488–495.
- [728] **CLEO** Collaboration, F. Butler *et al.*, “Measurement of the $D^*(2010)$ branching fractions,” *Phys. Rev. Lett.* **69** (1992) 2041–2045.
- [729] **CLEO** Collaboration, S. Sanghera *et al.*, “Lepton asymmetry measurements in $\bar{B} \rightarrow D^* \ell^- \bar{\nu}$ and implications for V-A and the form-factors,” *Phys. Rev. D* **47** (1993) 791–798.
- [730] **CLEO** Collaboration, D. Bortoletto *et al.*, “Isospin mass splittings from precision measurements of $D^* - D$ mass differences,” *Phys. Rev. Lett.* **69** (1992) 2046–2049.
- [731] **CLEO** Collaboration, M. S. Alam *et al.*, “Shape studies of quark jets versus gluon jets at $\sqrt{s} = 10$ GeV,” *Phys. Rev. D* **46** (1992) 4822–4827.
- [732] **CLEO** Collaboration, G. D. Crawford *et al.*, “Exclusive $\chi(2P)$ production in $\Upsilon(3S)$ decay,” *Phys. Lett. B* **294** (1992) 139–144.
- [733] K. Kinoshita, R. Du, J. L. Pinfold, P. B. Price, P. Le Du, B. Lorazo, and M. Regimbald, “A Search for magnetic monopoles at LEP,” in *26th International Conference on High-energy Physics*, pp. 1326–1330. 1992.
- [734] **CLEO** Collaboration, J. P. Alexander *et al.*, “ D_s^+ decays to $\eta\pi^+$ and $\eta'\pi^+$.” *Phys. Rev. Lett.* **68** (1992) 1275–1278.
- [735] **CLEO** Collaboration, P. Avery *et al.*, “ D_s^+ decays to $\eta\rho^+$, $\eta'\rho^+$, and $\phi\rho^+$,” *Phys. Rev. Lett.* **68** (1992) 1279–1282.
- [736] K. Kinoshita, R. Du, G. Giacomelli, L. Patrizii, F. Predieri, P. Serra, M. Spurio, and J. L. Pinfold, “Search for highly ionizing particles in e^+e^- annihilations at $\sqrt{s} = 91.1$ GeV,” *Phys. Rev. D* **46** (1992) R881–R884.
- [737] K. Kinoshita, “Searches for magnetic monopoles at LEP,” in *2nd KEK Topical Conference on e^+e^- Collision Physics (TOPIC91)*. 9, 1992.
- [738] **CLEO** Collaboration, S. Henderson *et al.*, “Observation of the decay $\Xi_c^0 \rightarrow \Omega^- K^+$,” *Phys. Lett. B* **283** (1992) 161–164.
- [739] **CLEO** Collaboration, Y. Kubota *et al.*, “The CLEO-II detector,” *Nucl. Instrum. Meth. A* **320** (1992) 66–113.
- [740] **CLEO** Collaboration, R. Ammar *et al.*, “The Electronic branching ratio of the tau lepton,” *Phys. Rev. D* **45** (1992) 3976–3985.
- [741] **CLEO** Collaboration, M. Daoudi *et al.*, “Two-body D_s^+ decays to $\eta\pi^+$, $\eta'\pi^+$, $\eta\rho^+$, $\eta'\rho^+$, $\phi\rho^+$,” *Phys. Rev. D* **45** (1992) 3965–3975.
- [742] **CLEO** Collaboration, D. Bortoletto *et al.*, “Inclusive and exclusive decays of B mesons to final states including charm and charmonium mesons,” *Phys. Rev. D* **45** (1992) 21–35.
- [743] **CLEO** Collaboration, S. Henderson *et al.*, “Measurements of semileptonic branching fractions of B mesons at the $\Upsilon(4S)$ resonance,” *Phys. Rev. D* **45** (1992) 2212–2231.
- [744] K. Kinoshita, “Results from MODAL at LEP,” *Conf. Proc. C* **910725V1** (1991) 394–396.
- [745] **CLEO-II** Collaboration, R. Morrison *et al.*, “Inclusive $\chi(2P)$ production in $\Upsilon(3S)$ decay,” *Phys. Rev. Lett.* **67** (1991) 1696–1700.

- [746] **CLEO-II** Collaboration, D. S. Akerib *et al.*, “Measurement of the inclusive B^* cross-section above the $\Upsilon(4S)$,” *Phys. Rev. Lett.* **67** (1991) 1692–1695.
- [747] **CLEO** Collaboration, G. D. Crawford *et al.*, “Measurement of the ratio $B(D^0 \rightarrow K^{*-}e^+\nu_e) / B(D^0 \rightarrow K^-e^+\nu_e)$,” *Phys. Rev. D* **44** (1991) 3394–3401.
- [748] **CLEO** Collaboration, G. D. Crawford *et al.*, “Measurement of baryon production in B meson decay,” *Phys. Rev. D* **45** (1992) 752–770.
- [749] **CLEO** Collaboration, R. Ammar *et al.*, “Unusual decay modes of D^0 and D^+ mesons,” *Phys. Rev. D* **44** (1991) 3383–3393.
- [750] J. L. Pinfold *et al.*, “Detector for magnetic monopoles at OPAL,” *Nucl. Instrum. Meth. A* **302** (1991) 434–442.
- [751] C. Bebek *et al.*, “CLEO-II trigger system,” *Nucl. Instrum. Meth. A* **302** (1991) 261–276.
- [752] **CLEO** Collaboration, I. C. Brock *et al.*, “Study of $\pi^+\pi^-$ transitions from the $\Upsilon(3S)$ and a search for the h_b ,” *Phys. Rev. D* **43** (1991) 1448–1458.
- [753] **CLEO** Collaboration, K. Kinoshita *et al.*, “Study of D^0 decays into final states with a π^0 or η ,” *Phys. Rev. D* **43** (1991) 2836–2843.
- [754] M. Fukawa *et al.*, “Physics at a ϕ factory: CP and CPT violations in kaon decays,” *Prog. Theor. Phys. Suppl.* **119** (1995) 1–88.
- [755] **CLEO** Collaboration, P. Avery *et al.*, “Measurement of the Λ_c decay asymmetry parameter,” *Phys. Rev. Lett.* **65** (1990) 2842–2845.
- [756] **CLEO** Collaboration, R. Fulton *et al.*, “Exclusive and inclusive semileptonic decays of B mesons to D mesons,” *Phys. Rev. D* **43** (1991) 651–663.
- [757] **CLEO** Collaboration, J. P. Alexander *et al.*, “Determination of $B(D_s^+ \rightarrow \phi\pi^+)$ via observations of $D_s^+ \rightarrow \phi l\nu$,” *Phys. Rev. Lett.* **65** (1990) 1531–1534.
- [758] **CLEO** Collaboration, M. Goldberg *et al.*, “Study of K^* production in tau decay,” *Phys. Lett. B* **251** (1990) 223–228.
- [759] **CLEO** Collaboration, P. Avery *et al.*, “Inclusive production of the charmed baryon Λ_c from e^+e^- annihilations at $\sqrt{s} = 10.55$ GeV,” *Phys. Rev. D* **43** (1991) 3599–3610.
- [760] **CLEO** Collaboration, J. P. Alexander *et al.*, “Study of the decays $D^0 \rightarrow K\bar{K}, \pi\bar{\pi}$,” *Phys. Rev. Lett.* **65** (1990) 1184–1187.
- [761] **CLEO** Collaboration, J. P. Alexander *et al.*, “Observation of $\Upsilon(4S)$ Decays Into Non - $B\bar{B}$ Final States Containing ψ Mesons,” *Phys. Rev. Lett.* **64** (1990) 2226.
- [762] **CLEO** Collaboration, D. Bortoletto *et al.*, “Exclusive and Inclusive Decays of B Mesons Into D_s Mesons,” *Phys. Rev. Lett.* **64** (1990) 2117.
- [763] P. B. Price, G.-R. Jing, and K. Kinoshita, “High luminosity search for highly ionizing particles at the Fermilab collider,” *Phys. Rev. Lett.* **65** (1990) 149–152.
- [764] **CLEO** Collaboration, W. Y. Chen *et al.*, “Measurement of $\gamma\gamma$ Widths of Charmonium States,” *Phys. Lett. B* **243** (1990) 169–174.
- [765] **CLEO** Collaboration, R. Fulton *et al.*, “Observation of B Meson Semileptonic Decays to Noncharmed Final States,” *Phys. Rev. Lett.* **64** (1990) 16–20.
- [766] **CLEO** Collaboration, T. J. V. Bowcock *et al.*, “Search for Neutrinoless Decays of the τ Lepton,” *Phys. Rev. D* **41** (1990) 805.
- [767] **CLEO** Collaboration, W. Y. Chen *et al.*, “Measurement of D_s Decay Modes,” *Phys. Lett. B* **226** (1989) 192–196.

- [768] **CLEO** Collaboration, M. S. Alam *et al.*, “Measurement of the Isospin Mass Splitting $\Xi_c^+ - \Xi_c^0$,” *Phys. Lett. B* **226** (1989) 401–404.
- [769] **CLEO** Collaboration, P. Avery *et al.*, “*P* Wave Charmed Mesons in e^+e^- Annihilation,” *Phys. Rev. D* **41** (1990) 774.
- [770] K. Kinoshita, M. Fujii, K. Nakajima, P. B. Price, and S. Tasaka, “Search for Highly Ionizing Particles in e^+e^- Annihilations at $\sqrt{s} = 50$ GeV to 60.8 GeV” *Phys. Lett. B* **228** (1989) 543–547.
- [771] **CLEO** Collaboration, T. J. V. Bowcock *et al.*, “ Σ_c^{++} and Σ_c^0 Production From e^+e^- Annihilation in the Υ Energy Region,” *Phys. Rev. Lett.* **62** (1989) 1240.
- [772] **CLEO** Collaboration, R. Fulton *et al.*, “Radiative $\Upsilon(1S)$ Decays,” *Phys. Rev. D* **41** (1990) 1401.
- [773] **CLEO** Collaboration, T. J. V. Bowcock *et al.*, “Search for the Production of Fractionally Charged Particles in e^+e^- Annihilations at $\sqrt{s} = 10.5$ GeV,” *Phys. Rev. D* **40** (1989) 263.
- [774] **Nikko-Mar** Collaboration, K. Kinoshita, “Results from Nikko-Mar,” in *KEK Topical Conference on e^+e^- Collision Physics*. 8, 1989.
- [775] **CLEO** Collaboration, P. Avery *et al.*, “A Search for Exclusive Penguin Decays of B Mesons,” *Phys. Lett. B* **223** (1989) 470–475.
- [776] **CLEO** Collaboration, D. Bortoletto *et al.*, “A Search for $b \rightarrow u$ Transitions in Exclusive Hadronic B Meson Decays,” *Phys. Rev. Lett.* **62** (1989) 2436.
- [777] **CLEO** Collaboration, M. S. Alam *et al.*, “Search for a Neutral Higgs Boson in B Meson Decay,” *Phys. Rev. D* **40** (1989) 712–720. [Erratum: *Phys.Rev.D* 40, 3790 (1989)].
- [778] **CLEO** Collaboration, K. Kinoshita, “Search for rare decay modes of the B meson at CLEO,” in *Proc. XXIII Rencontres de Moriond*. 1989.
- [779] **CLEO** Collaboration, W. Y. Chen *et al.*, “Measurement of the Muonic Branching Fractions of the $\Upsilon(1S)$ and $\Upsilon(3S)$,” *Phys. Rev. D* **39** (1989) 3528.
- [780] **CLEO** Collaboration, M. Artuso *et al.*, “ $B^0 - \bar{B}^0$ Mixing at the $\Upsilon(4S)$,” *Phys. Rev. Lett.* **62** (1989) 2233.
- [781] K. Kinoshita, “A Fast Hardware Trigger for Charged Particles in Multilayer Tracking Devices,” *Nucl. Instrum. Meth. A* **276** (1989) 242–249.
- [782] **CLEO** Collaboration, D. Bortoletto *et al.*, “Study of the Decay $\bar{B}^0 \rightarrow D^{*+} \ell^- \bar{\nu}$,” *Phys. Rev. Lett.* **63** (1989) 1667–1670.
- [783] **CLEO** Collaboration, R. Fulton *et al.*, “First Observation of Inclusive ψ Production in Υ Decays,” *Phys. Lett. B* **224** (1989) 445–449.
- [784] **CLEO** Collaboration, P. Avery *et al.*, “Observation of the Charmed Strange Baryon Ξ_c^0 ,” *Phys. Rev. Lett.* **62** (1989) 863.
- [785] **CLEO** Collaboration, C. Bebek *et al.*, “Search for the Charmless Decays $B \rightarrow p\bar{p}\pi$ and $p\bar{p}\pi\pi$,” *Phys. Rev. Lett.* **62** (1989) 8.
- [786] **Nikko-Mar** Collaboration, K. Kinoshita, M. Fujii, K. Nakajima, P. B. Price, and S. Tasaka, “Recent Results from Nikko at TRISTAN,” in *24th International Conference on High-energy Physics*. 8, 1988.
- [787] **CLEO** Collaboration, T. J. V. Bowcock *et al.*, “Investigation of the Total Charm Pair Cross-section in Nonresonant e^+e^- Annihilations at $\sqrt{s} = 10.5$ GeV,” *Phys. Rev. D* **38** (1988) 2679. [Erratum: *Phys.Rev.D* 40, 1701 (1989)].
- [788] **CLEO** Collaboration, D. Bortoletto *et al.*, “Charm Production in Nonresonant e^+e^- Annihilations at $\sqrt{s} = 10.55$ GeV,” *Phys. Rev. D* **37** (1988) 1719. [Erratum: *Phys.Rev.D* 39, 1471 (1989)].
- [789] K. Kinoshita, M. Fujii, K. Nakajima, P. B. Price, and S. Tasaka, “Search for Highly Ionizing Particles in e^+e^- Annihilations at $\sqrt{s} = 50$ GeV - 52 GeV,” *Phys. Rev. Lett.* **60** (1988) 1610.

- [790] **CLEO** Collaboration, P. Haas *et al.*, “Upper Limits on Charm Changing Neutral Current Interactions,” *Phys. Rev. Lett.* **60** (1988) 1614.
- [791] **CLEO** Collaboration, P. S. Baringer *et al.*, “Production of η and ω Mesons in τ Decay and a Search for Second Class Currents,” *Phys. Rev. Lett.* **59** (1987) 1993.
- [792] **CLEO** Collaboration, C. Bebek *et al.*, “Measurement of the Tau Lifetime,” *Phys. Rev. D* **36** (1987) 690.
- [793] **CLEO** Collaboration, A. Bean *et al.*, “Improved Upper Limit on Flavor Changing Neutral Current Decays of the b Quark,” *Phys. Rev. D* **35** (1987) 3533.
- [794] **CLEO** Collaboration, S. Behrends *et al.*, “ $\Gamma(b \rightarrow ul\nu)/\Gamma(b \rightarrow cl\nu)$ from the End Point of the Lepton Momentum Spectrum in Semileptonic B Decay,” *Phys. Rev. Lett.* **59** (1987) 407.
- [795] **CLEO** Collaboration, M. S. Alam *et al.*, “Evidence for Charmed Baryons in B Meson Decay,” *Phys. Rev. Lett.* **59** (1987) 22.
- [796] **CLEO** Collaboration, C. Bebek *et al.*, “Exclusive Decays and Masses of the B Mesons,” *Phys. Rev. D* **36** (1987) 1289.
- [797] **CLEO** Collaboration, M. S. Alam *et al.*, “Branching Ratios of B Meson to K^+ , K^- and K^0/\bar{K}^0 ,” *Phys. Rev. Lett.* **58** (1987) 1814.
- [798] **CLEO** Collaboration, P. Avery *et al.*, “Limits on rare exclusive decays of B mesons,” *Phys. Lett. B* **183** (1987) 429–433.
- [799] **CLEO** Collaboration, S. E. Csorna *et al.*, “Limit on the Mass of the ν_τ ,” *Phys. Rev. D* **35** (1987) 2747–2751.
- [800] **CLEO** Collaboration, S. E. Csorna *et al.*, “Measurement of the D^0 , D^+ and D_s^+ Meson Lifetimes at $\sqrt{s} = 10.58$ GeV,” *Phys. Lett. B* **191** (1987) 318–322.
- [801] P. B. Price, G.-X. Ren, and K. Kinoshita, “Search for Highly Ionizing Particles at the Fermilab Proton Anti-proton Collider,” *Phys. Rev. Lett.* **59** (1987) 2523–2526.
- [802] **CLEO** Collaboration, T. Gentile *et al.*, “Search for Magnetically Charged Particles Produced in e^+e^- Annihilations at $\sqrt{s} = 10.6$ GeV,” *Phys. Rev. D* **35** (1987) 1081.
- [803] **CLEO** Collaboration, T. J. V. Bowcock *et al.*, “Study of $\pi^+\pi^-$ Transitions From the $\Upsilon(3S)$,” *Phys. Rev. Lett.* **58** (1987) 307.
- [804] **CLEO** Collaboration, A. Bean *et al.*, “Limits on $B^0 - \bar{B}^0$ Mixing and τ_{B^0}/τ_{B^+} ,” *Phys. Rev. Lett.* **58** (1987) 183.
- [805] **CLEO** Collaboration, M. S. Alam *et al.*, “A Study of the Decay $B \rightarrow \psi X$,” *Phys. Rev. D* **34** (1986) 3279.
- [806] **CLEO** Collaboration, D. Bortoletto *et al.*, “Inclusive B Meson Decays into Charm,” *Phys. Rev. D* **35** (1987) 19.
- [807] **CLEO** Collaboration, P. Haas *et al.*, “Observation of the Decay $B \rightarrow F X$,” *Phys. Rev. Lett.* **56** (1986) 2781.
- [808] D. G. Cassel *et al.*, “Design and Construction of the CLEO-II Drift Chamber,” *Nucl. Instrum. Meth. A* **252** (1986) 325–330.
- [809] **CLEO** Collaboration, T. J. V. Bowcock *et al.*, “Upper Limits for the Production of Light Shortlived Neutral Particles in Radiative Υ Decay,” *Phys. Rev. Lett.* **56** (1986) 2676.
- [810] K. Kinoshita, “Study of Nonresonant Charm Production at $\sqrt{s} = 10$ GeV,” in *21st Rencontres de Moriond: Strong Interactions and Gauge Theories*, pp. 371–377. 1986.
- [811] **CLEO** Collaboration, C. Bebek *et al.*, “The Decay $D^0 \rightarrow \phi\bar{K}^0$,” *Phys. Rev. Lett.* **56** (1986) 1893.
- [812] **CLEO** Collaboration, A. Bean *et al.*, “Exclusive Radiative $\Upsilon(1S)$ Decays,” *Phys. Rev. D* **34** (1986) 905.

- [813] M. Pisharody *et al.*, “Construction of the CLEO-II Drift Chamber,” *IEEE Trans. Nucl. Sci.* **33** (1986) 172–175.
- [814] **CLEO** Collaboration, S. E. Csorna *et al.*, “A Measurement of the Direct Photon Spectrum from the $\Upsilon(1S)$,” *Phys. Rev. Lett.* **56** (1986) 1222.
- [815] **CLEO** Collaboration, D. Besson *et al.*, “Search for Monoenergetic Photons From $\Upsilon(1S) \rightarrow \gamma X$,” *Phys. Rev. D* **33** (1986) 300.
- [816] **CLEO** Collaboration, D. Bortoletto *et al.*, “Inclusive ϕ Production in B Meson Decay,” *Phys. Rev. Lett.* **56** (1986) 800.
- [817] **CLEO** Collaboration, T. J. V. Bowcock *et al.*, “ Λ_c Production From e^+e^- Annihilation in the Υ Energy Region,” *Phys. Rev. Lett.* **55** (1985) 923.
- [818] **CLEO** Collaboration, P. Haas *et al.*, “The Decay $B \rightarrow \psi X$,” *Phys. Rev. Lett.* **55** (1985) 1248.
- [819] **CLEO** Collaboration, S. E. Csorna *et al.*, “Inclusive Decay of B Mesons Into Charged D^* ,” *Phys. Rev. Lett.* **54** (1985) 1894.
- [820] **CLEO** Collaboration, A. Chen *et al.*, “Observation of the Decay $\bar{B}^0 \rightarrow D^{*+}\rho^-$,” *Phys. Rev. D* **31** (1985) 2386.
- [821] **CLEO** Collaboration, S. Behrends *et al.*, “New Determination of the Michel Parameter in Tau Decay,” *Phys. Rev. D* **32** (1985) 2468–2470.
- [822] **CLEO** Collaboration, P. Avery *et al.*, “Bose-Einstein Correlations in e^+e^- Annihilations in the Upsilon Region,” *Phys. Rev. D* **32** (1985) 2294–2302.
- [823] **CLEO** Collaboration, D. Besson *et al.*, “Observation of New Structure in the e^+e^- Annihilation Cross-Section Above $B\bar{B}$ Threshold,” *Phys. Rev. Lett.* **54** (1985) 381.
- [824] **CLEO** Collaboration, S. Behrends *et al.*, “Inclusive Hadron Production in Upsilon Decays and in Nonresonant e^+e^- Annihilation at 10.49 GeV,” *Phys. Rev. D* **31** (1985) 2161.
- [825] **CLEO** Collaboration, P. Haas *et al.*, “The Leptonic Branching Ratio of the $\Upsilon(2S)$,” *Phys. Rev. D* **30** (1984) 1996.
- [826] **CLEO** Collaboration, P. Avery *et al.*, “Upper Limit on Flavor Changing Neutral Current Decays of the b -quark,” *Phys. Rev. Lett.* **53** (1984) 1309–1313.
- [827] **CLEO** Collaboration, R. Giles *et al.*, “Two-Body Decays of B Mesons,” *Phys. Rev. D* **30** (1984) 2279.
- [828] **CLEO** Collaboration, M. S. Alam *et al.*, “Hyperon Production in e^+e^- Interactions in the Υ Region,” *Phys. Rev. Lett.* **53** (1984) 24.
- [829] **CLEO** Collaboration, A. Chen *et al.*, “Limit on the $b \rightarrow u$ Coupling from Semileptonic B Decay,” *Phys. Rev. Lett.* **52** (1984) 1084.
- [830] **CUSB** Collaboration, W. W. MacKay, J. F. Hassard, R. T. Giles, M. Hempstead, K. Kinoshita, F. M. Pipkin, R. Wilson, and L. N. Hand, “Measurement of the Υ Mass,” *Phys. Rev. D* **29** (1984) 2483.
- [831] **CLEO** Collaboration, D. Besson *et al.*, “A High Statistics Study of $\Upsilon(2S) \rightarrow \pi^+\pi^-\Upsilon(1S)$,” *Phys. Rev. D* **30** (1984) 1433.
- [832] K. Kinoshita, “Physics at 10 GeV: B Mesons and Continuum Phenomena in the Upsilon Region,” *AIP Conference Proceedings* **121** no. 1, (1984) 357–379.
- [833] **CLEO** Collaboration, S. Behrends *et al.*, “A Search for the $\xi(2.2)$ in the Υ Region,” *Phys. Lett. B* **137** (1984) 277–280.
- [834] **CLEO** Collaboration, P. Haas *et al.*, “Observation of Radiative Decays of the $\Upsilon(2S)$,” *Phys. Rev. Lett.* **52** (1984) 799.

- [835] **CLEO** Collaboration, R. Giles *et al.*, “The Total Cross-section for Electron - Positron Annihilation Into Hadron Final States in the Υ Energy Region,” *Phys. Rev. D* **29** (1984) 1285.
- [836] D. Fryberger, T. E. Coan, K. Kinoshita, and P. B. Price, “Search for Highly Ionizing Particles in e^+e^- Collisions at $\sqrt{s} = 29$ GeV,” *Phys. Rev. D* **29** (1984) 1524.
- [837] **CLEO** Collaboration, P. Avery *et al.*, “Production of Charmed Mesons in e^+e^- Annihilation at 10.5 GeV,” *Phys. Rev. Lett.* **51** (1983) 1139.
- [838] **CLEO** Collaboration, M. S. Alam *et al.*, “Observation of Baryons in B Meson Decay,” *Phys. Rev. Lett.* **51** (1983) 1143.
- [839] **CLEO** Collaboration, A. Chen *et al.*, “Evidence for the F Meson at 1970 MeV,” *Phys. Rev. Lett.* **51** (1983) 634.
- [840] **CLEO** Collaboration, J. Green *et al.*, “The D^0 Spectrum From B Meson Decay,” *Phys. Rev. Lett.* **51** (1983) 347.
- [841] **CLEO** Collaboration, R. Giles *et al.*, “A Measurement of the Branching Fraction of the Decay $\Upsilon(1S) \rightarrow \tau^+\tau^-$,” *Phys. Rev. Lett.* **50** (1983) 877.
- [842] **CLEO** Collaboration, S. Behrends *et al.*, “Observation of Exclusive Decay Modes of B Flavored Mesons,” *Phys. Rev. Lett.* **50** (1983) 881–884.
- [843] **CLEO** Collaboration, D. Andrews *et al.*, “A Measurement of the Leptonic Branching Ratios of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$,” *Phys. Rev. Lett.* **50** (1983) 807.
- [844] **CLEO** Collaboration, M. S. Alam *et al.*, “A Search for Axion Production in Υ Decay,” *Phys. Rev. D* **27** (1983) 1665.
- [845] S. W. Barwick, K. Kinoshita, and P. B. Price, “Search for Penetrating, Highly Charged Particles at Mountain Altitude,” *Phys. Rev. D* **28** (1983) 2338–2340.
- [846] K. Kinoshita, P. B. Price, and D. Fryberger, “Search for Highly Ionizing Particles in e^+e^- Collisions at $\sqrt{s} = 29$ GeV,” *Phys. Rev. Lett.* **48** (1982) 77.
- [847] S. P. Ahlen and K. Kinoshita, “Calculation of the Stopping Power of Very Low Velocity Magnetic Monopoles,” *Phys. Rev. D* **26** (1982) 2347–2363.
- [848] D. O'Sullivan, P. B. Price, K. Kinoshita, and C. G. Willson, “Predicting radiation sensitivity of polymers,” *Journal of The Electrochemical Society* **129** no. 4, (Apr, 1982) 811–813.
- [849] P. B. Price, “Highly Ionizing Cosmic Rays at Mountain Altitude,” in *Proc. 17th Int'l Cosmic Ray Conf.*, vol. 11, pp. 5–8. 1981.
- [850] K. Kinoshita and P. B. Price, “Study of Highly Ionizing Particles at Mountain Altitude,” *Phys. Rev. D* **24** (1981) 1707–1717.
- [851] K. Kinoshita and P. B. Price, “Method for Producing Thin Sheets of Proton-Sensitive CR-39 Plastic Track Detectors,” *Rev. Sci. Inst.* **51** (1980) 32.
- [852] P. B. Price, “Research on CR-39 Plastic Detectors for Cosmic Ray Astrophysics,” in *Proc. 16th Int'l Cosmic Ray Conf.*, vol. 11, pp. 80–85. 1979.